IMPE LaTeX System

Canonical Typesetting Showcase

YANG Sikai

v1.1.0

Abstract

This document is the canonical visual specimen for the current IMPE LaTeX System public interface. It combines a local-family style audit, a deliberately small Unicode-range routing regression, dense multilingual paragraph composition with explicit local overrides, right-to-left text, vertical writing, generic complex shaping, CJK and Han family selection, and the principal document features provided by IMPE. It is intended both as a public showcase and as a release-time visual regression specimen.[1]

Contents

1 Local Font Families and Styles **2**

2 Multilingual and Mixed-Script Composition **2**

2.1 Polyglot Composition 2

2.2 Mixed Writing Directions 7

3 Right-to-Left Scripts **7**

3.1 Arabic 7

3.2 Urdu 7

3.3 Hebrew 8

3.4 Syriac 8

4 Vertical Writing **8**

4.1 Mongolian 8

4.2 Manchu 9

4.3 Old Uyghur 9

5 Complex Shaping and Stacked Sequences **9**

5.1 Devanagari 9

5.2 Tibetan 9

5.3 Brahmi, Kharoshthi, and Thai 11

5.4 Egyptian Hieroglyphic Composition 11

5.5 Khitan Small Script 12

[1] The showcase is intentionally broader than the focused regression fixtures under `tests/`; those fixtures isolate individual failures.

6 East Asian Writing and CJK Family Selection **12**
6.1 Chinese . . . 12
6.2 Korean and Historical Hangul . . . 13
6.3 Japanese . . . 13
6.4 Vietnamese . . . 13
6.5 Tangut . . . 14
6.6 WenJin Multi-Plane Coverage . . . 14
6.7 Regional Forms of Shared Han Characters . . . 14

7 Document Features **14**
7.1 Mathematics . . . 14
7.2 Drawing . . . 16
7.3 Tables . . . 18
7.4 Lists and Quoted Examples . . . 18
7.5 Images . . . 18
7.6 Inline Image Glyphs . . . 18
7.7 Citations and Bibliography . . . 19
7.8 Index Terms . . . 19
7.9 Hyperlinks, Footnotes, and Running Headers . . . 19

References **20**

1 Local Font Families and Styles

Table 1 pairs concise script specimens with eight corresponding text styles. Repeated specimens make differences between typefaces directly comparable; where a face is not supplied, the registered family's normal fallback applies. Egyptian format controls and Khitan clusters use their native two-dimensional layouts; Inner Asian samples use vertical writing. The matrix continues across landscape pages as needed.

2 Multilingual and Mixed-Script Composition

Written traditions carry voices across languages, centuries, and regions. The passages here bring together reflections on books and learning alongside short proverbial and scriptural lines, composed in their own writing systems.

2.1 Polyglot Composition

The same page can accommodate many scripts without assigning any single one the role of a translation or a transcription. In the following continuous paragraph, five writing systems are set directly in Unicode, while the others retain their chosen local typefaces.

Գրքերը մեզ պատմում են անցյալի մարդկանց մասին: ძველ წიგნებში მრავალი თაობის აზრი და გამოცდილებაა შემონახული. Oγoƨ ΠιʌoΓoC ϟϥϢϖΠι ИoγCϫPƷ oγoƨ ϟϥϢϖΠι ИЬHTEN. 𓀀𓀁 ᵽሕ𐒈ሕ𐒈ል ᒪልሕɜϿ ᵠ𐒈ƐƐƐ𐒈, 𐒑 ᵠ𐒈ƐƐƐ𐒈 ᒪልሕɜϿ ϟ𐒈 ᒪƐ𐒈ᵯ𐒈. विद्या ददाति विनयं। கற்க கசடறக் கற்பவை கற்றபின் நிற்க அதற்குத் தக. ཤེས་རབ་དང་སྦྱིང་རྗེའི་མིའི་ཚོས་ཀྱི་རྒྱ་བ་ཡིན། الكتاب خير جليس، والعلم نور. הַחכמה טובה کتابیں ہمیں ماضی کی دنیا سے ملاتی ہیں۔

Table 1: Typeface specimens in eight styles.

Typeface	Regular	Bold	Italic	Bold italic	Sans	Sans bold	Sans italic	Sans bold italic
Latin typefaces								
CMU Serif	Latina	**Latina**	*Latina*	***Latina***	Latina	**Latina**	Latina	**Latina**
Noto	Latina	**Latina**	*Latina*	***Latina***	Latina	**Latina**	*Latina*	***Latina***
Times	Latina	**Latina**	*Latina*	***Latina***	Latina	**Latina**	*Latina*	***Latina***
Gentium Plus	Latina	**Latina**	*Latina*	***Latina***	Latina	**Latina**	*Latina*	***Latina***
Charis SIL	Latina	**Latina**	*Latina*	***Latina***	Latina	**Latina**	*Latina*	***Latina***
Libertinus	Latina	**Latina**	*Latina*	***Latina***	Latina	**Latina**	*Latina*	**Latina**
MLModern	Latina	**Latina**	*Latina*	***Latina***	Latina	**Latina**	*Latina*	***Latina***
European and Caucasian scripts								
Carian	𐊠𐊣𐊀𐊉𐊫	𐊠𐊣𐊀𐊉𐊫	𐊠𐊣𐊀𐊉𐊫	𐊠𐊣𐊀𐊉𐊫	𐊠𐊣𐊀𐊉𐊫	𐊠𐊣𐊀𐊉𐊫	𐊠𐊣𐊀𐊉𐊫	𐊠𐊣𐊀𐊉𐊫
Coptic	ⲛⲟⲩⲧⲉ	ⲛⲟⲩⲧⲉ	ⲛⲟⲩⲧⲉ	ⲛⲟⲩⲧⲉ	ⲛⲟⲩⲧⲉ	ⲛⲟⲩⲧⲉ	ⲛⲟⲩⲧⲉ	ⲛⲟⲩⲧⲉ
Glagolitic	ⰌⰐⰋⰌⰓⰐⰐ	ⰌⰐⰋⰌⰓⰐⰐ	ⰌⰐⰋⰌⰓⰐⰐ	ⰌⰐⰋⰌⰓⰐⰐ	ⰌⰐⰋⰌⰓⰐⰐ	ⰌⰐⰋⰌⰓⰐⰐ	ⰌⰐⰋⰌⰓⰐⰐ	ⰌⰐⰋⰌⰓⰐⰐ
Old Italic	𐌌𐌉 𐌔𐌅𐌂𐌉	𐌌𐌉 𐌔𐌅𐌂𐌉	𐌌𐌉 𐌔𐌅𐌂𐌉	𐌌𐌉 𐌔𐌅𐌂𐌉	𐌌𐌉 𐌔𐌅𐌂𐌉	𐌌𐌉 𐌔𐌅𐌂𐌉	𐌌𐌉 𐌔𐌅𐌂𐌉	𐌌𐌉 𐌔𐌅𐌂𐌉
Old Hungarian	𐲁𐲋𐲌𐲃𐲍	𐲁𐲋𐲌𐲃𐲍	𐲁𐲋𐲌𐲃𐲍	𐲁𐲋𐲌𐲃𐲍	𐲁𐲋𐲌𐲃𐲍	𐲁𐲋𐲌𐲃𐲍	𐲁𐲋𐲌𐲃𐲍	𐲁𐲋𐲌𐲃𐲍
Runic	ᚠᚢᚦᚠᚱᚲ	ᚠᚢᚦᚠᚱᚲ	ᚠᚢᚦᚠᚱᚲ	ᚠᚢᚦᚠᚱᚲ	ᚠᚢᚦᚠᚱᚲ	ᚠᚢᚦᚠᚱᚲ	ᚠᚢᚦᚠᚱᚲ	ᚠᚢᚦᚠᚱᚲ
Armenian	հայերեն	**հայերեն**	հայերեն	**հայերեն**	հայերեն	**հայերեն**	հայերեն	**հայերեն**
Georgian	ქართული	**ქართული**	ქართული	**ქართული**	ქართული	**ქართული**	ქართული	**ქართული**
South Asian and Tibetan scripts								
Devanagari ·Hindi	देवनागरी	**देवनागरी**	देवनागरी	**देवनागरी**	देवनागरी	**देवनागरी**	देवनागरी	**देवनागरी**
Devanagari ·Sanskrit	देवनागरी	देवनागरी	देवनागरी	देवनागरी	देवनागरी	देवनागरी	देवनागरी	देवनागरी
Devanagari	देवनागरी	**देवनागरी**	देवनागरी	**देवनागरी**	देवनागरी	**देवनागरी**	देवनागरी	**देवनागरी**
Tamil	தமிழ்	**தமிழ்**	*தமிழ்*	***தமிழ்***	தமிழ்	**தமிழ்**	தமிழ்	**தமிழ்**

Typeface	Regular	Bold	Italic	Bold italic	Sans	Sans bold	Sans italic	Sans bold italic
Brahmi	𑀤𑁆𑀬𑀸	𑀤𑁆𑀬𑀸	𑀤𑁆𑀬𑀸	𑀤𑁆𑀬𑀸	𑀤𑁆𑀬𑀸	𑀤𑁆𑀬𑀸	𑀤𑁆𑀬𑀸	𑀤𑁆𑀬𑀸
Brahmi ·Segoe	𑀤𑁆𑀬	𑀤𑁆𑀬	𑀤𑁆𑀬	𑀤𑁆𑀬	𑀤𑁆𑀬	𑀤𑁆𑀬	𑀤𑁆𑀬	𑀤𑁆𑀬
Kharoshthi	𐨪𐨿	𐨪𐨿	𐨪𐨿	𐨪𐨿	𐨪𐨿	𐨪𐨿	𐨪𐨿	𐨪𐨿
Tibetan	བོད་ཡིག	**བོད་ཡིག**	ཨོཌ་ཡིག	**ཨོཌ་ཡིག**	བོད་ཡིག	**བོད་ཡིག**	ཨོཌ་ཡིག	**ཨོཌ་ཡིག**
Thai	ภาษาไทย	**ภาษาไทย**	ภาษาไทย	**ภาษาไทย**	ภาษาไทย	**ภาษาไทย**	ภาษาไทย	**ภาษาไทย**
West Asian and Iranian scripts								
Arabic	العربية	**العربية**	*العربية*	***العربية***	العربية	**العربية**	العربية	**العربية**
Arabic ·Nastaliq	نستعليق	**نستعليق**	*نستعليق*	***نستعليق***	نستعليق	**نستعليق**	نستعليق	**نستعليق**
Imperial Aramaic	𐡀𐡓𐡌𐡉	𐡀𐡓𐡌𐡉	𐡀𐡓𐡌𐡉	𐡀𐡓𐡌𐡉	𐡀𐡓𐡌𐡉	𐡀𐡓𐡌𐡉	𐡀𐡓𐡌𐡉	𐡀𐡓𐡌𐡉
Nabataean	𐢁𐢕𐢇	𐢁𐢕𐢇	𐢁𐢕𐢇	𐢁𐢕𐢇	𐢁𐢕𐢇	𐢁𐢕𐢇	𐢁𐢕𐢇	𐢁𐢕𐢇
Hebrew	עברית	**עברית**	*עברית*	***עברית***	עברית	**עברית**	עברית	**עברית**
Syriac	ܣܘܪܝܝܐ	**ܣܘܪܝܝܐ**	*ܣܘܪܝܝܐ*	***ܣܘܪܝܝܐ***	ܣܘܪܝܝܐ	**ܣܘܪܝܝܐ**	ܣܘܪܝܝܐ	**ܣܘܪܝܝܐ**
Syriac ·Eastern	ܣܘܪܝܝܐ	**ܣܘܪܝܝܐ**	*ܣܘܪܝܝܐ*	***ܣܘܪܝܝܐ***	ܣܘܪܝܝܐ	**ܣܘܪܝܝܐ**	ܣܘܪܝܝܐ	**ܣܘܪܝܝܐ**
Inscriptional Parthian	𐭡𐭥𐭲𐭩𐭠	𐭡𐭥𐭲𐭩𐭠	𐭡𐭥𐭲𐭩𐭠	𐭡𐭥𐭲𐭩𐭠	𐭡𐭥𐭲𐭩𐭠	𐭡𐭥𐭲𐭩𐭠	𐭡𐭥𐭲𐭩𐭠	𐭡𐭥𐭲𐭩𐭠
Inscriptional Pahlavi	𐭤𐭥𐭧𐭩𐭪	𐭤𐭥𐭧𐭩𐭪	𐭤𐭥𐭧𐭩𐭪	𐭤𐭥𐭧𐭩𐭪	𐭤𐭥𐭧𐭩𐭪	𐭤𐭥𐭧𐭩𐭪	𐭤𐭥𐭧𐭩𐭪	𐭤𐭥𐭧𐭩𐭪
Psalter Pahlavi	𐮇𐮅𐮉	𐮇𐮅𐮉	𐮇𐮅𐮉	𐮇𐮅𐮉	𐮇𐮅𐮉	𐮇𐮅𐮉	𐮇𐮅𐮉	𐮇𐮅𐮉
Avestan	𐬀𐬫𐬭𐬎	𐬀𐬫𐬭𐬎	𐬀𐬫𐬭𐬎	𐬀𐬫𐬭𐬎	𐬀𐬫𐬭𐬎	𐬀𐬫𐬭𐬎	𐬀𐬫𐬭𐬎	𐬀𐬫𐬭𐬎
Manichaean	𐫀𐫁𐫂𐫀	𐫀𐫁𐫂𐫀	𐫀𐫁𐫂𐫀	𐫀𐫁𐫂𐫀	𐫀𐫁𐫂𐫀	𐫀𐫁𐫂𐫀	𐫀𐫁𐫂𐫀	𐫀𐫁𐫂𐫀
Phoenician	𐤀𐤓𐤌𐤉	𐤀𐤓𐤌𐤉	𐤀𐤓𐤌𐤉	𐤀𐤓𐤌𐤉	𐤀𐤓𐤌𐤉	𐤀𐤓𐤌𐤉	𐤀𐤓𐤌𐤉	𐤀𐤓𐤌𐤉
Samaritan	ࠔ࠵ࠓ	ࠔ࠵ࠓ	ࠔ࠵ࠓ	ࠔ࠵ࠓ	ࠔ࠵ࠓ	ࠔ࠵ࠓ	ࠔ࠵ࠓ	ࠔ࠵ࠓ
Sogdian	𐼧𐼬𐼍𐼬	𐼧𐼬𐼍𐼬	𐼧𐼬𐼍𐼬	𐼧𐼬𐼍𐼬	𐼧𐼬𐼍𐼬	𐼧𐼬𐼍𐼬	𐼧𐼬𐼍𐼬	𐼧𐼬𐼍𐼬
Old Sogdian	𐽆𐽁𐽀𐽆	𐽆𐽁𐽀𐽆	𐽆𐽁𐽀𐽆	𐽆𐽁𐽀𐽆	𐽆𐽁𐽀𐽆	𐽆𐽁𐽀𐽆	𐽆𐽁𐽀𐽆	𐽆𐽁𐽀𐽆



Typeface	Regular	Bold	Italic	Bold italic	Sans	Sans bold	Sans italic	Sans bold italic
Ancient Near Eastern scripts								
Cuneiform	𒀀𒂍𒄿	𒀀𒂍𒄿	𒀀𒂍𒄿	𒀀𒂍𒄿	𒀀𒂍𒄿	𒀀𒂍𒄿	𒀀𒂍𒄿	𒀀𒂍𒄿
Egyptian Hieroglyphs	𓂋𓏏𓈖𓂝𓎛	𓂋𓏏𓈖𓂝𓎛	𓂋𓏏𓈖𓂝𓎛	𓂋𓏏𓈖𓂝𓎛	𓂋𓏏𓈖𓂝𓎛	𓂋𓏏𓈖𓂝𓎛	𓂋𓏏𓈖𓂝𓎛	𓂋𓏏𓈖𓂝𓎛
East Asian scripts and Han families								
Bopomofo	ㄅㄆㄇㄈ	ㄅㄆㄇㄈ	ㄅㄆㄇㄈ	ㄅㄆㄇㄈ	ㄅㄆㄇㄈ	ㄅㄆㄇㄈ	ㄅㄆㄇㄈ	ㄅㄆㄇㄈ
Han ·Simplified	汉字	**汉字**	汉字	**汉字**	汉字	**汉字**	汉字	**汉字**
Han ·Traditional	漢字	**漢字**	漢字	**漢字**	漢字	**漢字**	漢字	**漢字**
Han ·Hiragana · Katakana	漢字かなカナ	**漢字かなカナ**	漢字かなカナ	**漢字かなカナ**	漢字かなカナ	**漢字かなカナ**	漢字かなカナ	**漢字かなカナ**
Han ·WenJin	漢字	漢字	漢字	漢字	漢字	漢字	漢字	漢字
Han ·Shanggu	漢字	**漢字**	漢字	**漢字**	**漢字**	**漢字**	**漢字**	**漢字**
Han ·Sim	汉字	汉字	汉字	汉字	汉字	汉字	汉字	汉字
Hangul ·Han	한글漢字	**한글漢字**	한글漢字	**한글漢字**	한글漢字	**한글漢字**	한글漢字	**한글漢字**
Tangut	𘜶𘝦	𘜶𘝦	𘜶𘝦	𘜶𘝦	𘜶𘝦	𘜶𘝦	𘜶𘝦	𘜶𘝦
Inner Asian scripts								
Khitan Small Script	令岑 小 分 列	令岑 小 分 列	令岑 小 分 列	令岑 小 分 列	令岑 小 分 列	令岑 小 分 列	令岑 小 分 列	令岑 小 分 列
Mongolian	ᠮᠣᠩᠭᠣᠯ	ᠮᠣᠩᠭᠣᠯ	ᠮᠣᠩᠭᠣᠯ	ᠮᠣᠩᠭᠣᠯ	ᠮᠣᠩᠭᠣᠯ	ᠮᠣᠩᠭᠣᠯ	ᠮᠣᠩᠭᠣᠯ	ᠮᠣᠩᠭᠣᠯ
Mongolian Baiti	ᠮᠣᠩᠭᠣᠯ	ᠮᠣᠩᠭᠣᠯ	ᠮᠣᠩᠭᠣᠯ	ᠮᠣᠩᠭᠣᠯ	ᠮᠣᠩᠭᠣᠯ	ᠮᠣᠩᠭᠣᠯ	ᠮᠣᠩᠭᠣᠯ	ᠮᠣᠩᠭᠣᠯ
Manchu	ᠮᡠᠨ	ᠮᡠᠨ	ᠮᡠᠨ	ᠮᡠᠨ	ᠮᡠᠨᡤᡡ	ᠮᡠᠨᡤᡡ	ᠮᡠᠨᡤᡡ	ᠮᡠᠨᡤᡡ
Old Turkic	𐰃𐰆𐰚𐰀	𐰃𐰆𐰚𐰀	𐰃𐰆𐰚𐰀	𐰃𐰆𐰚𐰀	𐰃𐰆𐰚𐰀	𐰃𐰆𐰚𐰀	𐰃𐰆𐰚𐰀	𐰃𐰆𐰚𐰀
Old Uyghur	𐽆𐽏𐽂𐽏	𐽆𐽏𐽂𐽏	𐽆𐽏𐽂𐽏	𐽆𐽏𐽂𐽏	𐽆𐽏𐽂𐽏	𐽆𐽏𐽂𐽏	𐽆𐽏𐽂𐽏	𐽆𐽏𐽂𐽏

Typeface	Regular	Bold	Italic	Bold italic	Sans	Sans bold	Sans italic	Sans bold italic
Vietnamese writing traditions								
Latin ·Quốc Ngữ	Quốc ngữ	**Quốc ngữ**	Quốc ngữ	**Quốc ngữ**	Quốc ngữ	Quốc ngữ	Quốc ngữ	Quốc ngữ
Han ·Chữ Nôm	笀喃	**笀喃**	笀喃	笀喃	**笀喃**	**笀喃**	**笀喃**	笀喃

.מכסף ומזהב .ᠬᠦᠮᠦᠨ ᠦᠨ ᠵᠤᠪᠴᠠᠯ ᠪᠠᠷᠢᠵᠤ .ᠪᠠᠭᠰ ᠤᠨ ᠪᠢᠴᠢᠭ ᠬᠡᠪᠯᠡᠵᠦ ᠬᠡᠳᠦᠢ ᠤᠯᠠᠨ ᠤᠨᠢᠭᠤᠯᠠ, Dǐgdī. 古い図書館でカタログをめくり、昔の人の手紙を読みました。 古典을 읽으면 오늘의 질문을 다시 생각하게 됩니다. 舊書中的一句話，有時會在數百年後重新被人理解。

2.2 Mixed Writing Directions

A page may also alternate between horizontal sentences and vertically written words. Here the Mongolian and Manchu passages rise between ordinary horizontal lines, while each writing system retains its own orientation.

翻開一本舊書，紙頁上的文字把我們帶到另一個時代。  古い手紙を読むと、文字の形から書き手の暮らしまで想像できます。  오래된 기록을 읽는 일은 낯선 사람의 목소리에 귀를 기울이는 일입니다. 文字的方向雖然不同，閱讀仍讓相隔久遠的人彼此相遇。

3 Right-to-Left Scripts

Arabic, Urdu, Hebrew, and Syriac begin their lines at the right-hand edge, yet their books also accommodate dates, shelfmarks, and occasional passages in other writing systems. These pages bring together modern prose, verse, and older scriptural traditions.

3.1 Arabic

In a quiet manuscript room, a catalogue entry may be the beginning of a much longer story.

في قاعة المخطوطات رفوف من الخشب الداكن، وعلى الرفوف كتب نُسخت في مدن مختلفة وعصور متباعدة. تحمل بعض الصفحات أسماء ناسخين وقرّاء، وتحفظ الهوامش أسئلة صغيرة تركها أشخاص لا نعرف عن حياتهم إلا القليل. تُظهر إحدى النسخ آثار التصحيحات التي أضافها ناسخ لاحق، وتروي حواشيها كيف انتقل الكتاب بين أيدي القرّاء. وحين يقارن الباحث نسختين من الكتاب نفسه يجد أن اختلاف كلمة واحدة قد يكشف طريق النص من مدينة إلى أخرى. لهذا لا تكون القراءة عودة إلى الماضي وحده؛ إنها حوار جديد مع أناس حفظوا الكلمات ونقلوها إلى من جاء بعدهم.

A fully vocalized couplet by al-Mutanabbī offers another typographic rhythm, with its vowel marks and joined letterforms:

أَعَزُّ مَكَانٍ فِي الدُّنَى سَرْجُ سَابِحٍ، وَخَيْرُ جَلِيسٍ فِي الزَّمَانِ كِتَابُ.

3.2 Urdu

ایک پرانے کتب خانے میں داخل ہوتے ہی کاغذ اور روشنائی کی ایک مانوس خوشبو محسوس ہوتی ہے۔ لکڑی کی الماریوں میں رکھی ہوئی کتابوں پر زمانے کے نشان صاف دکھائی دیتے ہیں، لیکن ان کے صفحات آج بھی نئے سوال پیدا کرتے ہیں۔ بعض نسخوں کے حاشیوں میں پچھلے قارئین نے اپنے خیالات لکھے ہیں؛ کہیں کسی مشکل لفظ کا مطلب درج ہے اور کہیں صرف ایک چھوٹا سا سوالیہ نشان۔ سن ۱۹۲۷ کی ایک یادداشت میں کتاب کے مالک نے لکھا تھا کہ اسے یہ نسخہ سفر کے دوران ملا۔ اب وہی کتاب دوسرے شہر کی لائبریری میں موجود ہے، جہاں ہر نیا قاری اس کی کہانی میں اپنا حصہ شامل کرتا ہے۔ یوں ایک کتاب صرف الفاظ کا مجموعہ نہیں رہتی بلکہ مختلف زمانوں اور لوگوں کے درمیان

رابطے کا ذریعہ بن جاتی ہے۔

3.3 Hebrew

כשנכנסים לספרייה ישנה, אפשר לפעמים לשמוע את רשרוש הדפים יותר מכל קול אחר. על שולחן העץ מונחים כתבי יד, מהדורות מודפסות ומחברת של קורא שכבר איננו. בשוליו של אחד הספרים נכתבה הערה קצרה בשנת 1896, ולידה סימן שאלה קטן. כעבור דורות פותח קורא אחר את אותו העמוד וממשיך את השיחה שהתחילה לפניו. כך נשמרות בספרייה לא רק המילים שבספרים, אלא גם עקבותיהם של האנשים שקראו אותם, העירו עליהם והעבירו אותם לידיים אחרות.

The opening of Genesis presents a different Hebrew page: fully pointed consonants, cantillation marks, and the verse-ending punctuation.

בְּרֵאשִׁית בָּרָא אֱלֹהִים אֵת הַשָּׁמַיִם וְאֵת הָאָרֶץ׃

3.4 Syriac

The opening of the Gospel of John in the Syriac Peshitta places words and light at the heart of its narrative. The following continuous passage is taken from John 1:2–5.

ܗܘ ܗܘܐ ܒܪܫܝܬ ܟܠ ܡܕܡ ܗܘܐ ܟܠܡܐ ܘܟܠܡܐ ܗܘܐ ܠܘܬ ܐܠܗܐ ❖ ܘܐܠܗܐ ܗܘ ܗܘܐ ܟܠܡܐ ܗܘܐ ❖ ܗܢܐ ܗܘ ܟܠ ܡܕܡ ܒܗ ܗܘܐ ܚܝܐ ❖ ܘܚܝܐ ܗܘܝܢ ܢܗܝܪܐ ܠܒܢܝ ܢܫܐ ❖ ܘܢܗܝܪܐ ܒܚܫܘܟܐ ܡܢܗ ܘܚܫܘܟܐ ܠܐ ܐܬܩܒܠ ❖

Two traditional typefaces set the same opening verse, allowing their letterforms to be read alongside one another.

General Syriac

ܒܪܫܝܬ ܗܘ ܐܠܗܐ ܐܬ ܫܡܝܐ ܘܐܬ ܐܪܥܐ ❖ ܘܐܪܥܐ ܗܘܬ ܬܗܘ ܘܒܗܘ ܘܚܫܘܟ ܥܠ ܦܢܝ ܬܗܘܡܐ ❖ ܘܪܘܚ ܐܠܗܐ ܪܚܦ ܥܠ ܦܢܝ ܡܝܐ

Eastern Syriac

ܒܪܫܝܬ ܒܪܐ ܐܠܗܐ ܐܬ ܫܡܝܐ ܘܐܬ ܐܪܥܐ ❖ ܘܐܪܥܐ ܗܘܬ ܬܗܘ ܘܒܗܘ ܚܫܘܟܐ ܥܠ ܐܦܝ ܬܗܘܡܐ ❖

4 Vertical Writing

Mongolian, Manchu, and Old Uyghur are written in vertical lines. In a horizontal IMPE document, local vertical runs retain that orientation while individual word-sized units can wrap within the surrounding page. The following passages compare the two settings and their different letterforms.


4.1 Mongolian

The same Mongolian passage appears in horizontal and vertical settings.

Horizontal reference


ᠮᠣᠩᠭᠣᠯ ᠬᠡᠯᠡ ᠪᠢᠴᠢᠭ᠌ ᠮᠣᠩᠭᠣᠯ ᠪᠢᠴᠢᠭ᠌ ᠤᠨ ᠬᠡᠯᠡ ᠮᠣᠩᠭᠣᠯ᠃᠃ ᠮᠣᠩᠭᠣᠯ ᠪᠢᠴᠢᠭ᠌ ᠤᠨ ᠬᠡᠯᠡ ᠨᠢ ᠴᠢᠨᠭᠭᠢᠰ ᠬᠠᠭᠠᠨ ᠤ ᠦᠶᠡ ᠡᠴᠡ ᠡᠬᠢᠯᠡᠵᠤ ᠪᠤᠢ᠃᠃

Vertical




The regular Mongolian family and Mongolian Baiti give the same short phrase different appearances in vertical setting:

Mongolian




Mongolian Baiti




4.2 Manchu

The same Manchu passage appears in both orientations, allowing direct comparison without changing the text.

Horizontal reference




Vertical




4.3 Old Uyghur

A provisional Unicode rendering based on the published transliteration of the colophon of the Turfan manuscript U 338 supplies a continuous Old Uyghur passage. It is presented as a typographic specimen rather than a critical edition.

Horizontal reference



Vertical



5 Complex Shaping and Stacked Sequences

Two kinds of composition meet on these pages. Devanagari, Tibetan, Brahmi, Kharoshthi, and Thai rely on the shaping of ordinary Unicode text by the selected OpenType fonts. Egyptian Hieroglyphs and Khitan Small Script instead use XSR to arrange signs into two-dimensional units while preserving their original Unicode sequences.

5.1 Devanagari

Devanagari makes conjunct consonants, vowel signs, and the virama visible in the shapes of its syllables. The Sanskrit family sets the forms in Table 2 with the typeface used in the Sanskrit verse.

The first three verses of the *Bhagavadgītā* (1.1–3) give a longer, continuous Sanskrit specimen with conjuncts and vowels.

> धृतराष्ट्र उवाच । धर्मक्षेत्रे कुरुक्षेत्रे समवेता युयुत्सवः । मामकाः पाण्डवाश्चैव किमकुर्वत सञ्जय ॥१ ॥ सञ्जय उवाच । दृष्ट्वा तु पाण्डवानीकं व्यूढं दुर्योधनस्तदा । आचार्यमुपसङ्गम्य राजा वचनमब्रवीत् ॥२ ॥ पश्यैतां पाण्डुपुत्राणामाचार्य महतीं चमूम् । व्यूढां द्रुपदपुत्रेण तव शिष्येण धीमता ॥३ ॥

5.2 Tibetan

Tibetan syllables can contain stacked consonants within a single *tsheg*-delimited unit. Table 3 compares short forms; the traditional Four Immeasurables prayer provides a longer passage.

སེམས་ཅན་ཐམས་ཅད་བདེ་བ་དང་བདེ་བའི་རྒྱུ་དང་ལྡན་པར་གྱུར་ཅིག ། སེམས་ཅན་ཐམས་ཅད་སྡུག་བསྔལ་དང་སྡུག་བསྔལ་གྱི་རྒྱུ་དང་བྲལ་བར་གྱུར་ཅིག ། སེམས་ཅན་ཐམས་ཅད་སྡུག་བསྔལ་མེད་པའི་བདེ་བ་དང་མི་འབྲལ་བར་གྱུར་ཅིག ། སེམས་ཅན་ཐམས་ཅད་ཉེ་རིང་ཚགས་སྡང་དང་བྲལ་བའི་བཀྲང་སྙོམ་ལ་གནས་པར་གྱུར་ཅིག།

Table 2: Devanagari shaping specimens

Sequence	Specimen
kṣa	क्ष
jña	ज्ञ
śra	श्र
stra	स्त्र
ddhya	द्ध्य
dharma	धर्म
dharmakṣetre	धर्मक्षेत्रे
saṃskṛtam	संस्कृतम्
oṃ	ॐ

Table 3: Tibetan consonant-stack specimens

Transliteration	Specimen
bsgrubs	བསྒྲུབས་
brgyud	བརྒྱུད་
bstan	བསྟན་
rgyal	རྒྱལ་
dbyangs	དབྱངས་

Sanskrit transcribed in Tibetan letters. The *Heart Sūtra* mantra illustrates Sanskrit consonant stacks, long-vowel marks, anusvāra, and the *svāhā* cluster without switching away from the Tibetan-script font:

ཏྒྱཱ་ག་ཏེ་ག་ཏེ་པཱ་ར་ག་ཏེ། པཱ་ར་སཾ་ག་ཏེ། བོ་དྷི་སྭཱ་ཧཱ།

5.3 Brahmi, Kharoshthi, and Thai


The complete Rummindei (Lumbini) pillar edict of Aśoka, in Prakrit, provides a genuine Brāhmī inscription. The same Unicode transcription is set in two regular fonts; the original inscription's line breaks are joined into one flowing paragraph without changing its characters.

Brāhmī — Noto Sans Brahmi

𑀦𑀢𑀺𑀧𑀼𑀢𑁄 𑀧𑀬𑀸𑀫𑀺 𑀚𑀺𑀬𑁂𑀦 𑀯𑁂𑀤𑀦𑀺𑀓𑀸𑀬𑀸 𑀲𑀮𑀺𑀮𑀸𑀮𑁂 𑀳𑀺𑀫𑀯𑀢𑀺 𑀲𑀼𑀯𑀡𑁆𑀡𑀯𑀢𑀺 𑀓𑀽𑀝𑁂 𑀫𑀳𑀸𑀚𑀸𑀢𑀓𑀸𑀦𑀺 𑀫𑀚𑁆𑀛𑁂 𑀚𑀸𑀢𑀓𑀸𑀦𑀺 𑀧𑀘𑁆𑀘𑀦𑁆𑀢𑀺𑀬𑁂𑀯 𑀅𑀚𑁆𑀚 𑀯𑀺𑀲𑀸𑀔𑀸𑀦𑀓𑁆𑀔𑀢𑁆𑀢𑀭𑁂 𑀅𑀚𑁆𑀚 𑀧𑀼𑀡𑁆𑀡𑀫𑀸𑀲𑁂 𑀅𑀚𑁆𑀚 𑀫𑀳𑀸𑀫𑀸𑀢𑀸 𑀮𑀼𑀫𑁆𑀧𑀺𑀦𑀻 𑀫𑀸𑀬𑀸 𑀚𑀸𑀢𑀸 𑀅𑀚𑁆𑀚 𑀫𑀳𑀸𑀫𑀸𑀬𑀸 𑀤𑁂𑀯𑀺 𑀲𑀫𑁆𑀫𑀸 𑀲𑀫𑁆𑀫𑀸𑀲𑀫𑁆𑀩𑀼𑀤𑁆𑀥𑀚𑀦𑀺

5.5 Khitan Small Script

The opening of the 1134 *Record of the Langjun*, an attested Khitan Small Script inscription, is transcribed in two-dimensional Unicode clusters. The first two lines of the Wikisource transcription form one flowing paragraph here; original transcription line breaks are omitted and cluster boundaries are preserved.



Source: Wikisource, 大金皇弟都統經略郎君行記, opening two transcription lines (Unicode transcription, CC BY-SA). This is a horizontal setting of a traditionally vertical inscription.

6 East Asian Writing and CJK Family Selection

This chapter compares document-level CJK typography with explicit local families for Chinese, Korean, Japanese, Vietnamese, and Tangut. The same Han codepoints may take different regional forms.

6.1 Chinese

Four paragraphs distinguish Simplified Chinese, mainland-style Traditional Chinese, Taiwan Traditional Chinese, and the document's Shanggu family. The three Traditional Chinese specimens use exactly the same source text.

Simplified Chinese — Noto SC 秋天的清晨，图书馆刚刚开门。书架上放着一本旧地图，画有山谷、城门与河流，旁边是《龙城纪事》。读书的人翻开书页，读到国王命令学者修订典籍的故事：有人研究龙骨，也有人制作木具，记下直角的形状。窗外下起雨，墨色在灯下格外清晰。

Traditional Chinese — Noto SC 秋天的清晨，圖書館剛剛開門。書架上放著一本舊地圖，畫有山谷、城門與河流，旁邊是《龍城紀事》。讀書的人翻開書頁，讀到國王命令學者修訂典籍的故事：有人研究龍骨，也有人製作木具，記下直角的形狀。窗外下起雨，墨色在燈下格外清晰。

Traditional Chinese — Noto TC 秋天的清晨，圖書館剛剛開門。書架上放著一本舊地圖，畫有山谷、城門與河流，旁邊是《龍城紀事》。讀書的人翻開書頁，讀到國王命令學者修訂典籍的故事：有人研究龍骨，也有人製作木具，記下直角的形狀。窗外下起雨，墨色在燈下格外清晰。

Traditional Chinese — Shanggu (document default) 秋天的淸晨，圖書館剛剛開門。書架上放著一本舊地圖，畫有山谷、城門與河流，旁邊是《龍城紀事》。讀書的人翻開書頁，讀到國王命令學者修訂典籍的故事：有人研究龍骨，也有人製作木具，記下直角的形狀。窗外下起雨，墨色在燈下格外淸晰。

6.2 Korean and Historical Hangul

The first two passages compare Hangul-only prose with a mixed Hanja–Hangul register. Both use the Korean family.

Modern Korean 가을비가 그친 오후, 작은 도서관의 창가에는 햇빛이 조용히 들어왔다. 학생들은 오래된 지도를 펼쳐 놓고 사라진 마을의 이름을 찾아보았다. 한 사람은 책의 여백에 질문을 적었고, 다른 사람은 다음 주에 다시 와서 자료를 읽기로 했다.

Mixed Hanja and Hangul 古書를 정리하던 학생은 朝鮮時代의 日記 한 권을 발견했다. 紙面에는 한글과 漢字가 나란히 적혀 있었고, 여러 사람의 손으로 남긴 註釋도 보였다. 학생은 낡은 책을 조심스럽게 넘기며 당시의 生活과 言語를 상상했다.

Middle Korean — *Hunminjeongeum eonhae* This continuous excerpt from the *Hunminjeongeum eonhae* retains arae-a, archaic finals, and tone marks. Its Unicode input includes precomposed modern syllables followed by archaic final jamo: the local Hangul shaper must compose these just as it composes their canonically equivalent decomposed sequences.

나·랏:말ᄊᆞ미 中듕國·귁·에달·아 文문字·쭝·와·로서르ᄉᆞᄆᆞᆺ·디아·니ᄒᆞᆯ·씨 ·이런젼·ᄎᆞ·로어·린 百·빅姓·셩·이니르·고·져·홇·배이·셔·도

6.3 Japanese

Ordinary modern Japanese combines kanji, hiragana, katakana, punctuation, and regionally selected Han forms within the same prose paragraph.

春の朝、京都の小さな書店に新しい本が届いた。店主は箱を開け、「歴史と文化」の棚に本を並べた。古い地図には城門や学校が描かれ、表紙には龍の絵がある。来店した学生はカタログで目当ての一冊を探し、静かな店内でページをめくった。

6.4 Vietnamese

These parallel excerpts reproduce the opening of the 2013 Vietnamese Constitution's preamble. The same Quốc Ngữ text appears first in the document's Libertinus family and then in the dedicated Vietnamese family. The Hán-Nôm specimen is a modern transcription of the same passage, not a historical constitutional manuscript; the local regular font is Minh Nguyen.

Quốc Ngữ — Libertinus Trải qua mấy nghìn năm lịch sử, Nhân dân Việt Nam lao động cần cù, sáng tạo, đấu tranh anh dũng để dựng nước và giữ nước, đã hun đúc nên truyền thống yêu nước, đoàn kết, nhân nghĩa, kiên cường, bất khuất và xây dựng nên nền văn hiến Việt Nam. Từ năm 1930, dưới sự lãnh đạo của Đảng Cộng sản Việt Nam do Chủ tịch Hồ Chí Minh sáng lập và rèn luyện, Nhân dân ta tiến hành cuộc đấu tranh lâu dài, đầy gian khổ, hy sinh vì độc lập, tự do của dân tộc, vì hạnh phúc của Nhân dân. Cách mạng tháng Tám thành công, ngày 2 tháng 9 năm 1945, Chủ tịch Hồ Chí Minh đọc Tuyên ngôn độc lập, khai sinh ra nước Việt Nam dân chủ cộng hòa, nay là Cộng hòa xã hội chủ nghĩa Việt Nam.

Quốc Ngữ — Vietnamese family Trải qua mấy nghìn năm lịch sử, Nhân dân Việt Nam lao động cần cù, sáng tạo, đấu tranh anh dũng để dựng nước và giữ nước, đã

hun đúc nên truyền thống yêu nước, đoàn kết, nhân nghĩa, kiên cường, bất khuất và xây dựng nên nền văn hiến Việt Nam. Từ năm 1930, dưới sự lãnh đạo của Đảng Cộng sản Việt Nam do Chủ tịch Hồ Chí Minh sáng lập và rèn luyện, Nhân dân ta tiến hành cuộc đấu tranh lâu dài, đầy gian khổ, hy sinh vì độc lập, tự do của dân tộc, vì hạnh phúc của Nhân dân. Cách mạng tháng Tám thành công, ngày 2 tháng 9 năm 1945, Chủ tịch Hồ Chí Minh đọc Tuyên ngôn độc lập, khai sinh ra nước Việt Nam dân chủ cộng hòa, nay là Cộng hòa xã hội chủ nghĩa Việt Nam.

Hán-Nôm — Minh Nguyen Regular 踈過尒酥辭歷史、人民越南勞動勤劬、創造、鬥爭英勇抵竦渃吧苻渃、缶熏燤铖傳統悽渃、團結、仁義、堅強、不屈吧埬竦铖垭文獻越南。自辭1930、迂事領導貼黨共產越南由主席胡志明創立吧煓鍊、人民些進行局鬥爭數踴、浩艱苦、犧牲爲獨立、自由貼民族、爲幸福貼人民。革命腌黲成功、暟2腌9辭1945、主席胡志明讀宣言獨立、開生罌渃越南民主共和、跉羅共和社會主義越南。

6.5 Tangut

The following paragraph restores the original Unicode Tangut corpus specimen in full, including its editorial punctuation. The text is a composite of short attested sequences from different Tangut works on Wikisource, not a single continuous historical document.

𗍫𗾔𘝦𗏁𗐵𗖵，𘝵𘝵𗏁𗍫𗂧𗋕，𗥃𗖰𗹦𗺰𗊛𗅲𗨟，𗌭𗍊𗹐𗔇𗍊𗏢𗨟，𗏁𗍊𗖰𗖵𗅲𗂧𗖵，𗖵𗍊𗖵𗖰𗅲𗂧𗖵，𗖵𗍊𗖵𗖰𗅲𗂧𗖵，𗖵𗍊𗖵𗖰

Table 4: WenJin CJK block coverage (twenty codepoints per block)

Unicode block and range	Specimen
CJK Unified Ideographs U+4E00--U+9FFF	一丁丂七丄丅丌万丈三上下丌不与丐丏丑丞专
Extension A U+3400--U+4DBF	丷丹乀乁乄乇乑乕乖乘乚乢乥乧乩乭乲乴乵乸乹乺
Extension B U+20000--U+2A6DF	亡亏亿亼亾仂仉仦仧仪仳仸仺仼伂伅伆伇伈伋伌
Extension C U+2A700--U+2B73F	𠂢𠂤𠂦𠂧𠂨𠂩𠂪𠂫𠂬𠂭𠂮𠂯𠂰𠂱𠂲𠂳𠂴𠂵𠂶𠂷
Extension D U+2B740--U+2B81F	𠵅𠵇𠵈𠵉𠵊𠵋𠵌𠵍𠵎𠵏𠵐𠵑𠵒𠵓𠵔𠵕𠵖𠵗𠵘𠵙
Extension E U+2B820--U+2CEAF	𡈀𡈁𡈂𡈃𡈄𡈅𡈆𡈇𡈈𡈉𡈊𡈋𡈌𡈍𡈎𡈏𡈐𡈑𡈒𡈓
Extension F U+2CEB0--U+2EBEF	𡨴𡨵𡨶𡨷𡨸𡨹𡨺𡨻𡨼𡨽𡨾𡨿𡩀𡩁𡩂𡩃𡩄𡩅𡩆𡩇
Extension I U+2EBF0--U+2EE5F	𢦀𢦁𢦂𢦃𢦄𢦅𢦆𢦇𢦈𢦉𢦊𢦋𢦌𢦍𢦎𢦏𢦐𢦑𢦒𢦓
Extension G U+30000--U+3134F	𠀀𠀁𠀂𠀃𠀄𠀅𠀆𠀇𠀈𠀉𠀊𠀋𠀌𠀍𠀎𠀏𠀐𠀑𠀒𠀓
Extension H U+31350--U+323AF	𠘨𠘩𠘪𠘫𠘬𠘭𠘮𠘯𠘰𠘱𠘲𠘳𠘴𠘵𠘶𠘷𠘸𠘹𠘺𠘻
Extension J U+323B0--U+3347F	𢡠𢡡𢡢𢡣𢡤𢡥𢡦𢡧𢡨𢡩𢡪𢡫𢡬𢡭𢡮𢡯𢡰𢡱𢡲𢡳

Table 5: Regional forms of shared Han codepoints

Character	Shanggu	Noto SC	Noto TC	Japanese	Korean
骨	骨	骨	骨	骨	骨
直	直	直	直	直	直
令	令	令	令	令	令
具	具	具	具	具	具
角	角	角	角	角	角
門	門	門	門	門	門
國	國	國	國	國	國
學	學	學	學	學	學
龍	龍	龍	龍	龍	龍

lated formulae as a single derivation.

For a positive-definite matrix, a Gaussian integral evaluates to

$$A = \begin{pmatrix} 2 & -1 & 0 \\ -1 & 2 & -1 \\ 0 & -1 & 2 \end{pmatrix}, \qquad \det A = 4, \quad \beta > 0,$$

$$\begin{aligned} \mathcal{Z}(\beta) &= \int_{\mathbb{R}^3} \exp\!\left(-\frac{\beta}{2}\mathbf{x}^{\mathsf{T}} A \mathbf{x}\right) \mathrm{d}^3\mathbf{x} \\ &= \left(\frac{2\pi}{\beta}\right)^{3/2} \frac{1}{\sqrt{\det A}} = \frac{1}{2}\left(\frac{2\pi}{\beta}\right)^{3/2}. \end{aligned}$$

For $k \in \mathbb{N}_0$, the residue theorem provides a series and a contour integral:

$$f_k(z) = \frac{e^z}{z^{k+1}} = \sum_{n=0}^{\infty} \frac{z^{n-k-1}}{n!},$$

$$\frac{1}{2\pi i}\oint_{|z|=1} f_k(z)\,\mathrm{d}z = \operatorname{Res}_{z=0} f_k(z) = \frac{1}{k!}.$$

For integrable f, its Fourier transform illustrates wide accents:

$$\widehat{f}(\xi) = \int_{\mathbb{R}} f(x) e^{-2\pi i x \xi}\,\mathrm{d}x, \qquad \overline{\widehat{f}(\xi)} = \widehat{\bar{f}}(-\xi).$$

A smooth flat function demonstrates a cases environment:

$$g(x) = \begin{cases} e^{-1/x^2}, & x > 0, \\ 0, & x \le 0, \end{cases} \qquad g^{(r)}(0) = 0 \quad (r = 0, 1, 2, \ldots).$$

Chebyshev's inequality and the decomposition of exterior powers supply independent examples of further mathematical notation:

$$\underbrace{\mathbb{P}(|X - \mathbb{E}[X]| \ge t)}_{\text{tail probability}} \le \frac{\operatorname{Var}(X)}{t^2}, \qquad t > 0.$$

$$\bigwedge^{k}(V \oplus W) \cong \bigoplus_{p+q=k} \left(\bigwedge^{p} V\right) \otimes \left(\bigwedge^{q} W\right).$$

A short inline comparison shows how the same summation and fraction occupy different amounts of vertical space:

Default display style	$\displaystyle\sum_{j=1}^{n} \frac{1}{j^2}$
Local text style	$\sum_{j=1}^{n} \frac{1}{j^2}$

7.2 Drawing

Figure 1 shows a Gaussian function with its formula and graduated axes. Figure 2 places a schematic manuscript-copying tree within the page.




Figure 1: The Gaussian profile $f(x) = e^{-x^2/2}$.




Figure 2: A schematic manuscript-copying tree, not a historical stemma.

7.3 Tables

Table 6 uses the native `table`, `tabularx`, and `booktabs` interfaces loaded by the `tables` feature.

Table 6: Feature integration summary

Feature	Public route	Exercised here
Mathematics	`math`	yes
Tables	`tables`	yes
Images	`image`	yes
Inline glyphs	`glyphs`	yes
Drawing	`drawing`	yes
Citations	`citations`	yes
Index	`index`	yes
Hyperlinks	`hyperlinks`	yes
Running headers	`headers`	yes

7.4 Lists and Quoted Examples

Ordinary lists and quotations do not require an IMPE-specific environment:

1. automatic font ownership;
2. script-specific behavior where required;
3. reusable document features;
4. stable public interfaces.

The native `quote` environment supplies an indented specimen:

> *A canonical showcase should be readable as a document, useful as a visual regression specimen, and representative of the public interface that new documents are expected to use.*

7.5 Images

The `image` feature prepares standard graphics and caption packages. Figure 3 includes a bundled vector image without relying on optional example-image files from the user's TeX distribution. Figure 3 also exercises native cross-references.

7.6 Inline Image Glyphs

A short passage from Chu bamboo manuscripts sets individual manuscript signs directly within the running text. The images function as characters, not floating figures; the transcriptions and source references are reproduced without adopting any particular decipherment.




Figure 3: Native graphics inclusion using a bundled vector specimen.

「忮」字的古文字字形爲「  」（《郭店簡・語叢四》，15.14）、「  」（《上博簡・曹沫之陳》，30.16），一般隸定爲「忮」或「攲」。在出土楚地簡帛文獻中，本字的出現如下：

1 凡敓之道，級者爲首。既得其級，言必又及$_{=\text{五}}$之而弗亞，必隶其古。隶之而悘，必忮鉛$_{=}$。$_{\text{十五}}$之$_{=}$而不可，必𠬜以訛，毋命智我。皮邦芒$_{\text{六}}$嗇，流澤而行。$_{\text{七}}$（《郭店簡・語叢四》）[2]

2 ……□厚飤，思爲前行。三行之逡，句見耑兵，忮$_{\text{三十}}$（《上博簡・曹沫之陳》）[3]

「鉛」的古文字字形爲「  」，在出土楚系簡帛文獻中僅見於上述文段 1。

7.7 Citations and Bibliography

Citation support is loaded through the feature system and configured before feature activation. A normal textual citation can therefore be written as Knuth (1984), while a parenthetical citation appears as (Knuth, 1984).

The bibliography is printed near the end of the document.

7.8 Index Terms

Earlier sections use the native `\index` command to register concepts at their actual occurrences. The phrase *canonical showcase* is indexed here; native interfaces also provide a hierarchical example. IMPE supplies unique occurrence-level destinations for its default index, while `imakeidx` and `xindy` retain their usual indexing syntax.

7.9 Hyperlinks, Footnotes, and Running Headers

The table of contents is clickable, numbered headings carry stable targets, and section headings can link back toward their table-of-contents entries. The running header above this page is produced by the `headers` feature.

Footnote markers are also bidirectional.[4]

For an external-link specimen, the project repository can be represented with a normal hyperlink: IMPE LaTeX System on GitHub.

[2] 武漢大學簡帛研究中心、荊門市博物館編著：《楚地出土戰國簡冊合集（一）：郭店楚墓竹書》，文物出版社，2011 年，167–168 頁。

[3] 馬承源主編：《上海博物館藏戰國楚竹書（四）》，上海古籍出版社，2004 年，262 頁。

[4] Clicking the footnote marker jumps to this note; the note marker can link back to the original position.

References

Knuth, D. E. (1984). *The texbook*. Addison-Wesley.