

Tibetan Transcription and GHC Correspondence

Kelvin Yang

August 2026

This chart compares the Tibetan structures used by the scheme with Gong Hwang-cherng's reconstruction (GHC). Tibetan spelling preserves rhyme-table categories, while GX and GHC give different phonological readings of the same orthographic features.

1 Vowels and grades

Tibetan	GX	GHC
C	<i>Ca</i>	<i>Cja</i>
Cེ	<i>Ce</i>	<i>Cjij</i>
Cི	<i>Ci</i>	<i>Cji</i>
Cོ	<i>Co</i>	<i>Cjo</i>
Cུ	<i>Cu</i>	<i>Cju</i>
Cཱ	<i>Cə</i>	<i>Cjɨ</i>
Cའ	<i>Cɑ</i>	<i>Ca</i>
Cའེ	<i>Cɛ</i>	<i>Cej</i>
Cའི	<i>Cɪ</i>	<i>Ce</i>
Cའོ	<i>Cɔ</i>	<i>Co</i>
Cུ	<i>Cu</i>	<i>Cu</i>
Cཱ	<i>Cə</i>	<i>Cə</i>

2 Structural devices

Tibetan device	rhyme-table category	GHC result
postposed འ	Grade I	vowel series without <i>j</i> -
preposed འ-	marked/column-2	corresponding long-vowel series
ར-	retroflex rhyme	final <i>-r</i>
superscribed འ-	tense rhyme	underdotted vowel
-འ/-འ།	GX <i>-ŋ/-w</i>	nasalized, <i>-j/-w</i> rhyme

3 R.79/101 and R.92/100

Rhyme	Tibetan	GX input	GHC
R.79	...ར...ེ	- <i>er</i>	- <i>jijr</i>
R.101	འ...ར...ེ	-\ <i>er</i>	- <i>jiir</i>
R.92	...ར...ོ	- <i>ər</i>	- <i>jir</i>
R.100	འ...ར...ོ	-\ <i>ər</i>	- <i>jiir</i>

GX merges each pair, so automatic GX conversion defaults to R.79/R.92. The backslash is a converter-only input extension that explicitly requests R.101/R.100. Sources: Gong Xun, Tangut phonology and GX202411.