Partner Settlement Export

PRD-SET-052 | Product Requirements Document | Version 1.0 | Updated 15 Oct 2026

> Fictional validation document. All entities, codes, dates, and values are invented; no production or personal data.

1. Summary

The Settlement Export capability creates a flat-file report for finance operations. Each report contains one row per settlement group and must preserve amounts and identifiers exactly as defined below. Files are delivered to a fictional secure outbound folder after validation.

2. Report layout

The exported file contains **exactly 17 columns in the order listed below**. Do not reorder, rename, or infer additional columns. The header row is mandatory.

Column	Source	Format	Rule	Example
SETTLEMENT_ID	settlement_header	VARCHAR(32)	Required; unique per settlement	STL-20261015-001
MERCHANT_REF	merchant_directory	VARCHAR(24)	Preserve leading zeros	000084125700
MERCHANT_NAME	merchant_directory	VARCHAR(120)	Trim outer whitespace; retain internal spaces	Kopi Langit Fiktif
SETTLEMENT_DATE	v_qr_settlement_group	DD-MMM-YYYY	Derived from SETTLEMENT_TIME using business date	15-OCT-2026
SETTLEMENT_TIME	v_qr_settlement_group	DD-MMM-YYYY HH:mm:ss	Source timestamp; convert using configured settlement timezone	15-OCT-2026 14:05:09
SETTLEMENT_CURRENCY	settlement_header	VARCHAR(3)	ISO-style three-character currency code	IDR
GROSS_AMOUNT	v_qr_release_settlement	Decimal(18,2)	Non-negative amount before fees	125000.00
REFUND_AMOUNT	v_qr_release_settlement	Decimal(18,2)	Sum of successful refunds in the settlement window	5000.00
FEE_AMOUNT	v_qr_release_settlement	Decimal(18,2)	Total merchant fees; two decimal places	1250.00
NET_AMOUNT	v_qr_release_settlement	Decimal(18,2)	GROSS_AMOUNT minus REFUND_AMOUNT minus FEE_AMOUNT	118750.00
TXN_COUNT	v_qr_release_settlement	INTEGER	Count of included successful transactions	18
REFUND_COUNT	v_qr_release_settlement	INTEGER	Count of included successful refunds	1
SETTLEMENT_STATUS	settlement_header	VARCHAR(12)	Allowed: CREATED, READY, SENT, FAILED	READY
BANK_TRACE_REF	v_qr_release_settlement	VARCHAR(40)	May be empty before bank acknowledgement	TRC-TEST-88412
PAYOUT_BATCH_ID	v_qr_release_settlement	VARCHAR(30)	Foreign key to payout batch when created	PB-20261015-04
SETTLEMENT_GROUP_ID	qr_settlement_group	VARCHAR(22)	Required for grouped QR settlements	QSG-00000412
REPORT_GENERATED_AT	settlement_header	DD-MMM-YYYY HH:mm:ss	UTC generation timestamp	15-OCT-2026 07:05:09

3. Response mapping

The outbound service status and customer-facing interpretation are mapped as follows.

Y.MSG.RES	Meaning / operational action
00 - Funds Transfer Success	Funds transfer completed; record the provider transfer number and mark the settlement SENT.
01 - Transaction Failed!	Transaction Not Found / Failed (FT is not recorded). Keep the settlement in FAILED and do not fabricate a transfer number.
08 - Processing	Mark PENDING and check status before any retry to avoid duplicate transfers.

4. File lifecycle

1. Create the file after the settlement batch reaches READY.
2. Validate column count, date formats, decimals, and required identifiers before transfer.
3. On HTTP 408, HTTP 504, or response code 68, treat the request as uncertain and issue CHECK STATUS before retry.
4. After three confirmed permanent failures, mark the batch FAILED and raise an operations alert.
5. For D-1 settlement windows, include transactions through 23:59:59 of the prior business day. H+1 means the next business day; holidays follow the configured calendar.

5. Non-functional requirements

- The report is generated deterministically from a frozen batch snapshot.
- Amounts must use decimal arithmetic; binary floating-point rounding is not allowed.
- Each generation is auditable by batch ID, run ID, timestamp, and outcome.
- Two-column mapping tables and five-column report tables must remain distinguishable from ordinary prose during document ingestion.