





```
1 Cyfrom flask dapport Flask, redirect request, url_for, flash, redirect
      from flask_mysqldb import MySQL
      app = Flask(__name__)
      app.secret_key = 'many random bytes'
     app.config['MYSQL_HOST'] = 'localhost'
app.config['MYSQL_USER'] = 'root'
app.config['MYSQL_PASSWORD'] = ''
app.config['MYSQL_DB'] = 'crud'
      mysql = MySQL(app)
      @app.route('/')
       def Index():
          search_query = request.args.get('search', '')
           cur = mysql.connection.cursor()
           if search_query:
               cur.execute("""
               """, (f''''_{search\_query}%", f''''_{search\_query}%", f'''''_{search\_query}%"))
              cur.execute("SELECT * FROM students")
           return render_template('index.html', students=data, search_query=search_query)
      @app.route('/insert', methods=['POST'])
31 ∨ def insert():
           if request.method == "POST":
               name = request.form['name']
               email = request.form['email']
               phone = request.form['phone']
modelo = request.form['modelo']
estado = request.form['estado']
               cur = mysql.connection.cursor()
39 🗸
               cur.execute(""
                """, (name, email, phone, modelo, estado))
               mysql.connection.commit()
                flash("Datos insertados correctamente")
               return redirect(url_for('Index'))
      @app.route('/update', methods=['POST', 'GET'])
49 v def update():
50 ∨ if request.method == 'POST':
```

```
cur = mysql.connection.cursor()
              cur.execute("""
61
                   UPDATE students
                   SET name=%s, email=%s, phone=%s, modelo=%s, estado=%s
                  WHERE id=%s
              """, (name, email, phone, modelo, estado, id data))
              mysql.connection.commit()
              flash("Datos actualizados correctamente")
              return redirect(url for('Index'))
      @app.route('/delete/<string:id data>', methods=['GET'])
70 ∨ def delete(id data):
          cur = mysql.connection.cursor()
          cur.execute("DELETE FROM students WHERE id=%s", (id data,))
          mysql.connection.commit()
          flash("Registro eliminado correctamente")
          return redirect(url for('Index'))
77 v if __name__ == "__main__":
          app.run(debug=True)
template > O admin.html > PRI I CONSOLE TEPMINAL
     <!DOCTYPE html>
     <html lang="en">
         <meta charset="UTF-8">
         <meta http-equiv="X-UA-Compatible" content="IE=edge">
         <meta name="viewport" content="width=device-width, initial-scale=1.0">
         <title>CarRepair</title>
        <link rel="shorcut icon" href="../static/vehiculo.png">
         <script src="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.13.0/js/all.min.js"></script>
        <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.c</pre>
         <a href="{{ url_for('home') }}" class="redirigir-btn">Salir</a>
       <div class="input-group mb-3">
        <div class="input-group-append">
            <button class="btn btn-primary" type="button" onclick="buscarVehiculo()">Buscar</button>
```