



Run »

```
import java.util.Random;

class Acak {
    public static void main(String[] args) {
        Random r;
        int bil;
        int i;

        r = new Random();

        for (i = 1; i <= 15; i++) {
            bil = r.nextInt(100) + 1 ;
            System.out.println(bil);
        }
    }
}
```

```
17
41
5
53
56
67
90
77
85
64
55
13
52
27
71
```



Run »

```
public class Main{
    public static void main(String[] args) {
        int [] bil = {17, 41, 5, 53, 56, 67,
90, 77, 85, 64, 55, 13, 52, 27, 71};
        System.out.print("Bilangan Genap  :
");
        for (int i = 0; i < bil.length; i++){
            if (bil [i] % 2 == 0) {
                System.out.print(bil[i] + " ");
            }
        }
        System.out.println("");
        System.out.print("Bilangan Ganjil  :
");
        for (int i = 0; i < bil.length; i++){
            if (bil [i] % 2 != 0){
                System.out.print(bil[i] + " ");
            }
        }
        System.out.println("");
    }
}
```

an Genap : 56 90 64 52

an Ganjil : 17 41 5 53 67 77 85 55 13 27 71



beta

online compiler and  
debugger for c/c++

ode. compile. run.  
debug. share.

IDE

My Projects

Classroom new

Learn  
Programming

Programming  
Questions

Sign Up

Login

**GOT AN**  
SHARE AND

Have fun  
taking surveys  
and get paid!

ADS VIA  
CARBON

About · FAQ · Blog

· Terms of Use ·

Contact Us · GDB

Tutorial · Credits ·

Onlin

Code, Compile, Ru

Write your code in this editor an

\*\*\*\*\*

```
import java.util.Scanner;
```

```
public class Main  
{
```

```
    public static void main(String  
    {
```

```
        int tot, i, j, count, small  
        Scanner scan = new Scanner(  
        System.out.print("Enter the  
        tot = scan.nextInt();  
        int[] arr = new int[tot];  
        System.out.print("Enter " +  
        for(i=0; i<tot; i++)  
            arr[i] = scan.nextInt();  
        for(i=0; i<(tot-1); i++)  
        {  
            count=0;  
            small = arr[i];  
            for(j=(i+1); j<tot; j++)  
            {  
                if(small>arr[j])  
                {
```



input

Enter the Size of Array:



Run »

```
public class Main {
    private Integer id;{"22551112097"}
    private String name; {"Kemalasari"}
    private String kelas; {"TIFPK22"}
    private Integer tglMasuk; {"15-JULI-2022"}

    public Mahasiswa(Integer id, String name, String kelas, Integer tglMasuk)
    {
        this.id = id;
        this.name = name;
        this.kelas = kelas;
        this.tglMasuk = tglMasuk;
    }

    public String getName() {
        return name;
    }

    public void setName(String nameNew) {
        this.name = nameNew;
    }

    public String getKelas() {
        return kelas;
    }
}
```

Main.java:1: error: illegal character: '\u00  
public class Main {  
^

Main.java:1: error: illegal character: '\u00  
public class Main {  
^

Main.java:1: error: illegal character: '\u00  
public class Main {  
^

Main.java:2: error: illegal character: '\u00  
private Integer id;{"22551112097"}  
^

Main.java:2: error: illegal character: '\u00  
private Integer id;{"22551112097"}  
^

Main.java:2: error: illegal character: '\u00  
private Integer id;{"22551112097"}  
^

Main.java:2: error: illegal character: '\u00  
private Integer id;{"22551112097"}  
^