Thông số kỹ thuật





socket, Harmony Electromechanical Relays, for RXM2LB relays, 7A, screw clamp socket, mixed contact terminal

RXZE1M2C

Main

Range of product	Harmony Electromechanical Relays
Device short name	RXZ
Product or component type	Socket
Product compatibility	Plug-in relay RXM with 2 C/O contact
Contacts type and composition	2 C/O
[Ith] conventional free air thermal current	7 A

Complementary

[Ue] rated operational voltage	250 V
Contact terminal arrangement	Mixed
Connections - terminals	Screw clamp terminals, 1 x 0.21 x 1.0 mm² (AWG 24AWG 17) flexible with cable end Screw clamp terminals, 2 x 0.22 x 1.0 mm² (AWG 24AWG 17) flexible with cable end Screw clamp terminals, 1 x 0.51 x 1.5 mm² (AWG 20AWG 16) solid without cable end Screw clamp terminals, 2 x 0.52 x 1.5 mm² (AWG 20AWG 16) solid without cable
	< 0.8 N.m for M3 screw(s)
Fixing mode	By screw (panel) Clip-on (35 mm symmetrical DIN rail)
[Uimp] rated impulse withstand voltage	4 kV
Overvoltage category	III
Pollution degree	3
Sale per indivisible quantity	10
Width	22.5 mm
Net weight	0.034 kg

Environment

Dielectric strength	2500 V
Standards	IEC 61984
marking	CE
Ambient air temperature for storage	-5585 °C
Ambient air temperature for operation	-4055 °C

22 thg 9, 2024 Life Is On Schneider

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.2 cm
Package 1 Width	3.1 cm
Package 1 Length	7.5 cm
Package 1 Weight	0.03 kg
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	6.4 cm
Package 2 Width	7.9 cm
Package 2 Length	11.2 cm
Package 2 Weight	0.38 kg
Unit Type of Package 3	S02
Number of Units in Package 3	180
Package 3 Height	15 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	7.1 kg

Contractual warranty

Warranty 18 months



Nhãn **Green PremiumTM** là cam kết của Schneider Electric trong việc cung cấp sản phẩm với hiệu suất môi trường tốt nhất. Green Premium cam kết tuân thủ các quy định mới nhất, minh bạch về tác động môi trường, cũng như các sản phẩm tuần hoàn và CO₂ thấp.

Hướng dẫn đánh giá tính bền vững của sản phẩm là tài liệu kỹ thuật phổ thông giúp làm rõ các tiêu chuẩn nhãn sinh thái toàn cầu và cách diễn giải việc khai báo môi trường.

Tìm hiểu thêm về Green Premium >

Hướng dẫn đánh giá về sự bền vững của sản phẩm >





Minh bach RoHS/REACh

Hiệu suất sức khoẻ




Chứng nhận & Tiêu chuẩn

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations

RXZE1M2C

Dimensions Drawings


Dimensions



RXZE1M2C

Connections and Schema


Wiring Diagram



RXZE1M2C

Technical Illustration

Dimensions



RXZE1M2C

Image of product / Alternate images

Alternative





RXZE1M2C





RXZE1M2C



