# CS1632: Static Analysis, Part 3

Wonsun Ahn

# Symbolic Model Checking

- Model checking can be categorized into:
  - 1. Enumerative model checking
    - What we learned in the last chapter
    - Hard to escape state explosion
  - 2. Symbolic model checking
    - What we will learn in this chapter
    - Model checking using symbolic execution
    - Can fundamentally solve the state explosion problem

### Symbolic Execution

- Symbolic execution: Assigning symbolic expressions instead of actual values to variables during execution
  - Instead of x = 1, y = true, ...
  - x = A + 1, y = A \* B, ...
- Symbolic expression: An expression using symbolic values
  - A + 1, A \* B, ...
- Symbolic value: Math symbol that stands for an input value
  - A, B, ..., X, Y, Z
- Idea:
  - If x == A+1, y == A+2 at source line assert (x < y)
  - → Model checker can prove though math that it always passes, for every input value without having to try them one by one!


#### Notation We Will Use


- Program variables: lower case
  - •int x, y, z;
- Symbolic values: UPPER CASE
  - A, B, ..., X, Y, Z
  - Represent input values that are given to the code
  - Can be values from user input
  - Can be values from command line arguments
  - Can be values passed into method parameters

# Example: Enumerative Model Checking

#### Code that swaps 2 integers

#### Execution Path for x=1, y=0





- Must do this for all values of x and y.
- But is that how a human would do it?

# Symbolic Model Checking

- Trace through a program like a human being would
- In a symbolic execution:
  - Inputs are *symbolic values* instead of concrete data values
  - Variables are *symbolic expressions* on the *symbolic values*
- Example:

int x, y; // parametersx: 1, y: 0x: A, y: B
$$x = x + y$$
; $x = 1 + 0 = 1$  $x = A + B$  $y = x - y$ ; $y = 1 - 0 = 1$  $y = A + B - B = A$  $x = x - y$ ; $x = 1 - 1 = 0$  $x = A + B - A = B$ [Code][Concrete][Symbolic]

Symbolic execution proves that the swap works for all A and B!


## Symbolic Model Checking

- What if there is path divergence?
  - if statement
  - for loop
  - while loop
- For each path, build a Path Condition (PC)
  - Condition on symbolic values (the As and the Bs)

#### Example: Symbolic Execution

#### Code that swaps 2 integers:

```
int x, y;
if (x > y) {
 x = x + y;
 y = x - y;
 x = x - y;
 if (x > y)
  assert false;
```



#### Is the Path Condition Feasible?

Each path condition is checked using a constraint solver




- If path is infeasible, does not continue down that path
  - Hence, assert false is never reached

### Symbolic Model Checking Uses

- Prove a program correct
  - Much less state explosion than enumerative checking
- Generate test vectors that exercise each path
  - For the purposes of increasing test coverage of code
  - The output sets of the constraint solver are the test vectors
- Generate program invariants
  - Invariants enhance programmer's understanding of code
  - The path conditions themselves *are* the invariants

### Generating Test Cases out of Path Conditions



Solve path conditions  $\rightarrow$  test inputs

#### Auto-generated JUnit Tests

- Constraint solver returns values satisfying each Path Condition
- Can achieve full code coverage by exercising each path!

```
@Test public void t1() { Pass \checkmark PC: X<=Y \land Y - X != 0 \Leftrightarrow X < Y
   m(10, 20, 0);
@Test public void t2() { Fail X PC: X <= Y \land Y - X = 0 \Leftrightarrow X = Y
   m(10, 10, 0);
                                    Pass \checkmark PC: X>Y \land X - Y!=0 \Leftrightarrow X > Y
@Test public void t3() {
   m(20, 10, 0);
                                    Skip \bigcirc PC: X>Y \bigwedge X - Y = 0 \Leftrightarrow {}
```

## Symbolic Model Checking Challenges


- Symbolic model checking does have challenges
  - ... Or everyone would be using symbolic model checking
- Some examples are:
  - Loops
  - Complex math constraints
  - Complex data structures

### Challenges: Loops

#### **Example Code**

```
void test(int n) {
1: int x = 0;
2: while(x < n) {
3: x = x + 1;
4: }
}</pre>
```

#### Infinite symbolic execution tree



• • •

## Challenges: Complex Math Constraints

Constraint solvers are not particularly good at math

- If above constraint was an if condition: if  $(X > Y \land hash(X) > hash(Y))$  { assert false; }
  - Will have a hard time checking whether assert fires

## Challenges: Complex Data Structures

Complex data structures are confusing to solvers


- In order to solve above constraint, solver must know:
  - What a tree data structures looks like
  - What left() means and what right() means
- Solvers know some data structures, but not many

#### The Best of Both Worlds

- Symbolic Model Checking (Symbolic Execution)
  - + Much less state explosion
  - Hard time dealing with loops, math, data structures
- Enumerative Model Checking (Concrete Execution)
  - Serious state explosion
  - + No problems with loops, math, data structures (just execute the loop, math, or data structure code)
- The best of both worlds: Concolic Execution
  - Concolic = Concrete + Symbolic
  - Symbolic Java Path Finder does exactly this!
  - Chooses between the two depending on the method

### Model Checking is Getting Better Every Year

https://sv-comp.sosy-lab.org/2019/results/results-verified/



- SPF Symbolic Java PathFinder (JPF with symbolic execution)
- JBMC Java Bounded Model Checker (2018 newcomer)

#### References

- Ranjit Jhala and Rupak Majumdar. 2009. "Software model checking". ACM Computing Surveys: <a href="https://people.mpi-sws.org/~rupak/Papers/SoftwareModelChecking.pdf">https://people.mpi-sws.org/~rupak/Papers/SoftwareModelChecking.pdf</a>
- Cristian Cadar and Koushik Sen. 2013. "Symbolic execution for software testing: three decades later". Communications of the ACM: <a href="https://people.eecs.berkeley.edu/~ksen/papers/cacm13.pdf">https://people.eecs.berkeley.edu/~ksen/papers/cacm13.pdf</a>
- 8<sup>th</sup> Competition on Software Verification (SV-COMP), 2019: https://sv-comp.sosy-lab.org/2019/results/results-verified/