

Soldotna Wastewater Treatment Plant
Chain of Custody Record

Page 1 of 3

Client	Kenai Watershed Forum
Contact	Benjamin Meyer
Project Name	Kenai River Baseline Water Quality Monitoring
Phone	907-232-0280
Email	ben@kenaiwatershed.org

SAMPLE ID	SAMPLE COLLECTION DATE	SAMPLE COLLECTION TIME	MATRIX	CONTAINER QUANTITY	CONTAINER/ SIZE	ANALYSIS	PRESERVATIVE	NOTES
RM 0 - No Name Creek	5/3/2022	10:00	water	1	1 L HDPE TSS		None	
RM 1.5 - Kenai City Dock	5/3/2022	9:10	water	1	1 L HDPE TSS		None	
RM 1.5 - Kenai City Dock-DUP	5/3/2022	9:15	water	1	1 L HDPE TSS		None	
RM 6.5 - Cunningham Park	5/3/2022		water	1	1 L HDPE TSS		None	
RM 10 - Beaver Creek	5/3/2022		water	1	1 L HDPE TSS		None	
RM 10.1 - Kenai River	5/3/2022		water	1	1 L HDPE TSS		None	
RM 12.5 - Pillars	5/3/2022		water	1	1 L HDPE TSS		None	
RM 18 - Roachers Cove	5/3/2022		water	1	1 L HDPE TSS		None	
RM 19 - Sittok Creek	5/3/2022		water	1	1 L HDPE TSS		None	
RM 21 - Soldotna Bridge	5/3/2022		water	1	1 L HDPE TSS		None	
RM 22 - Soldotna Creek	5/3/2022	10:03	water	1	1 L HDPE TSS		None	
RM 23 - Swiftwater Park	5/3/2022		water	1	1 L HDPE TSS		None	
RM 30 - Funny River	5/3/2022	8:33	water	1	1 L HDPE TSS		None	
RM 31 - Morgan's Landing	5/3/2022	11:00	water	1	1 L HDPE TSS		None	
RM 36 - Moose River	5/3/2022	10:15	water	1	1 L HDPE TSS		None	
RM 36 - Moose River-DUP	5/3/2022	10:15	water	1	1 L HDPE TSS		None	
RM 40 - Bing's Landing	5/3/2022	10:10	water	1	1 L HDPE TSS		None	
RM 43 - Upstream of Dow Island	5/3/2022	9:30	water	1	1 L HDPE TSS		None	
RM 44 - Mouth of Killey River	5/3/2022	9:20	water	1	1 L HDPE TSS		None	
RM 50 - Skilak Lake Outflow	5/3/2022	17:30	water	1	1 L HDPE TSS		None	

Relinquished by:	Ben Essert
Relinquishment date:	05-03-2022
Relinquishment time:	12:48

Notes: Please send electronic data delivery file, and signed Chain of Custody to ben@kenaiwatershed.org. Thank you!

**TSS = Total Suspended Solids



**Soldotna Wastewater Treatment Plant
Chain of Custody Record**

Page 2 of 3

Client	Kenai Watershed Forum
Contact	Benjamin Meyer
Project Name	Kenai River Baseline Water Quality Monitoring
Phone	907-232-0280
Email	ben@kenaiwatershed.org

SAMPLE ID	SAMPLE COLLECTION DATE	SAMPLE COLLECTION TIME	MATRIX	CONTAINER QUANTITY	CONTAINER/ SIZE	ANALYSIS	PRESERVATIVE	NOTES
RM 70 - Jim's Landing	5/3/2022	10:32	water	1	1 L HDPE	TSS	None	
RM 74 - Russian River	5/3/2022	9:45	water	1	1 L HDPE	TSS	None	
RM 82 - Kenai Lake Bridge	5/3/2022	9:45	water	1	1 L HDPE	TSS	None	
RM 79.5 - Juneau Creek	5/3/2022	8:50	water	1	1 L HDPE	TSS	None	
RM 0 - No Name Creek	5/3/2022	10:00	water	1	Sterile 120 mL	Fecal Coliform	Na2S2O3	
RM 1.5 - Kenai City Dock	5/3/2022	9:10	water	1	Sterile 120 mL	Fecal Coliform	Na2S2O3	
RM 1.5 - Kenai City Dock-DUP	5/3/2022	9:15	water	1	Sterile 120 mL	Fecal Coliform	Na2S2O3	
RM 6.5 - Cunningham Park	5/3/2022		water	1	Sterile 120 mL	Fecal Coliform	Na2S2O3	
RM 10 - Beaver Creek	5/3/2022		water	1	Sterile 120 mL	Fecal Coliform	Na2S2O3	
RM 10.1 - Kenai River	5/3/2022		water	1	Sterile 120 mL	Fecal Coliform	Na2S2O3	
RM 12.5 - Pillars	5/3/2022		water	1	Sterile 120 mL	Fecal Coliform	Na2S2O3	
RM 18 - Poachers Cove	5/3/2022		water	1	Sterile 120 mL	Fecal Coliform	Na2S2O3	
RM 19 - Sukok Creek	5/3/2022		water	1	Sterile 120 mL	Fecal Coliform	Na2S2O3	
RM 21 - Soldotna Bridge	5/3/2022		water	1	Sterile 120 mL	Fecal Coliform	Na2S2O3	
RM 22 - Soldotna Creek	5/3/2022	10:03	water	1	Sterile 120 mL	Fecal Coliform	Na2S2O3	
RM 23 - Swiftwater Park	5/3/2022		water	1	Sterile 120 mL	Fecal Coliform	Na2S2O3	
RM 30 - Funny River	5/3/2022	8:33	water	1	Sterile 120 mL	Fecal Coliform	Na2S2O3	
RM 31 - Morgan's Landing	5/3/2022	11:00	water	1	Sterile 120 mL	Fecal Coliform	Na2S2O3	
RM 36 - Moose River	5/3/2022	10:15	water	1	Sterile 120 mL	Fecal Coliform	Na2S2O3	
Relinquished by:	<i>Jon ESSLER</i>							
Relinquishment date:	05-03-2022							
Relinquishment time:	12:48							

Notes: Please send electronic data delivery file, and signed Chain of Custody to ben@kenaiwatershed.org. Thank you!

**TSS = Total Suspended Solids



Chain of Custody Record

Client	Kenai Watershed Forum
Contact	Benjamin Meyer
Project Name	Kenai River Baseline Water Quality Monitoring
Phone	907-232-0280
Email	ben@kenaiwatershed.org

[illegible]

Notes: Please send electronic data delivery file, and signed Chain of Custody to ben@kenaiwatershed.org. Thank you!



****TSS = Total Suspended Solids**

Soldotna Wastewater Treatment Plant
Chain of Custody Record

Page 1 of 3

SWWTP

Client	Kenai Watershed Forum
Contact	Benjamin Meyer
Project Name	Kenai River Baseline Water Quality Monitoring
Phone	907-232-0280
Email	ben@kenaiwatershed.org

SAMPLE ID	SAMPLE COLLECTION DATE	SAMPLE COLLECTION TIME	MATRIX	CONTAINER QUANTITY	CONTAINER/ SIZE	ANALYSIS	PRESERVATIVE	NOTES
RM 0 - No Name Creek	5/3/2022	10:00	water	1	1 L HDPE TSS	TSS	None	
RM 1.5 - Kenai City Dock	5/3/2022	4:40	water	1	1 L HDPE TSS	TSS	None	
RM 1.5 - Kenai City Dock-DUP	5/3/2022	4:45	water	1	1 L HDPE TSS	TSS	None	
RM 6.5 - Cunningham Park	5/3/2022	4:39	water	1	1 L HDPE TSS	TSS	None	
RM 10 - Beaver Creek	5/3/2022	10:51	water	1	1 L HDPE TSS	TSS	None	
RM 10.1 - Kenai River	5/3/2022	11:23	water	1	1 L HDPE TSS	TSS	None	
RM 12.5 - Pillars	5/3/2022	11:50	water	1	1 L HDPE TSS	TSS	None	
RM 18 - Poachers Cove	5/3/2022	12:24	water	1	1 L HDPE TSS	TSS	None	
RM 19 - Silk Creek	5/3/2022	11:20	water	1	1 L HDPE TSS	TSS	None	
RM 21 - Soldotna Bridge	5/3/2022	10:45	water	1	1 L HDPE TSS	TSS	None	
RM 22 - Soldotna Creek	5/3/2022	10:35	water	1	1 L HDPE TSS	TSS	None	
RM 23 - Swiftwater Park	5/3/2022	12:00	water	1	1 L HDPE TSS	TSS	None	
RM 30 - Fanny River	5/3/2022	8:52	water	1	1 L HDPE TSS	TSS	None	
RM 31 - Morgan's Landing	5/3/2022	11:05	water	1	1 L HDPE TSS	TSS	None	
RM 36 - Moose River	5/3/2022	10:15	water	1	1 L HDPE TSS	TSS	None	
RM 36 - Moose River-DUP	5/3/2022	10:15	water	1	1 L HDPE TSS	TSS	None	
RM 40 - Bing's Landing	5/3/2022	10:10	water	1	1 L HDPE TSS	TSS	None	
RM 43 - Upstream of Dow Island	5/3/2022	4:30	water	1	1 L HDPE TSS	TSS	None	
RM 44 - Mouth of Kiley River	5/3/2022	9:20	water	1	1 L HDPE TSS	TSS	None	
RM 50 - Skitak Lake Outflow	5/3/2022	11:30	water	1	1 L HDPE TSS	TSS	None	

Relinquished by:	<i>Brandon Rozgowski</i>
Relinquishment date:	<i>5/3/22</i>
Relinquishment time:	<i>13:52</i>

Notes: Please send electronic data delivery file, and signed Chain of Custody to ben@kenaiwatershed.org. Thank you!

**TSS = Total Suspended Solids

Soldotna Wastewater Treatment Plant
Chain of Custody Record

Client	Kenai Watershed Forum
Contact	Benjamin Meyer
Project Name	Kenai River Baseline Water Quality Monitoring
Phone	907-232-0280
Email	ben@kenaiwatershed.org

SAMPLE ID	SAMPLE COLLECTION DATE	SAMPLE COLLECTION TIME	MATRIX	CONTAINER QUANTITY	CONTAINER/ SIZE	ANALYSIS	PRESERVATIVE	NOTES
RM-70 - Lin's Landing	5/3/2022	10:32	water	1	1L HDPE TSS	None	None	
RM-74 - Russian River	5/3/2022	9:45	water	1	1L HDPE TSS	None	None	
RM-82 - Kenai Lake Bridge	5/3/2022	9:45	water	1	1L HDPE TSS	None	None	
RM-79.5 - Juneau Creek	5/3/2022	8:50	water	1	1L HDPE TSS	None	None	
RM-0 - No Name Creek	5/3/2022	10:05	water	1	Sterile 120 ml	Fecal Coliform	Na2S2O3	
RM-1.5 - Kenai City Dock	5/3/2022	9:10	water	1	Sterile 120 ml	Fecal Coliform	Na2S2O3	
RM-1.5 - Kenai City Dock DWP	5/3/2022	9:15	water	1	Sterile 120 ml	Fecal Coliform	Na2S2O3	
RM 6.5 - Cunningham Park	5/3/2022	9:39	water	1	Sterile 120 ml	Fecal Coliform	Na2S2O3	
RM 10 - Beaver Creek	5/3/2022	10:51	water	1	Sterile 120 ml	Fecal Coliform	Na2S2O3	
RM 10.1 - Kenai River	5/3/2022	11:23	water	1	Sterile 120 ml	Fecal Coliform	Na2S2O3	
RM 12.5 - Pillars	5/3/2022	11:50	water	1	Sterile 120 ml	Fecal Coliform	Na2S2O3	
RM 18 - Poachers Cove	5/3/2022	12:24	water	1	Sterile 120 ml	Fecal Coliform	Na2S2O3	
RM 19 - Silk Creek	5/3/2022	11:20	water	1	Sterile 120 ml	Fecal Coliform	Na2S2O3	
RM 21 - Soldotna Bridge	5/3/2022	10:45	water	1	Sterile 120 ml	Fecal Coliform	Na2S2O3	
RM 22 - Soldotna Creek	5/3/2022	10:55	water	1	Sterile 120 ml	Fecal Coliform	Na2S2O3	
RM 23 - Swiftwater Park	5/3/2022	12:00	water	1	Sterile 120 ml	Fecal Coliform	Na2S2O3	
RM-30 - Fanny River	5/3/2022	9:55	water	1	Sterile 120 ml	Fecal Coliform	Na2S2O3	
RM-31 - Morgan's Landing	5/3/2022	11:10	water	1	Sterile 120 ml	Fecal Coliform	Na2S2O3	
RM-36 - Moose River	5/3/2022	1:05	water	1	Sterile 120 ml	Fecal Coliform	Na2S2O3	
Relinquished by:	Brandon Dravago-Sk							
Relinquishment date:	5/3/22							
Relinquishment time:	13:52							

Notes: Please send electronic data delivery file, and signed Chain of Custody to ben@kenaiwatershed.org. Thank you!

**TSS = Total Suspended Solids

Chain of Custody Record

Client	Kenai Watershed Forum
Contact	Benjamin Meyer
Project Name	Kenai River Baseline Water Quality Monitoring
Phone	907-232-0280
Email	ben@kenaiwatershed.org

[illegible]

Notes: Please send electronic data delivery file, and signed Chain of Custody to ben@kenaiwatershed.org. Thank you!