Analytica Group, LLC-Anchorage
4307 Arctic Boulevard
Anchorage, AK 99503
Phone: 907-258-2155
Fax: 907-258-6634

Amended Report for Case Narrative only

5/22/2015

Kenai Watershed Forum
44129 Sterling Highway
Soldotna, AK 99669
Attn: Branden Bornemann

Work Order #: A1505061
Date: 5/22/2015
Work ID: KWF Baseline Monitoring 2015
Date Received: 5/5/2015
Proj #: none

Sample Identification

Lab Sample Number	Client Description	Lab Sample Number	Client Description
A1505061-01	RM 70-Jim's Landing	A1505061-02	RM 74-Russian River
A1505061-03	RM 82-Kenai Lake Bridge		

Enclosed are the analytical results for the submitted sample(s). Please review the CASE NARRATIVE for a discussion of any data and/or quality control issues. Listings of data qualifiers, analytical codes, key dates, and QC relationships are provided at the end of the report.

Sincerely,

Becky Nichols
Project Manager

"The Science of Analysis, The Art of Service"

Case Narrative

ARS Aleut Analytical
Work Order: A1505061

Samples were prepared and analyzed according to EPA or equivalent methods outlined in the following references:

Standard Methods for the Examination of Water and Wastewater, 21st Edition, 2005.

Methods for the Determination of Metals in Environmental Samples, EPA/600/R-94/111, May 1994.

SAMPLE RECEIPT:
Three (3) samples were received on 5/5/2015 5:20:00 PM at a temperature of 5.7°C at Analytica-Anchorage. Samples were received in good condition and in order per chain of custody.

REVIEW FOR COMPLIANCE WITH ANALYTICA QA PLAN
A summary of our review is shown below.

All analytical results contained in this report have been reviewed under AAA's internal Quality Assurance and Quality Control program. Any deviations in quality control parameters for specific analyses are noted in the following text. A complete Quality Assurance report, including laboratory control, matrix spike, and sample duplicate recoveries, is kept on file in our office and is available upon request.

All method specifications were met for the following tests, unless otherwise noted:

Test Method: SM 4500-NO3 E - Nitrogen (Nitrate), Cadmium Reduction Method - Nitrate+Nitrite pres - Aqueous

The following are subcontracted tests and have been represented to us as having met criteria, unless otherwise noted.

Test Method: 200.8 - Metals by ICP/MS - 200.8 Metals - Aqueous

Test Method: SM 4500-PE - Phos - Aqueous

Detailed Analytical Report

ARS Aleut Analytical

Workorder (SDG): A1505061

Project: **KWF Baseline Monitoring 2015**

Client: **Kenai Watershed Forum**

Client Project Number: **none**

Report Section: Client Sample Report

Client Sample Name: **RM 70-Jim's Landing**

Matrix: Aqueous Collection Date: 5/5/2015 10:30:00AM

The following test was conducted by: Analytica - Anchorage

Lab Sample Number: A1505061-01A
Prep Date: 5/12/2015
Analytical Method ID: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method
Prep Method ID:
Prep Batch Number: A150513001
Report Basis: As Received
Sample prep wt./vol: 25.00 ml

Analysis Date: 5/12/2015 7:45:00AM
Instrument: Thermospectr
File Name:
Dilution Factor: 1
Analyst Initials: TR
Prep Extract Vol: 25.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Nitrate-Nitrite as Nitrogen		**0.298**		mg/L	0.10	0.015	1

The following test was conducted by: SGS Environmental Services Inc.

Lab Sample Number: A1505061-01C
Prep Date: 5/9/2015
Analytical Method ID: SM4500-PE - Phos
Prep Method ID: 4500-PB
Prep Batch Number: R1505211116-18
Report Basis: As Received
Sample prep wt./vol:

Analysis Date: 5/11/2015 10:28:00AM
Instrument:
File Name:
Dilution Factor: 1
Analyst Initials: SLC
Prep Extract Vol: ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Phosphorous, Total		**0.014**		mg/L	0.010	0.0031	1

The following test was conducted by: SGS Environmental Services Inc.

Lab Sample Number: A1505061-01B
Prep Date: 5/7/2015
Analytical Method ID: 200.8 - Metals by ICP/MS - 200.8 Metals
Prep Method ID:
Prep Batch Number: R1505211116-17
Report Basis: As Received
Sample prep wt./vol:

Analysis Date: 5/11/2015 1:02:00PM
Instrument:
File Name:
Dilution Factor: 1
Analyst Initials: ACF
Prep Extract Vol: ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Calcium	7440-70-2	**13,000**		ug/L	500	150	1
Iron	7439-89-6	**260**		ug/L	250	78	
Magnesium	7439-96-4	**1,200**		ug/L	50	15	

Workorder (SDG): A1505061

Project: **KWF Baseline Monitoring 2015**

Client: **Kenai Watershed Forum**

Client Project Number: **none**

Report Section: Client Sample Report

Client Sample Name: **RM 74-Russian River**

Matrix: Aqueous Collection Date: 5/5/2015 9:53:00AM

The following test was conducted by: Analytica - Anchorage

Lab Sample Number: A1505061-02A
Prep Date: 5/12/2015
Analytical Method ID: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method
Prep Method ID:
Prep Batch Number: A150513001
Report Basis: As Received
Sample prep wt./vol: 25.00 ml

Analysis Date: 5/12/2015 7:45:00AM
Instrument: Thermospectr
File Name:
Dilution Factor: 2
Analyst Initials: TR
Prep Extract Vol: 25.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Nitrate-Nitrite as Nitrogen		**0.670**		mg/L	0.20	0.030	1

The following test was conducted by: SGS Environmental Services Inc.

Lab Sample Number: A1505061-02C
Prep Date: 5/9/2015
Analytical Method ID: SM4500-PE - Phos
Prep Method ID: 4500-PB
Prep Batch Number: R1505211116-18
Report Basis: As Received
Sample prep wt./vol:

Analysis Date: 5/11/2015 10:47:00AM
Instrument:
File Name:
Dilution Factor: 1
Analyst Initials: SLC
Prep Extract Vol: ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Phosphorous, Total		**0.012**		mg/L	0.010	0.0031	1

The following test was conducted by: SGS Environmental Services Inc.

Lab Sample Number: A1505061-02B
Prep Date: 5/7/2015
Analytical Method ID: 200.8 - Metals by ICP/MS - 200.8 Metals
Prep Method ID:
Prep Batch Number: R1505211116-17
Report Basis: As Received
Sample prep wt./vol:

Analysis Date: 5/11/2015 1:05:00PM
Instrument:
File Name:
Dilution Factor: 1
Analyst Initials: ACF
Prep Extract Vol: ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Calcium	7440-70-2	**15,000**		ug/L	500	150	1
Iron	7439-89-6	**ND**		ug/L	250	78	
Magnesium	7439-96-4	**1,100**		ug/L	50	15	

Workorder (SDG): A1505061

Project: **KWF Baseline Monitoring 2015**

Client: **Kenai Watershed Forum**

Client Project Number: **none**

Report Section: Client Sample Report

Client Sample Name: **RM 82-Kenai Lake Bridge**

Matrix: Aqueous Collection Date: 5/5/2015 9:06:00AM

The following test was conducted by: Analytica - Anchorage

Lab Sample Number: A1505061-03A
Prep Date: 5/12/2015
Analytical Method ID: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method
Prep Method ID:
Prep Batch Number: A150513001
Report Basis: As Received
Sample prep wt./vol: 25.00 ml

Analysis Date: 5/12/2015 7:45:00AM
Instrument: Thermospectr
File Name:
Dilution Factor: 1
Analyst Initials: TR
Prep Extract Vol: 25.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Nitrate-Nitrite as Nitrogen		**0.231**		mg/L	0.10	0.015	1

The following test was conducted by: SGS Environmental Services Inc.

Lab Sample Number: A1505061-03C
Prep Date: 5/9/2015
Analytical Method ID: SM4500-PE - Phos
Prep Method ID: 4500-PB
Prep Batch Number: R1505211116-18
Report Basis: As Received
Sample prep wt./vol:

Analysis Date: 5/11/2015 10:54:00AM
Instrument:
File Name:
Dilution Factor: 1
Analyst Initials: SLC
Prep Extract Vol: ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Phosphorous, Total		**0.020**		mg/L	0.010	0.0031	1

The following test was conducted by: SGS Environmental Services Inc.

Lab Sample Number: A1505061-03B
Prep Date: 5/7/2015
Analytical Method ID: 200.8 - Metals by ICP/MS - 200.8 Metals
Prep Method ID:
Prep Batch Number: R1505211116-17
Report Basis: As Received
Sample prep wt./vol:

Analysis Date: 5/11/2015 1:07:00PM
Instrument:
File Name:
Dilution Factor: 1
Analyst Initials: ACF
Prep Extract Vol: ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Calcium	7440-70-2	**13,000**		ug/L	500	150	1
Iron	7439-89-6	**350**		ug/L	250	78	
Magnesium	7439-96-4	**1,200**		ug/L	50	15	

Workorder (SDG): A1505061

Project: **KWF Baseline Monitoring 2015**

Client: **Kenai Watershed Forum**

Client Project Number: **none**

Report Section: Method Blank Report

Client Sample Name: **MB**

Matrix: Aqueous Collection Date: 5/12/2015 7:45:00AM

The following test was conducted by: Analytica - Anchorage

Lab Sample Number: A150513001-MB
Prep Date: 5/12/2015
Analytical Method ID: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method
Prep Method ID:
Prep Batch Number: A150513001
Report Basis: As Received
Sample prep wt./vol: 25.00 ml

Analysis Date: 5/12/2015 7:45:00AM
Instrument: Thermospectr
File Name:
Dilution Factor: 1
Analyst Initials: TR
Prep Extract Vol: 25.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Nitrate-Nitrite as Nitrogen		**ND**		mg/L	0.10	0.015	1

The following test was conducted by: SGS Environmental Services Inc.

Lab Sample Number: 1263619
Prep Date: 5/9/2015
Analytical Method ID: SM4500-PE - Phos
Prep Method ID: 4500-PB
Prep Batch Number: R1505211116-18
Report Basis: As Received
Sample prep wt./vol:

Analysis Date: 5/11/2015 10:19:00AM
Instrument:
File Name:
Dilution Factor: 1
Analyst Initials: SLC
Prep Extract Vol: ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Phosphorous, Total		**ND**		mg/L	0.010	0.0031	1

The following test was conducted by: SGS Environmental Services Inc.

Lab Sample Number: 1263028
Prep Date: 5/7/2015
Analytical Method ID: 200.8 - Metals by ICP/MS - 200.8 Metals
Prep Method ID:
Prep Batch Number: R1505211116-17
Report Basis: As Received
Sample prep wt./vol:

Analysis Date: 5/11/2015 11:56:00AM
Instrument:
File Name:
Dilution Factor: 1
Analyst Initials: ACF
Prep Extract Vol: ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Calcium	7440-70-2	**ND**		ug/L	500	150	1
Iron	7439-89-6	**ND**		ug/L	250	78	
Magnesium	7439-96-4	**ND**		ug/L	50	15	

Workorder (SDG): A1505061

Project: **KWF Baseline Monitoring 2015**

Client: **Kenai Watershed Forum**

Client Project Number: **none**

Tests Run at: Analytica Environmental Laboratories - Anchorage, Alaska

Workorder (SDG): A1505061

Project: KWF Baseline Monitoring 2015

Project Number:

QUALITY CONTROL REPORT

Prep Batch: **A150513001**

SAMPLE DUPLICATE REPORT

Analysis: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method - Base Sample: A1505061-01A

Prep Date: 5/12/2015

Samp. Anal. Date: 5/12/2015 7:45:00AM Units: mg/L

DUP Anal. Date: 5/12/2015 7:45:00AM Matrix: Aqueous

Analyte Name	SampResult	DUPRes.	RPD	RPDLim	Flag
Nitrate-Nitrite as Nitrogen	0.298	0.296	0.7	20	

LCS REPORT

Analysis: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method - MB: A150513001-MB

Prep Date: 5/12/2015

MB Anal. Date: 5/12/2015 7:45:00AM Units: mg/L

LCS Anal. Date: 5/12/2015 7:45:00AM Matrix: Aqueous

Analyte Name	SampResult	LCSRes.	SPLev	Recov.	Recov Lim	RPDLim	Flag
Nitrate-Nitrite as Nitrogen	ND	0.380	0.406	93.7	90 - 110		

MS REPORT

Analysis: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method - Parent: A1505061-01A

Prep Date: 5/12/2015

Samp. Anal. Date: 5/12/2015 7:45:00AM Units: mg/L

MS Anal. Date: 5/12/2015 7:45:00AM Matrix: Aqueous

Analyte Name	SampResult	MSRes.	SPLev	Recov.	Recov Lim	Flag
Nitrate-Nitrite as Nitrogen	0.298	0.471	0.211	81.9	80 - 120	

Workorder (SDG): A1505061

Project: **KWF Baseline Monitoring 2015**

Client: **Kenai Watershed Forum**

Client Project Number: **none**

FOOTNOTES TO QC REPORT

Note 1: Results are shown to three significant figures to avoid rounding errors in calculations.

Note 2: If the sample concentration is greater than 4 times the spike level, a recovery is not meaningful, and the result should be used as a replicate. In such cases the spike is not as high as expected random measurement variability of the sample result itself.

Note 3: For sample duplicates, if the result is less than the PQL, the duplicate RPD is not applicable. If the sample and duplicate results are not five times the PQL or greater, then the RPD is not expected to fall within the window shown and the comparison should be made on the basis of the absolute difference. Analytica uses the criterion that the absolute difference should be less than the PQL for water or less than 2XPQL for other matrices.

Note 4: For serial dilutions, if the result is less than the PQL, the duplicate RPD is not applicable. If the sample result is not 50 times the MDL or greater, then the fact that the RPD does not meet the 10% criterion has little signifcance. Otherwise it indicates that a matrix bias may exist at the analytical step.

Workorder (SDG): A1505061

Project: **KWF Baseline Monitoring 2015**

Client: **Kenai Watershed Forum**

Client Project Number: **none**

Tests Run at: SGS Environmental Services Inc.
Workorder (SDG): A1505061
Project: KWF Baseline Monitoring 2015
Project Number:

QUALITY CONTROL REPORT

Prep Batch: **R1505211116-17**

LCS REPORT

Analysis: 200.8 - Metals by ICP/MS - 200.8 Metals
MB: 1263028
Prep Date: 5/7/2015
MB Anal. Date: 5/11/2015 11:56:00AM
Units: ug/L
LCS Anal. Date: 5/11/2015 11:59:00AM
Matrix:

Analyte Name	SampResult	LCSRes.	SPLev	Recov.	Recov Lim	RPDLim	Flag
Calcium	ND	10,100	10,000	101	85 - 115		
Iron	ND	5,010	5,000	100	85 - 115		
Magnesium	ND	10,400	10,000	104	85 - 115		

Prep Batch: **R1505211116-18**

LCS/LCSD REPORT

Analysis: SM4500-PE - Phos
MB: 1263619
Prep Date: 5/9/2015
MB Anal. Date: 5/11/2015 10:19:00AM
Units: mg/L
LCS Anal. Date: 5/11/2015 10:20:00AM LCSD Anal. Date: 5/11/2015 10:22:00AM Matrix:

Analyte Name	SampResult	LCSRes.	SDRes.	SPLev	SPDLev	Recov.	SD Recov	RPD	Recov Lim	RPDLim	Flag
Phosphorous, Total	ND	0.207	0.207	0.200	0.200	104	103	0.19	75 - 125	25.00	

FOOTNOTES TO QC REPORT

Note 1: Results are shown to three significant figures to avoid rounding errors in calculations.

Note 2: If the sample concentration is greater than 4 times the spike level, a recovery is not meaningful, and the result should be used as a replicate. In such cases the spike is not as high as expected random measurement variability of the sample result itself.

Note 3: For sample duplicates, if the result is less than the PQL, the duplicate RPD is not applicable. If the sample and duplicate results are not five times the PQL or greater, then the RPD is not expected to fall within the window shown and the comparison should be made on the basis of the absolute difference. Analytica uses the criterion that the absolute difference should be less than the PQL for water or less than 2XPQL for other matrices.

Note 4: For serial dilutions, if the result is less than the PQL, the duplicate RPD is not applicable. If the sample result is not 50 times the MDL or greater, then the fact that the RPD does not meet the 10% criterion has little signifcance. Otherwise it indicates that a matrix bias may exist at the analytical step.

Workorder (SDG): A1505061

Project: **KWF Baseline Monitoring 2015**

Client: **Kenai Watershed Forum**

Client Project Number: **none**

Workorder (SDG): A1505061

Project: **KWF Baseline Monitoring 2015**

Client: **Kenai Watershed Forum**

Client Project Number: **none**

QC BATCH ASSOCIATIONS - BY METHOD BLANK

Lab Project ID: **170,455** **Lab Project Number:** **A1505061**

Prep Date: 5/12/2015

Lab Method Blank Id: A150513001-MB
Prep Batch ID: A150513001
Method: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method

This Method blank and sample preparation batch are associated with the following samples, spikes, and duplicates:

SampleNum	ClientSampleName	DataFile	AnalysisDate
A1505061-01A	RM 70-Jim's Landing		5/12/2015 7:45:00AM
A1505061-02A	RM 74-Russian River		5/12/2015 7:45:00AM
A1505061-03A	RM 82-Kenai Lake Bridge		5/12/2015 7:45:00AM
A150513001-LCS	LCS		5/12/2015 7:45:00AM
A1505061-01A-DUP	DUP		5/12/2015 7:45:00AM
A1505061-01A-MS	MS		5/12/2015 7:45:00AM

Prep Date: 5/7/2015

Lab Method Blank Id: 1263028
Prep Batch ID: R1505211116-17
Method: 200.8 - Metals by ICP/MS - 200.8 Metals

This Method blank and sample preparation batch are associated with the following samples, spikes, and duplicates:

SampleNum	ClientSampleName	DataFile	AnalysisDate
A1505061-01B	RM 70-Jim's Landing		5/11/2015 1:02:00PM
A1505061-02B	RM 74-Russian River		5/11/2015 1:05:00PM
A1505061-03B	RM 82-Kenai Lake Bridge		5/11/2015 1:07:00PM
1263029	LCS for HBN 1708299 [MXX/28613		5/11/2015 11:59:00AM
1263033	1263032 MS FOR [MXX28613]		5/11/2015 12:35:00PM

Prep Date: 5/9/2015

Lab Method Blank Id: 1263619
Prep Batch ID: R1505211116-18
Method: SM4500-PE - Phos

This Method blank and sample preparation batch are associated with the following samples, spikes, and duplicates:

SampleNum	ClientSampleName	DataFile	AnalysisDate
A1505061-01C	RM 70-Jim's Landing		5/11/2015 10:28:00AM
A1505061-02C	RM 74-Russian River		5/11/2015 10:47:00AM
A1505061-03C	RM 82-Kenai Lake Bridge		5/11/2015 10:54:00AM
1263620	LCS for HBN 1708523 [WXX/11020		5/11/2015 10:20:00AM
1263621	LCSD for HBN 1708523 [WXX/1102		5/11/2015 10:22:00AM
1263622	1151876001 MS FOR [WXX11020]		5/11/2015 11:24:00AM
1263623	1151876001 MSD FOR [WXX11020]		5/11/2015 11:25:00AM

Workorder (SDG): A1505061

Project: **KWF Baseline Monitoring 2015**

Client: **Kenai Watershed Forum**

Client Project Number: **none**

DATA FLAGS AND DEFINITIONS

The PQL is the Method Quantitation Limit as defined by USACE.
Reporting Limit: Limit below which results are shown as "ND". This may be the PQL, MDL, or a value between. See the report conventions below.

Result Field:

ND = Not Detected at or above the Reporting Limit
NA = Analyte not applicable (see Case Narrative for discussion)

Qualifier Fields:

LOW = Recovery is below Lower Control Limit
HIGH = Recovery , RPD, or other parameter is above Upper Control Limit
E = Reported concentration is above the instrument calibration upper range

Organic Analysis Flags:

B = Analyte was detected in the laboratory method blank
J = Analyte was detected above MDL or Reporting Limit but below the Quant Limit (PQL)

Inorganic Analysis Flags:

J = Analyte was detected above the Reporting Limit but below the Quant Limit (PQL)
W = Post digestion spike did not meet criteria
S = Reported value determined by the Method of Standard Additions (MSA)

Several ways of defining the limit of detection and quantitation are prevalent in the laboratory industry and may appear in Analytica reports. These include the following:

MRL = "minimum reporting level", from the EPA Safe Drinking Water program (SDW)
PQL = "practical quantitation limit", from SW-846
EQL = "estimated quantitation limit", from SW-846
LOQ = "limit of quantitation", from a number of authoritative sources

In Analytica's work, all of these terms have the same meaning, equivalent to the EPA definition of the MRL. This reporting level is supported by a satisfactory calibration data point which is at that level or lower, and also is supported by a method detection limit (MDL) determined by the procedure in 40CFR. The MDL is lower than the MRL and represents an estimate of the level where positive detections have a 99% probability of being real, but where quantitation accuracy is unknown.

The MRL as defined by Analytica is the lowest demonstrated point of known quantitation accuracy.
The MRL should not be confused with the MCL, which is the EPA-defined "maximum contaminant level" allowed for certain regulated targets under specific regulations, such as the National Primary Drinking Water Regulations. Normally, the MRL is set at a level which is much lower than the MCL in order to ensure that levels are well below those limits. Not all target analytes have MCL levels established.

Other Flags may be applied. See Case Narrative for Description

Workorder (SDG): A1505061

Project: **KWF Baseline Monitoring 2015**

Client: **Kenai Watershed Forum**

Client Project Number: **none**

REPORTING CONVENTIONS FOR THIS REPORT

A1505061

TestPkgName	Basis	# Sig Figs	Reporting Limit
200.8 (Aqueous) - 200.8 Metals	As Received	2	Report to PQL
4500-NO3E (Aqueous) - Nitrate+Nitrite pres	As Received	3	Report to PQL
4500-PE/4500-PB (Aqueous) - Phos	As Received	2	Report to PQL

Analytica Chain of Custody Form

4307 Arctic Blvd. Anchorage, AK 99503 (907) 258-2155 (907) 258-6634 fax
1325 W. 121st Avenue Westminster, CO 80234 303.469.8868 719.213.2478 fax
475 Hall Street Fairbanks, AK 99701 (907) 456-3116 (907) 456-3125 fax
701 W. Parks Hwy. #203 Wasilla, AK 99654 (907) 373-5440 (907) 258-6634 fax

Chain of Custody No:

Client Name & Address:
Kenai Watershed Forum
44129 Sterling Hwy
Soldotna, AK 99669

Contact Person: **Branden Bornemann**
Phone No: **(907) 260-5449**
Fax No: (907) 260-5412
E-mail: **branden@kenaiwatershed.org**

TEAM ID: US Forest Service
Project Name: Kenai River Baseline Project - May 2015

Turnaround Time for Results (TAT)
___ Standard ___ Expedited (< 10 days, prior authorization required) *(please specify due date below; add'tl charges may apply)*
Results Due Date:

Special Instructions/Comments:

Section To be Completed by Analytica
Quote ID No: A15040012
LGN: A1505061
Account #: Cash: Credit Card:

Invoice to Name & Address:

P.O. or Contract

Requested Analysis/Method

Lab Bottle Order No: / Client Sample Identification / Location	Date Sampled	Time Sampled	Matrix (S-DW-WW-Other)	No. of Containers	Nitrate SM4500-NO3E Lot #: Pres: H2SO4	200.8 Metals by ICP-Total TR Lot #: Pres: HNO3	Total Phos SM4500 Lot #: Pres: H2SO4	Lot #: Pres:	Lot #: Pres:	Lot #: Pres:	Lot #: Pres:	Field Preserved	Field Filtered	MS/MSD ?
RM 70- Jim's Landing	5-5-15	10:30	Aq	3	X	X	X							
RM 74- Russian River	5-5-15	09:53	Aq	3	X	X	X							
RM 82- Kenai Lake Bridge	5-5-15	09:06	Aq	3	X	X	X							
					pH L Z									

Collected/Relinquished by:	Date	Time	Received by:	Date	Time
[signature]	5-5-15	11:35	[signature]	5-5-15	11:35
Relinquished by:	Date	Time	Received by:	Date	Time
[signature]	5-5-15	11:36	[signature]	5-5-15	11:36
Relinquished by:	Date	Time	Received by:	Date	Time
[signature]	5/5/15	5:20P	[signature]	5-5-15	5:20 p.m
Name of Sampler: (printed)					

To be Completed by Analytica

	THO	ANC	JUN	FBKS
Chain-of-Custody Seal?:		Intact		
Initialed By:		ER		
Temp/Loc:		5.7		
Thermo ID#:		41109		
Shipping Via:		Courier		

updated April 6, 2006