1251731

From:	Benjamin Meyer <ben@kenaiwatershed.org>
Sent:	Wednesday, April 30, 2025 4:28 PM
To:	Whisman, Curtis (Anchorage)
Subject:	Re: [EXTERNAL] One cooler en route from Kenai Watershed Forum 4/30/2025
Follow Up Flag:	Follow up
Flag Status:	Flagged

*** WARNING: this message is from an EXTERNAL SENDER. Please be cautious, particularly with links and attachments. ***

Hi Curtis,

Glad that everything is already received!

Yes, as we decided last year, we can do both total metals and dissolved metals by 200.8. Apologies that I believe the CoC has different information written on it.

And yes also, the subset of dissolved metals that you list is what we'd like to have. We'd like to have both dissolved and total metals results available for Cu and Zn at all sites where both sample types are paired.

Thank you,

Ben

On Wed, Apr 30, 2025 at 4:15 PM Whisman, Curtis (Anchorage) <Curtis.Whisman@sgs.com> wrote:

> Ben,
>
> Thanks for the notification. We have received the samples today in good condition.
>
> Just to confirm, would you like us to continue to analyze the total Ca, Mg, and Fe by 200.7? (we have a reference lab that can do this). If not, we can do this in house by 200.8.
>
> Also, for the 200.8 Dissolved metals, are we still reporting only As, Cd, Cr, Cu, Pb, and Zn?

SGS

SGS North America Inc.
CHAIN OF CUSTODY RECORD

1251731

Profile # 383466

Instructions: Sections 1 - 5 must be filled out. Omissions may delay the onset of analysis.

Page _1_ of _3_

Section 1

CLIENT: Kenai Watershed Forum	
CONTACT: Benjamin Meyer	PHONE #: 907-232-0280
PROJECT NAME: Kenai River Baseline Water Quality Monitoring	PROJECT/ PWSID/ PERMIT#:
REPORTS TO: Benjamin Meyer	E-MAIL: ben@kenaiwatershed.org
	Profile #:
INVOICE TO: Kenai Watershed Forum	QUOTE #:
	P.O. #:

Section 3

Preservative: H2SO4 | HNO3 | NONE | NONE

Analysis*

NOTE: *The following analyses require specific method and/or compound list: BTEX, Metals, PFAS

Section 2

RESERVED for lab use	SAMPLE IDENTIFICATION	DATE mm/dd/yy	TIME HH:MM	MATRIX/ MATRIX CODE	# CONTAINERS	Comp Grab MI (Multi-incremental)	Total NO3/NO2(SM21 4500NO3-F), Total P(SM4500)	Total Metals (200.8)	Dissolved Metals (200.8) (FILTER IN LAB)	REMARKS/LOC ID
1AB 25AB	RM 0 - No Name Creek	4/30/2025	9:48	water	3		X	X	X	
2AB 26AB	RM 1.5 - Kenai City Dock	4/30/2025	10:23	water	3		X	X	X	
	~~RM 6.5 - Cunningham Park~~	4/30/2025		water						None
3AB 27AB	RM 10 - Beaver Creek	4/30/2025	9:50	water			X	X	X	
	~~RM 10.1 - Kenai River~~	4/30/2025		water						None
4AB 28AB	RM 12.5 - Pillars	4/30/2025	10:15	water	3		X	X	X	
5AB 29AB	RM 18 - Poacher's Cove	4/30/2025	10:47	water	3		X	X	X	
6AB 30AB	RM 18 - Poacher's Cove - DUP	4/30/2025	10:47	water	3		X	X	X	
7AB 31AB	RM 19 - Slikok Creek	4/30/2025	9:58	water	3		X	X	X	
8AB 32AB	RM 21 - Soldotna Bridge	4/30/2025	9:32	water	3		X	X	X	

Section 5

Relinquished By	Date	Time	Received By
Relinquished By: (1) Ben Meyer	4/30/2025	13:20	Received By:
Relinquished By: (2)	Date	Time	Received By:
Relinquished By: (3)	Date	Time	Received By:
Relinquished By: (4)	4/30/25	1553	Received For Laboratory By: [signature]

Section 4

DOD Project? Yes No

Cooler ID: —

Data Deliverable Requirements: Please include Electronic Data Delivery files.

Requested Turnaround Time and/or Special Instructions:

Temp Blank °C: 2.1 D57

or Ambient [ ]

Chain of Custody Seal: (Circle) IF

INTACT BROKEN ABSENT

Delivery Method: Hand Delivery[ ] Commerical Delivery[X] Alert

http://www.sgs.com/terms-and-conditions

SGS

SGS North America Inc.
CHAIN OF CUSTODY RECORD

1251731

MA 5.1.25

Page __2__ of __3__

Instructions: Sections 1 - 5 must be filled out.
Omissions may delay the onset of analysis.

Section 1

CLIENT: Kenai Watershed Forum

CONTACT: Benjamin Meyer PHONE #: 907-232-0280

PROJECT NAME: Kenai River Baseline Water Quality Monitoring PROJECT/ PWSID/ PERMIT#:

REPORTS TO: Benjamin Meyer E-MAIL: ben@kenaiwatershed.org Profile #:

INVOICE TO: Kenai Watershed Forum QUOTE #: P.O. #:

Section 2 / **Section 3**

Preservative: H2SO4 | HNO3 | NONE

RESERVED for lab use	SAMPLE IDENTIFICATION	DATE mm/dd/yy	TIME HH:MM	MATRIX/ MATRIX CODE	# CONTAINERS	Comp Grab MI (Multi-incremental)	Total NO3/NO2(SM21 4500NO3-F), Total P(SM4500)	Total Metals (200.7)	Dissolved Metals (200.8)								REMARKS/LOC ID
9AB 33AB	RM 22 - Soldotna Creek	4/30/2025	10:30	water	3		X	X	X								
10AB 34AB	RM 22 - Soldotna Creek - DUP	4/30/2025	10:42	water	3		X	X	X								
11AB 35AB	RM 23 - Swiftwater Park	4/30/2025	9:06	water	3		X	X	X								
12AB 36AB	RM 30 - Funny River	4/30/2025	10:26	water	3		X	X	X								
13AB 37AB	RM 31 - Morgan's Landing	4/30/2025	10:26	water	3		X	X	X								
14AB 38AB	RM 36 - Moose River	4/30/2025	11:05	water	2		X	X									
15AB 39AB	RM 40 - Bing's Landing	4/30/2025	9:26	water	2		X	X									
16AB 40AB	RM 43 - Upstream of Dow Island	4/30/2025	9:48	water	2		X	X									
17AB 41AB	RM 44 - Mouth of Killey River	4/30/2025	9:12	water	2		X	X									
18AB 42AB	RM 50 - Skilak Lake Outflow	4/30/2025	9:25	water	2		X	X									

Analysis*

NOTE: *The following analyses require specific method and/or compound list: BTEX, Metals, PFAS

Section 5

Relinquished By	Date	Time	Received By
Relinquished By: (1) Ben Meyer	4/30/2025	13:20	Received By:
Relinquished By: (2)	Date	Time	Received By:
Relinquished By: (3)	Date	Time	Received By:
Relinquished By: (4)	4/30/25	1553	Received For Laboratory By: MA

Section 4 DOD Project? Yes No

Cooler ID:

Data Deliverable Requirements: *Please include Electronic Data Delivery files.*

Requested Turnaround Time and/or Special Instructions:

Temp Blank °C: 2.1 D57 or Ambient [ ]

Chain of Custody Seal: (Circle) INTACT BROKEN ABSENT

Delivery Method: Hand Delivery[ ] Commerical Delivery [X]

http://www.sgs.com/terms-and-conditions

SGS

SGS North America Inc.
CHAIN OF CUSTODY RECORD

1251731

MA 5/1/25

Instructions: Sections 1 - 5 must be filled out. Omissions may delay the onset of analysis.

Page __3__ of __3__

Section 1

CLIENT:	Kenai Watershed Forum
CONTACT:	Benjamin Meyer
PHONE #:	907-232-0280
PROJECT NAME:	Kenai River Baseline Water Quality Monitoring
PROJECT/ PWSID/ PERMIT#:	
REPORTS TO:	Benjamin Meyer
E-MAIL:	ben@kenaiwatershed.org
Profile #:	
INVOICE TO:	Kenai Watershed Forum
QUOTE #:	
P.O. #:	

Section 2 / Section 3

Preservative: H2SO4 | HNO3 | NONE

Analysis*

RESERVED for lab use	SAMPLE IDENTIFICATION	DATE mm/dd/yy	TIME HH:MM	MATRIX/ MATRIX CODE	# CONTAINERS	Comp Grab MI (Multi-incremental)	Total NO3/NO2(SM21 4500NO3-F), Total P(SM4500)	Total Metals (200.7)	Dissolved Metals (200.8)	Request for SGS to Send, 1L bottles	REMARKS/LOC ID
19AB 43AB	RM 70 - Jim's Landing	4/30/2025	10:45	water	2		X	X			
20AB 44AB	RM 74 - Russian River	4/30/2025	10:05	water	2		X	X			
21A	RM 82 - Kenai Lake Bridge	4/30/2025	8:15	water	1		X				
22AB 45AB	RM 79.5 - Juneau Creek	4/30/2025	9:05	water	2		X	X			
23A ~~38AB~~	RM 1.5 - Kenai City Dock - Field Blank	4/30/2025	18:23	water	2			X	X		46AB 38AB
24A ~~37AB~~	RM 19 - Slikok Creek - Field Blank	4/30/2025	9:58	water	2			X	X		47AB 37AB

NOTE: *The following analyses require specific method and/or compound list: BTEX, Metals, PFAS

Section 5

	Date	Time	
Relinquished By: (1) Ben Meyer	4/30/2025	13:20	Received By:
Relinquished By: (2)	Date	Time	Received By:
Relinquished By: (3)	Date	Time	Received By:
Relinquished By: (4)	4/30/25	1553	Received For Laboratory By: [signature] MA

Section 4

DOD Project? Yes No (circled: No)

Cooler ID: ——

Data Deliverable Requirements: *Please include Electronic Data Delivery files.*

Requested Turnaround Time and/or Special Instructions:

Temp Blank °C: 2.1 D57

or Ambient [ ]

Chain of Custody Seal: (Circle) IF INTACT BROKEN ABSENT

Delivery Method: Hand Delivery[ ] Commerical Delivery [X] Alert

http://www.sgs.com/terms-and-conditions

1251731

SGS

SAMPLE RECEIPT FORM

Project Manager Completion				
Was all necessary information recorded on the COC upon receipt? (Temperature, COC seals, etc.?)	Yes	No	N/A	
Was temperature between 0-6° C?	Yes	No	N/A	If "No", are the samples either exempt* or sampled <8 hours prior to receipt?
Were all analyses received within holding time*?	Yes	No	N/A	
Was a method specified for each analysis, where applicable? If no, please note correct methods.	Yes	No	N/A	Total +Diss. 200.8
Are compound lists specified, where applicable? For project specific or special compound lists please note correct analysis code.	Yes	No	N/A	* Diss: Line 6 MM056CN DV .1
If rush was requested by the client, was the requested TAT approved?	Yes	No	N/A	If "NO", what is the approved TAT?
If SEDD Deliverables are required, were Location ID's and an NPDL Number provided?	Yes	No	N/A	*If "NO", contact client for information.*
Sample Login Completion				
Do ID's on sample containers match COC?	Yes	No	N/A	
If provided on containers, do dates/times collected match COC?	Yes	No	N/A	Note: If times differ <1 hr., record details below and login per COC.
Were all sample containers received in good condition?	Yes	No	N/A	
Were proper containers (type/mass/volume/preservative) received for all samples? **See form F-083 "Sample Guide"*	Yes	No	N/A	*Note: If 200.8/6020 Total Metals are received unpreserved, preserve, and note HNO3 lot here:* *If 200.8/6020 Dissolved Metals are received unpreserved, log in for LABFILTER and do not preserve.* *For all non-metals methods, inform Project Manager.*
Were Trip Blanks (VOC, GRO, Low-Level Hg, etc.) received with samples, where applicable*?	Yes	No	N/A	
Were all VOA vials free of headspace >6mm?	Yes	No	N/A	
Were all soil VOA samples received field extracted with Methanol?	Yes	No	N/A	
Did all soil VOA samples have an accompanying unpreserved container for % solids?	Yes	No	N/A	
If special handling is required, were containers labelled appropriately? e.g. MI/ISM, foreign soils, lab filter, Ref Lab, limited volume	Yes	No	N/A	
For Rush/Short Holding time, was the lab notified?	~~Yes~~	No	N/A	
For any question answered "NO", was the Project Manager notified?	Yes	No	N/A	PM Initials:
Was Peer Review of sample numbering/labelling completed?	Yes	No	N/A	Reviewer Initials: JGG

Additional Notes/Clarification where Applicable, including resolution of "No" answers when a change order is not attached:

* Total 200.8: Ca, Fe, Mg. Add Cu, Zn. when paired w/a diss. metals

Called

AIRBILL 15789703

I hereby declare that the goods contained herein do not contain dangerous goods.

Signed....................................... Date ....

Grant Aviation
6420 Kulis Dr. Anchorage, AK 99502
Phone: 1 (888) 359-4726
Freephone: 1 (888) 359-4726
Email: res@flygrant.com
Web: http://www.flygrant.com/

FREIGHT DETAILS

FROM/TO: Kenai -> Anchorage International

Flight Departs: Apr 30 25 2:25 PM

Receiver: SGS north america
907-562-2343

Sender: watershed forum
907-232-0280

Accepted: Wed, Apr 30 25 1:51:00 PM

Description & Comment	Quan.	Wgt.	Handle Fee	Hazmat Fee	Total
Standard Freight	1	48	-	-	$36.14
				Total Tax:	$2.26
				Total Payments made:	$38.40
				Total Unpaid:	**$0.00**

Received in good condition by: ....

CUSTOMER COPY

AIRBILL 15789703

I hereby declare that the goods contained herein do not contain dangerous goods.

Signed....................................... Date ....

Grant Aviation
6420 Kulis Dr. Anchorage, AK 99502
Phone: 1 (888) 359-4726
Freephone: 1 (888) 359-4726
Email: res@flygrant.com
Web: http://www.flygrant.com/

FREIGHT DETAILS

FROM/TO: Kenai -> Anchorage International

Flight Departs: Apr 30 25 2:25 PM

Receiver: SGS north america
907-562-2343

Sender: watershed forum
907-232-0280

Accepted: Wed, Apr 30 25 1:51:00 PM

Description & Comment	Quan.	Wgt.	Handle Fee	Hazmat Fee	Total
Standard Freight	1	48	-	-	$36.14
TAX: Federal Excise Tax					$2.26
				Total Payments made:	$38.40
				Total Unpaid:	**$0.00**

TERMS AND CONDITIONS

Consignemnt Note Text

1251731

#438894

Alert Expeditors Inc.

Citywide Delivery • 440-3351
8421 Flamingo Drive • Anchorage, Alaska 99502

Date [illegible]

From [illegible]

To [illegible]

Collect ❒	Prepay ❒	Advance Charges ❒
Job #	PO#	

[illegible]

Shipped Signature

Total Charge

Received By: [illegible]

Sample Containers and Preservatives

Container Id	Preservative	Container Condition
1251731001-A	HNO3 to pH < 2	OK
1251731001-B	H2SO4 to pH < 2	OK
1251731002-A	HNO3 to pH < 2	OK
1251731002-B	H2SO4 to pH < 2	OK
1251731003-A	HNO3 to pH < 2	OK
1251731003-B	H2SO4 to pH < 2	OK
1251731004-A	HNO3 to pH < 2	OK
1251731004-B	H2SO4 to pH < 2	OK
1251731005-A	HNO3 to pH < 2	OK
1251731005-B	H2SO4 to pH < 2	OK
1251731006-A	HNO3 to pH < 2	OK
1251731006-B	H2SO4 to pH < 2	OK
1251731007-A	HNO3 to pH < 2	OK
1251731007-B	H2SO4 to pH < 2	OK
1251731008-A	HNO3 to pH < 2	OK
1251731008-B	H2SO4 to pH < 2	OK
1251731009-A	HNO3 to pH < 2	OK
1251731009-B	H2SO4 to pH < 2	OK
1251731010-A	HNO3 to pH < 2	OK
1251731010-B	H2SO4 to pH < 2	OK
1251731011-A	HNO3 to pH < 2	OK
1251731011-B	H2SO4 to pH < 2	OK
1251731012-A	HNO3 to pH < 2	OK
1251731012-B	H2SO4 to pH < 2	OK
1251731013-A	HNO3 to pH < 2	OK
1251731013-B	H2SO4 to pH < 2	OK
1251731014-A	HNO3 to pH < 2	OK
1251731014-B	H2SO4 to pH < 2	OK
1251731015-A	HNO3 to pH < 2	OK
1251731015-B	H2SO4 to pH < 2	OK
1251731016-A	HNO3 to pH < 2	OK
1251731016-B	H2SO4 to pH < 2	OK
1251731017-A	HNO3 to pH < 2	OK
1251731017-B	H2SO4 to pH < 2	OK
1251731018-A	HNO3 to pH < 2	OK
1251731018-B	H2SO4 to pH < 2	OK
1251731019-A	HNO3 to pH < 2	OK
1251731019-B	H2SO4 to pH < 2	OK
1251731020-A	HNO3 to pH < 2	OK
1251731020-B	H2SO4 to pH < 2	OK
1251731021-A	H2SO4 to pH < 2	OK
1251731022-A	HNO3 to pH < 2	OK
1251731022-B	H2SO4 to pH < 2	OK
1251731023-A	HNO3 to pH < 2	OK
1251731024-A	HNO3 to pH < 2	OK
1251731025-A	No Preservative Required	OK
1251731025-B	HNO3 to pH < 2	OK
1251731026-A	No Preservative Required	OK
1251731026-B	HNO3 to pH < 2	OK
1251731027-A	No Preservative Required	OK
1251731027-B	HNO3 to pH < 2	OK
1251731028-A	No Preservative Required	OK
1251731028-B	HNO3 to pH < 2	OK
1251731029-A	No Preservative Required	OK
1251731029-B	HNO3 to pH < 2	OK
1251731030-A	No Preservative Required	OK
1251731030-B	HNO3 to pH < 2	OK
1251731031-A	No Preservative Required	OK
1251731031-B	HNO3 to pH < 2	OK
1251731032-A	No Preservative Required	OK
1251731032-B	HNO3 to pH < 2	OK
1251731033-A	No Preservative Required	OK
1251731033-B	HNO3 to pH < 2	OK
1251731034-A	No Preservative Required	OK
1251731034-B	HNO3 to pH < 2	OK
1251731035-A	No Preservative Required	OK
1251731035-B	HNO3 to pH < 2	OK
1251731036-A	No Preservative Required	OK
1251731036-B	HNO3 to pH < 2	OK
1251731037-A	No Preservative Required	OK
1251731037-B	HNO3 to pH < 2	OK
1251731038-A	No Preservative Required	OK
1251731038-B	HNO3 to pH < 2	OK
1251731039-A	No Preservative Required	OK
1251731039-B	HNO3 to pH < 2	OK

Container Id	Preservative	Container Condition	Container Id	Preservative	Container Condition

Container Condition Glossary

Containers for bacteriological, low level mercury and VOA vials are not opened prior to analysis and will be assigned condition code OK unless evidence indicates than an inappropriate container was submitted.

OK - The container was received at an acceptable pH for the analysis requested.
BU - The container was received with headspace greater than 6mm.
DM - The container was received damaged.
FR - The container was received frozen and not usable for Bacteria or BOD analyses.
IC - The container provided for microbiology analysis was not a laboratory-supplied, pre-sterilized container and therefore was not suitable for analysis.
NC- The container provided was not preserved or was under-preserved. The method does not allow for additional preservative added after collection.
PA - The container was received outside of the acceptable pH for the analysis requested. Preservative was added upon receipt and the container is now at the correct pH. See the Sample Receipt Form for details on the amount and lot # of the preservative added.
PH - The container was received outside of the acceptable pH for the analysis requested. Preservative was added upon receipt, but was insufficient to bring the container to the correct pH for the analysis requested. See the Sample Receipt Form for details on the amount and lot # of the preservative added.
QN - Insufficient sample quantity provided.