Analytica Group, LLC-Anchorage
4307 Arctic Boulevard
Anchorage, AK 99503
Phone: 907-258-2155
Fax: 907-258-6634

ANALYTICA
Environmental Laboratories

5/14/2014

Kenai Watershed Forum
44129 Sterling Highway
Soldotna, AK 99669
Attn: Branden Bornemann

Work Order #: A1404510
Date: 5/14/2014
Work ID: KWF Baseline Monitoring 2014
Date Received: 4/29/2014
Proj #: None

Sample Identification

Lab Sample Number	Client Description	Lab Sample Number	Client Description
A1404510-01	RM 0 - No Name Creek	A1404510-02	RM 0 - No Name Creek Dup.
A1404510-03	RM 1.5 - Kenai City Dock (Sn		

Enclosed are the analytical results for the submitted sample(s). Please review the CASE NARRATIVE for a discussion of any data and/or quality control issues. Listings of data qualifiers, analytical codes, key dates, and QC relationships are provided at the end of the report.

Sincerely,

Claire Toon
Project Manager

"The Science of Analysis, The Art of Service"

Case Narrative

Analytica Group, LLC - Anchorage

Work Order: A1404510

Samples were prepared and analyzed according to EPA or equivalent methods outlined in the following references:

Methods for the Determination of Metals in Environmental Samples, EPA/600/R-94/111, May 1994.

Standard Methods for the Examination of Water and Wastewater, 21st Edition, 2005.

SAMPLE RECEIPT:
Three (3) samples were received on 4/29/2014 6:20:00 PM, at a temperature of 4.6°C, at Analytica-Anchorage. The samples were received in good condition and in order per chain of custody.

The samples were transferred for metals and total phosphorus analysis to Analytica Environmental Laboratories (AEL), 12189 Pennsylvania St., Thornton, Colorado 80241, where they were received at a temperature of 2.7°C, in good condition and in order per chain of custody on 5/1/2014.

REVIEW FOR COMPLIANCE WITH ANALYTICA QA PLAN
A summary of our review is shown below.

All analytical results contained in this report have been reviewed under Analytica's internal quality assurance and quality control program. Any deviations in quality control parameters for specific analyses are noted in the following text. A complete quality assurance report, including laboratory control, matrix spike, and sample duplicate recoveries is kept on file in our office and is available upon request.

All method specifications were met for the following tests, unless otherwise noted:

Test Method: 200.8 - Metals by ICP/MS - Dissolved - Aqueous

Test Method: 200.8 - Metals by ICP/MS - Total/TR - Aqueous

Test Method: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method - Nitrate+Nitrite pres - Aqueous

Test Method: SM4500-PE - Total Phos - Aqueous

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

Report Section: Client Sample Report

Client Sample Name: **RM 0 - No Name Creek**

Matrix: Aqueous Collection Date: 4/29/2014 10:00:00AM

The following test was conducted by: Analytica - Anchorage

Lab Sample Number: A1404510-01A
Prep Date: 05-06-2014 09:05
Analytical Method ID: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method - N
Prep Method ID:
Prep Batch Number: A140508008
Report Basis: As Received
Sample prep wt./vol: 25.00 ml

Analysis Date: 5/6/2014 9:20:00AM
Instrument: Thermospectr
File Name:
Dilution Factor: 1
Analyst Initials: MC
Prep Extract Vol: 25.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Nitrate-Nitrite as Nitrogen		**0.154**		mg/L	0.10	0.015	1

The following test was conducted by: Analytica - Thornton

Lab Sample Number: A1404510-01B
Prep Date: 05-06-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Total/TR
Prep Method ID: 200.8
Prep Batch Number: T140506005
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/6/2014 4:47:48PM
Instrument: AgilentICPMS
File Name: 050614A.csv
Dilution Factor: 1
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Calcium	7440-70-2	**6.67**		mg/L	0.10	0.0030	2
Magnesium	7439-96-4	**2.52**		mg/L	0.050	0.00020	

Lab Sample Number: A1404510-01B
Prep Date: 05-06-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Total/TR
Prep Method ID: 200.8
Prep Batch Number: T140506005
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/7/2014 12:30:33PM
Instrument: AgilentICPMS
File Name: 050714A.csv
Dilution Factor: 1
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Iron	7439-89-6	**4.22**		mg/L	0.010	0.00071	3

The following test was conducted by: Analytica - Thornton

Lab Sample Number: A1404510-01C
Prep Date: 05-05-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Dissolved
Prep Method ID: 200.8
Prep Batch Number: T140505012
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/5/2014 3:59:34PM
Instrument: AgilentICPMS
File Name: 050514A.csv
Dilution Factor: 1
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Arsenic	7440-38-2	**2.23**		ug/L	0.15	0.084	2

Detailed Analytical Report

Analytica Group, LLC - Anchorage

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

Report Section: Client Sample Report

Client Sample Name: **RM 0 - No Name Creek**

Matrix: Aqueous Collection Date: 4/29/2014 10:00:00AM

Lab Sample Number: A1404510-01C
Prep Date: 05-05-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Dissolved
Prep Method ID: 200.8
Prep Batch Number: T140505012
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/5/2014 3:59:34PM
Instrument: AgilentICPMS
File Name: 050514A.csv
Dilution Factor: 1
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Cadmium	7440-43-9	**ND**		ug/L	0.10	0.066	2
Chromium	7440-47-3	**0.523**		ug/L	0.50	0.20	
Copper	7440-50-8	**0.690**		ug/L	0.25	0.076	
Lead	7439-92-1	**ND**		ug/L	0.20	0.073	
Zinc	7440-66-6	**97.8**		ug/L	2.5	0.55	

The following test was conducted by: Analytica - Thornton

Lab Sample Number: A1404510-01D
Prep Date: 05-07-2014 11:05
Analytical Method ID: SM4500-PE - Total Phos
Prep Method ID: 4500-PB
Prep Batch Number: T140508002
Report Basis: As Received
Sample prep wt./vol: 10.00 ml

Analysis Date: 5/7/2014 12:45:00PM
Instrument: Hach DR 3900
File Name:
Dilution Factor: 1
Analyst Initials: CRB
Prep Extract Vol: 10.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Phosphorus, Total and Ortho		**ND**		mg/L	0.051	0.026	1

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

Report Section: Client Sample Report

Client Sample Name: **RM 0 - No Name Creek Dup.**

Matrix: Aqueous Collection Date: 4/29/2014 10:30:00AM

The following test was conducted by: Analytica - Anchorage

Lab Sample Number: A1404510-02A
Prep Date: 05-06-2014 09:05
Analytical Method ID: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method - N
Prep Method ID:
Prep Batch Number: A140508008
Report Basis: As Received
Sample prep wt./vol: 25.00 ml

Analysis Date: 5/6/2014 9:20:00AM
Instrument: Thermospectr
File Name:
Dilution Factor: 1
Analyst Initials: MC
Prep Extract Vol: 25.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Nitrate-Nitrite as Nitrogen		**0.151**		mg/L	0.10	0.015	1

The following test was conducted by: Analytica - Thornton

Lab Sample Number: A1404510-02B
Prep Date: 05-06-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Total/TR
Prep Method ID: 200.8
Prep Batch Number: T140506005
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/6/2014 4:50:09PM
Instrument: AgilentICPMS
File Name: 050614A.csv
Dilution Factor: 1
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Calcium	7440-70-2	**6.66**		mg/L	0.10	0.0030	2
Magnesium	7439-96-4	**2.54**		mg/L	0.050	0.00020	

Lab Sample Number: A1404510-02B
Prep Date: 05-06-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Total/TR
Prep Method ID: 200.8
Prep Batch Number: T140506005
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/7/2014 12:32:58PM
Instrument: AgilentICPMS
File Name: 050714A.csv
Dilution Factor: 1
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Iron	7439-89-6	**6.65**		mg/L	0.010	0.00071	3

The following test was conducted by: Analytica - Thornton

Lab Sample Number: A1404510-02C
Prep Date: 05-05-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Dissolved
Prep Method ID: 200.8
Prep Batch Number: T140505012
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/5/2014 2:43:29PM
Instrument: AgilentICPMS
File Name: 050514A.csv
Dilution Factor: 10
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Zinc	7440-66-6	**124**		ug/L	25	5.5	1

Detailed Analytical Report

Analytica Group, LLC - Anchorage

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

Report Section: Client Sample Report

Client Sample Name: **RM 0 - No Name Creek Dup.**

Matrix: Aqueous Collection Date: 4/29/2014 10:30:00AM

Lab Sample Number: A1404510-02C
Prep Date: 05-05-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Dissolved
Prep Method ID: 200.8
Prep Batch Number: T140505012
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/5/2014 4:14:19PM
Instrument: AgilentICPMS
File Name: 050514A.csv
Dilution Factor: 1
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Arsenic	7440-38-2	**2.20**		ug/L	0.15	0.084	2
Cadmium	7440-43-9	**ND**		ug/L	0.10	0.066	
Chromium	7440-47-3	**0.535**		ug/L	0.50	0.20	
Copper	7440-50-8	**0.945**		ug/L	0.25	0.076	
Lead	7439-92-1	**ND**		ug/L	0.20	0.073	

The following test was conducted by: Analytica - Thornton

Lab Sample Number: A1404510-02D
Prep Date: 05-07-2014 11:05
Analytical Method ID: SM4500-PE - Total Phos
Prep Method ID: 4500-PB
Prep Batch Number: T140508002
Report Basis: As Received
Sample prep wt./vol: 10.00 ml

Analysis Date: 5/7/2014 12:45:00PM
Instrument: Hach DR 3900
File Name:
Dilution Factor: 1
Analyst Initials: CRB
Prep Extract Vol: 10.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Phosphorus, Total and Ortho		**ND**		mg/L	0.051	0.026	1

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

Report Section: Client Sample Report

Client Sample Name: **RM 1.5 - Kenai City Dock (Snug Harbor)**

Matrix: Aqueous Collection Date: 4/29/2014 11:00:00AM

The following test was conducted by: Analytica - Anchorage

Lab Sample Number: A1404510-03A
Prep Date: 05-06-2014 09:05
Analytical Method ID: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method - N
Prep Method ID:
Prep Batch Number: A140508008
Report Basis: As Received
Sample prep wt./vol: 25.00 ml

Analysis Date: 5/6/2014 9:20:00AM
Instrument: Thermospectr
File Name:
Dilution Factor: 1
Analyst Initials: MC
Prep Extract Vol: 25.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Nitrate-Nitrite as Nitrogen		**ND**		mg/L	0.10	0.015	1

The following test was conducted by: Analytica - Thornton

Lab Sample Number: A1404510-03B
Prep Date: 05-06-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Total/TR
Prep Method ID: 200.8
Prep Batch Number: T140506005
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/6/2014 1:53:24PM
Instrument: AgilentICPMS
File Name: 050614A.csv
Dilution Factor: 10
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Calcium	7440-70-2	**18.4**		mg/L	1.0	0.030	1
Magnesium	7439-96-4	**21.8**		mg/L	0.50	0.0020	

Lab Sample Number: A1404510-03B
Prep Date: 05-06-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Total/TR
Prep Method ID: 200.8
Prep Batch Number: T140506005
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/7/2014 12:35:24PM
Instrument: AgilentICPMS
File Name: 050714A.csv
Dilution Factor: 10
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Iron	7439-89-6	**10.2**		mg/L	0.10	0.0071	3

The following test was conducted by: Analytica - Thornton

Lab Sample Number: A1404510-03C
Prep Date: 05-05-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Dissolved
Prep Method ID: 200.8
Prep Batch Number: T140505012
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/5/2014 2:45:59PM
Instrument: AgilentICPMS
File Name: 050514A.csv
Dilution Factor: 10
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Zinc	7440-66-6	**154**		ug/L	25	5.5	1

Detailed Analytical Report

Analytica Group, LLC - Anchorage

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

Report Section: Client Sample Report

Client Sample Name: **RM 1.5 - Kenai City Dock (Snug Harbor)**

Matrix: Aqueous Collection Date: 4/29/2014 11:00:00AM

Lab Sample Number: A1404510-03C
Prep Date: 05-05-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Dissolved
Prep Method ID: 200.8
Prep Batch Number: T140505012
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/5/2014 4:16:45PM
Instrument: AgilentICPMS
File Name: 050514A.csv
Dilution Factor: 1
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Arsenic	7440-38-2	**2.60**		ug/L	0.15	0.084	2
Cadmium	7440-43-9	**ND**		ug/L	0.10	0.066	
Chromium	7440-47-3	**0.608**		ug/L	0.50	0.20	
Copper	7440-50-8	**1.78**		ug/L	0.25	0.076	
Lead	7439-92-1	**ND**		ug/L	0.20	0.073	

The following test was conducted by: Analytica - Thornton

Lab Sample Number: A1404510-03D
Prep Date: 05-08-2014 15:05
Analytical Method ID: SM4500-PE - Total Phos
Prep Method ID: 4500-PB
Prep Batch Number: T140509001
Report Basis: As Received
Sample prep wt./vol: 1.00 ml

Analysis Date: 5/8/2014 4:00:00PM
Instrument: Hach DR 3900
File Name:
Dilution Factor: 1
Analyst Initials: CRB
Prep Extract Vol: 10.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Phosphorus, Total and Ortho		**4.0**		mg/L	0.51	0.26	2

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

Report Section: Method Blank Report

Client Sample Name: **MB**

Matrix: Aqueous Collection Date: 5/6/2014 9:20:00AM

The following test was conducted by: Analytica - Anchorage

Lab Sample Number: A140508008-MB
Prep Date: 05-06-2014 09:05
Analytical Method ID: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method - N
Prep Method ID:
Prep Batch Number: A140508008
Report Basis: As Received
Sample prep wt./vol: 25.00 ml

Analysis Date: 5/6/2014 9:20:00AM
Instrument: Thermospectr
File Name:
Dilution Factor: 1
Analyst Initials: MC
Prep Extract Vol: 25.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Nitrate-Nitrite as Nitrogen		ND		mg/L	0.10	0.015	1

The following test was conducted by: Analytica - Thornton

Lab Sample Number: T140506005-MB
Prep Date: 05-06-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Total/TR
Prep Method ID: 200.8
Prep Batch Number: T140506005
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/6/2014 1:04:51PM
Instrument: AgilentICPMS
File Name: 050614A.csv
Dilution Factor: 1
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Calcium	7440-70-2	ND		ug/L	100	3.0	1
Magnesium	7439-96-4	ND		ug/L	50	0.20	

Lab Sample Number: T140506005-MB
Prep Date: 05-06-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Total/TR
Prep Method ID: 200.8
Prep Batch Number: T140506005
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/7/2014 11:58:34AM
Instrument: AgilentICPMS
File Name: 050714A.csv
Dilution Factor: 1
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Iron	7439-89-6	ND		ug/L	10	0.71	3

The following test was conducted by: Analytica - Thornton

Lab Sample Number: T140505012-MB
Prep Date: 05-05-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Dissolved
Prep Method ID: 200.8
Prep Batch Number: T140505012
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/5/2014 1:51:47PM
Instrument: AgilentICPMS
File Name: 050514A.csv
Dilution Factor: 1
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Arsenic	7440-38-2	ND		ug/L	0.15	0.084	1

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

Report Section: Method Blank Report

Client Sample Name: **MB**

Matrix: Aqueous Collection Date: 1/1/1900 12:00:00AM

Lab Sample Number: T140505012-MB
Prep Date: 05-05-2014
Analytical Method ID: 200.8 - Metals by ICP/MS - Dissolved
Prep Method ID: 200.8
Prep Batch Number: T140505012
Report Basis: As Received
Sample prep wt./vol: 50.00 ml

Analysis Date: 5/5/2014 1:51:47PM
Instrument: AgilentICPMS
File Name: 050514A.csv
Dilution Factor: 1
Analyst Initials: RM
Prep Extract Vol: 50.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Cadmium	7440-43-9	**ND**		ug/L	0.10	0.066	1
Chromium	7440-47-3	**ND**		ug/L	0.50	0.20	
Copper	7440-50-8	**ND**		ug/L	0.25	0.076	
Lead	7439-92-1	**ND**		ug/L	0.20	0.073	
Zinc	7440-66-6	**ND**		ug/L	2.5	0.55	

The following test was conducted by: Analytica - Thornton

Lab Sample Number: T140508002-MB
Prep Date: 05-07-2014 11:05
Analytical Method ID: SM4500-PE - Total Phos
Prep Method ID: 4500-PB
Prep Batch Number: T140508002
Report Basis: As Received
Sample prep wt./vol: 10.00 ml

Analysis Date: 5/7/2014 12:45:00PM
Instrument: Hach DR 3900
File Name:
Dilution Factor: 1
Analyst Initials: CRB
Prep Extract Vol: 10.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Phosphorus, Total and Ortho		**ND**		mg/L	0.051	0.026	1

Lab Sample Number: T140509001-MB
Prep Date: 05-08-2014 15:05
Analytical Method ID: SM4500-PE - Total Phos
Prep Method ID: 4500-PB
Prep Batch Number: T140509001
Report Basis: As Received
Sample prep wt./vol: 10.00 ml

Analysis Date: 5/8/2014 4:00:00PM
Instrument: Hach DR 3900
File Name:
Dilution Factor: 1
Analyst Initials: CRB
Prep Extract Vol: 10.00 ml

Analyte	CASNo	Result	Flags	Units	PQL	MDL	run #:
Phosphorus, Total and Ortho		**ND**		mg/L	0.051	0.026	1

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

Tests Run at: Analytica Environmental Laboratories - Anchorage, Alaska

Workorder (SDG): A1404510

Project: KWF Baseline Monitoring 2014

Project Number:

QUALITY CONTROL REPORT

Prep Batch: **A140508008**

SAMPLE DUPLICATE REPORT

Analysis: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method - Base Sample: A1404510-01A
Prep Date: 5/6/2014

Samp. Anal. Date: 5/6/2014 9:20:00AM Units: mg/L

DUP Anal. Date: 5/6/2014 9:20:00AM Matrix: Aqueous

Analyte Name	SampResult	DUPRes.	RPD	RPDLim	Flag
Nitrate-Nitrite as Nitrogen	0.154	0.127	19.2	20	

LCS REPORT

Analysis: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method - MB: A140508008-MB
Prep Date: 5/6/2014

MB Anal. Date: 5/6/2014 9:20:00AM Units: mg/L

LCS Anal. Date: 5/6/2014 9:20:00AM Matrix: Aqueous

Analyte Name	SampResult	LCSRes.	SPLev	Recov.	Recov Lim	RPDLim	Flag
Nitrate-Nitrite as Nitrogen	ND	5.63	5.16	109.1	90 - 110		

MS REPORT

Analysis: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method - Parent: A1404510-01A
Prep Date: 5/6/2014

Samp. Anal. Date: 5/6/2014 9:20:00AM Units: mg/L

MS Anal. Date: 5/6/2014 9:20:00AM Matrix: Aqueous

Analyte Name	SampResult	MSRes.	SPLev	Recov.	Recov Lim	Flag
Nitrate-Nitrite as Nitrogen	0.154	0.333	0.206	86.7	80 - 120	

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

FOOTNOTES TO QC REPORT

Note 1: Results are shown to three significant figures to avoid rounding errors in calculations.

Note 2: If the sample concentration is greater than 4 times the spike level, a recovery is not meaningful, and the result should be used as a replicate. In such cases the spike is not as high as expected random measurement variability of the sample result itself.

Note 3: For sample duplicates, if the result is less than the PQL, the duplicate RPD is not applicable. If the sample and duplicate results are not five times the PQL or greater, then the RPD is not expected to fall within the window shown and the comparison should be made on the basis of the absolute difference. Analytica uses the criterion that the absolute difference should be less than the PQL for water or less than 2XPQL for other matrices.

Note 4: For serial dilutions, if the result is less than the PQL, the duplicate RPD is not applicable. If the sample result is not 50 times the MDL or greater, then the fact that the RPD does not meet the 10% criterion has little signifcance. Otherwise it indicates that a matrix bias may exist at the analytical step.

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

Tests Run at: Analytica Environmental Laboratories - Thornton, Colorado

Workorder (SDG): A1404510

Project: KWF Baseline Monitoring 2014

Project Number:

QUALITY CONTROL REPORT

Prep Batch: **T140505012**

LCS REPORT

Analysis: 200.8 - Metals by ICP/MS - Dissolved

MB: T140505012-MB

Prep Date: 5/5/2014

MB Anal. Date: 5/5/2014 1:51:47PM

Units: ug/L

LCS Anal. Date: 5/5/2014 1:56:46PM

Matrix: Aqueous

Analyte Name	SampResult	LCSRes.	SPLev	Recov.	Recov Lim	RPDLim	Flag
Copper	ND	50.0	50.0	100.0	85 - 115		
Arsenic	ND	50.5	50.0	101.0	85 - 115		
Chromium	ND	50.1	50.0	100.2	85 - 115		
Lead	ND	49.2	50.0	98.4	85 - 115		
Zinc	ND	50.7	50.0	101.4	85 - 115		
Cadmium	ND	49.5	50.0	99.0	85 - 115		

Prep Batch: **T140506005**

LCS REPORT

Analysis: 200.8 - Metals by ICP/MS - Total/TR

MB: T140506005-MB

Prep Date: 5/6/2014

MB Anal. Date: 5/6/2014 1:04:51PM

Units: ug/L

LCS Anal. Date: 5/6/2014 1:09:46PM

Matrix: Aqueous

Analyte Name	SampResult	LCSRes.	SPLev	Recov.	Recov Lim	RPDLim	Flag
Calcium	ND	5,050	5,000	101.0	85 - 115		
Magnesium	ND	5,210	5,000	104.2	85 - 115		
Iron	ND	4,730	5,000	94.6	85 - 115		

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

FOOTNOTES TO QC REPORT

Note 1: Results are shown to three significant figures to avoid rounding errors in calculations.

Note 2: If the sample concentration is greater than 4 times the spike level, a recovery is not meaningful, and the result should be used as a replicate. In such cases the spike is not as high as expected random measurement variability of the sample result itself.

Note 3: For sample duplicates, if the result is less than the PQL, the duplicate RPD is not applicable. If the sample and duplicate results are not five times the PQL or greater, then the RPD is not expected to fall within the window shown and the comparison should be made on the basis of the absolute difference. Analytica uses the criterion that the absolute difference should be less than the PQL for water or less than 2XPQL for other matrices.

Note 4: For serial dilutions, if the result is less than the PQL, the duplicate RPD is not applicable. If the sample result is not 50 times the MDL or greater, then the fact that the RPD does not meet the 10% criterion has little signifcance. Otherwise it indicates that a matrix bias may exist at the analytical step.

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

Tests Run at: Analytica Environmental Laboratories - Thornton, Colorado

Workorder (SDG): A1404510

Project: KWF Baseline Monitoring 2014

Project Number:

QUALITY CONTROL REPORT

Prep Batch: **T140508002**

SAMPLE DUPLICATE REPORT

Analysis: SM4500-PE - Total Phos

Base Sample: A1404510-01D

Prep Date: 5/7/2014

Samp. Anal. Date: 5/7/2014 12:45:00PM

DUP Anal. Date: 5/7/2014 12:45:00PM

Units: mg/L

Matrix: Aqueous

Analyte Name	SampResult	DUPRes.	RPD	RPDLim	Flag
Phosphorus, Total and Ortho	ND	ND	0.0	20	

LCS REPORT

Analysis: SM4500-PE - Total Phos

MB: T140508002-MB

Prep Date: 5/7/2014

MB Anal. Date: 5/7/2014 12:45:00PM

LCS Anal. Date: 5/7/2014 12:45:00PM

Units: mg/L

Matrix: Aqueous

Analyte Name	SampResult	LCSRes.	SPLev	Recov.	Recov Lim	RPDLim	Flag
Phosphorus, Total and Ortho	ND	0.505	0.500	101.0	80 - 120		

MS REPORT

Analysis: SM4500-PE - Total Phos

Parent: A1404510-01D

Prep Date: 5/7/2014

Samp. Anal. Date: 5/7/2014 12:45:00PM

MS Anal. Date: 5/7/2014 12:45:00PM

Units: mg/L

Matrix: Aqueous

Analyte Name	SampResult	MSRes.	SPLev	Recov.	Recov Lim	Flag
Phosphorus, Total and Ortho	ND	0.550	0.500	110.0	70 - 130	

Prep Batch: **T140509001**

LCS REPORT

Analysis: SM4500-PE - Total Phos

MB: T140509001-MB

Prep Date: 5/8/2014

MB Anal. Date: 5/8/2014 4:00:00PM

LCS Anal. Date: 5/8/2014 4:00:00PM

Units: mg/L

Matrix: Aqueous

Analyte Name	SampResult	LCSRes.	SPLev	Recov.	Recov Lim	RPDLim	Flag
Phosphorus, Total and Ortho	ND	0.510	0.500	102.0	80 - 120		

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

FOOTNOTES TO QC REPORT

Note 1: Results are shown to three significant figures to avoid rounding errors in calculations.

Note 2: If the sample concentration is greater than 4 times the spike level, a recovery is not meaningful, and the result should be used as a replicate. In such cases the spike is not as high as expected random measurement variability of the sample result itself.

Note 3: For sample duplicates, if the result is less than the PQL, the duplicate RPD is not applicable. If the sample and duplicate results are not five times the PQL or greater, then the RPD is not expected to fall within the window shown and the comparison should be made on the basis of the absolute difference. Analytica uses the criterion that the absolute difference should be less than the PQL for water or less than 2XPQL for other matrices.

Note 4: For serial dilutions, if the result is less than the PQL, the duplicate RPD is not applicable. If the sample result is not 50 times the MDL or greater, then the fact that the RPD does not meet the 10% criterion has little signifcance. Otherwise it indicates that a matrix bias may exist at the analytical step.

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

QC BATCH ASSOCIATIONS - BY METHOD BLANK

Lab Project ID: **159,714** **Lab Project Number:** **A1404510**

Prep Date: 5/5/2014

Lab Method Blank Id: T140505012-MB
Prep Batch ID: T140505012
Method: 200.8 - Metals by ICP/MS - Dissolved

This Method blank and sample preparation batch are associated with the following samples, spikes, and duplicates:

SampleNum	ClientSampleName	DataFile	AnalysisDate
A1404477-01A	Batch QC	050514A.csv	5/5/2014 3:42:29PM
A1404510-01C	RM 0 - No Name Creek	050514A.csv	5/5/2014 3:59:34PM
A1404510-02C	RM 0 - No Name Creek Dup.	050514A.csv	5/5/2014 2:43:29PM
A1404510-02C	RM 0 - No Name Creek Dup.	050514A.csv	5/5/2014 4:14:19PM
A1404510-03C	RM 1.5 - Kenai City Dock (Snug Harbor)	050514A.csv	5/5/2014 2:45:59PM
A1404510-03C	RM 1.5 - Kenai City Dock (Snug Harbor)	050514A.csv	5/5/2014 4:16:45PM
T140505012-LCS	LCS	050514A.csv	5/5/2014 1:56:46PM
A1404477-01A-DUP	DUP	050514A.csv	5/5/2014 3:44:58PM
A1404477-01A-MS	MS	050514A.csv	5/5/2014 3:47:22PM
A1404477-01A-MSD	MSD	050514A.csv	5/5/2014 3:49:44PM
A1404477-01A	Batch QC	050614A.csv	5/6/2014 4:04:28PM
A1404477-01A-DUP	DUP	050614A.csv	5/6/2014 4:06:52PM
A1404477-01A-MS	MS	050614A.csv	5/6/2014 4:09:21PM
A1404477-01A-MSD	MSD	050614A.csv	5/6/2014 4:11:44PM

Prep Date: 5/6/2014

Lab Method Blank Id: T140506005-MB
Prep Batch ID: T140506005
Method: 200.8 - Metals by ICP/MS - Total/TR

This Method blank and sample preparation batch are associated with the following samples, spikes, and duplicates:

SampleNum	ClientSampleName	DataFile	AnalysisDate
A1404489-01B	Batch QC	050614A.csv	5/6/2014 4:19:04PM
A1404510-01B	RM 0 - No Name Creek	050614A.csv	5/6/2014 4:47:48PM
A1404510-02B	RM 0 - No Name Creek Dup.	050614A.csv	5/6/2014 4:50:09PM
A1404510-03B	RM 1.5 - Kenai City Dock (Snug Harbor)	050614A.csv	5/6/2014 1:53:24PM
T140506005-LCS	LCS	050614A.csv	5/6/2014 1:09:46PM
A1404489-01B-DUP	DUP	050614A.csv	5/6/2014 4:21:22PM
A1404489-01B-MS	MS	050614A.csv	5/6/2014 4:23:45PM
A1404489-01B-MSD	MSD	050614A.csv	5/6/2014 4:38:17PM
A1404510-01B	RM 0 - No Name Creek	050714A.csv	5/7/2014 12:30:33PM
A1404510-02B	RM 0 - No Name Creek Dup.	050714A.csv	5/7/2014 12:32:58PM
A1404510-03B	RM 1.5 - Kenai City Dock (Snug Harbor)	050714A.csv	5/7/2014 12:35:24PM

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

QC BATCH ASSOCIATIONS - BY METHOD BLANK

Lab Project ID: **159,714** **Lab Project Number:** **A1404510**

Prep Date: 5/7/2014

Lab Method Blank Id: T140508002-MB
Prep Batch ID: T140508002
Method: SM4500-PE - Total Phos

This Method blank and sample preparation batch are associated with the following samples, spikes, and duplicates:

SampleNum	ClientSampleName	DataFile	AnalysisDate
A1404510-01D	RM 0 - No Name Creek		5/7/2014 12:45:00PM
A1404510-02D	RM 0 - No Name Creek Dup.		5/7/2014 12:45:00PM
T140508002-LCS	LCS		5/7/2014 12:45:00PM
A1404510-01D-DUP	DUP		5/7/2014 12:45:00PM
A1404510-01D-MS	MS		5/7/2014 12:45:00PM

Prep Date: 5/6/2014

Lab Method Blank Id: A140508008-MB
Prep Batch ID: A140508008
Method: SM4500-NO3E - Nitrogen (Nitrate), Cadmium Reduction Method -

This Method blank and sample preparation batch are associated with the following samples, spikes, and duplicates:

SampleNum	ClientSampleName	DataFile	AnalysisDate
A1404510-01A	RM 0 - No Name Creek		5/6/2014 9:20:00AM
A1404510-02A	RM 0 - No Name Creek Dup.		5/6/2014 9:20:00AM
A1404510-03A	RM 1.5 - Kenai City Dock (Snug Harbor)		5/6/2014 9:20:00AM
A140508008-LCS	LCS		5/6/2014 9:20:00AM
A1404510-01A-DUP	DUP		5/6/2014 9:20:00AM
A1404510-01A-MS	MS		5/6/2014 9:20:00AM

Prep Date: 5/8/2014

Lab Method Blank Id: T140509001-MB
Prep Batch ID: T140509001
Method: SM4500-PE - Total Phos

This Method blank and sample preparation batch are associated with the following samples, spikes, and duplicates:

SampleNum	ClientSampleName	DataFile	AnalysisDate
A1404510-03D	RM 1.5 - Kenai City Dock (Snug Harbor)		5/8/2014 4:00:00PM
A1404515-01C	Batch QC		5/8/2014 4:00:00PM
T140509001-LCS	LCS		5/8/2014 4:00:00PM
A1404515-01C-DUP	DUP		5/8/2014 4:00:00PM
A1404515-01C-MS	MS		5/8/2014 4:00:00PM

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

DATA FLAGS AND DEFINITIONS

The PQL is the Method Quantitation Limit as defined by USACE.
Reporting Limit: Limit below which results are shown as "ND". This may be the PQL, MDL, or a value between. See the report conventions below.

Result Field:

ND = Not Detected at or above the Reporting Limit
NA = Analyte not applicable (see Case Narrative for discussion)

Qualifier Fields:

LOW = Recovery is below Lower Control Limit
HIGH = Recovery , RPD, or other parameter is above Upper Control Limit
E = Reported concentration is above the instrument calibration upper range

Organic Analysis Flags:

B = Analyte was detected in the laboratory method blank
J = Analyte was detected above MDL or Reporting Limit but below the Quant Limit (PQL)

Inorganic Analysis Flags:

J = Analyte was detected above the Reporting Limit but below the Quant Limit (PQL)
W = Post digestion spike did not meet criteria
S = Reported value determined by the Method of Standard Additions (MSA)

Several ways of defining the limit of detection and quantitation are prevalent in the laboratory industry and may appear in Analytica reports. These include the following:

MRL = "minimum reporting level", from the EPA Safe Drinking Water program (SDW)
PQL = "practical quantitation limit", from SW-846
EQL = "estimated quantitation limit", from SW-846
LOQ = "limit of quantitation", from a number of authoritative sources

In Analytica's work, all of these terms have the same meaning, equivalent to the EPA definition of the MRL. This reporting level is supported by a satisfactory calibration data point which is at that level or lower, and also is supported by a method detection limit (MDL) determined by the procedure in 40CFR. The MDL is lower than the MRL and represents an estimate of the level where positive detections have a 99% probability of being real, but where quantitation accuracy is unknown.

The MRL as defined by Analytica is the lowest demonstrated point of known quantitation accuracy.
The MRL should not be confused with the MCL, which is the EPA-defined "maximum contaminant level" allowed for certain regulated targets under specific regulations, such as the National Primary Drinking Water Regulations. Normally, the MRL is set at a level which is much lower than the MCL in order to ensure that levels are well below those limits. Not all target analytes have MCL levels established.

Other Flags may be applied. See Case Narrative for Description

Workorder (SDG): A1404510

Project: **KWF Baseline Monitoring 2014**

Client: **Kenai Watershed Forum**

Client Project Number: **None**

REPORTING CONVENTIONS FOR THIS REPORT

A1404510

TestPkgName	Basis	# Sig Figs	Reporting Limit
200.8/200.8 (Aqueous) - Dissolved	As Received	3	Report to PQL
200.8/200.8 (Aqueous) - Total/TR	As Received	3	Report to PQL
4500-NO3E (Aqueous) - Nitrate+Nitrite pres	As Received	3	Report to PQL
4500-PE/4500-PB (Aqueous) - Total Phos	As Received	2	Report to PQL

Analytica Chain of Custody Form

121889 Pennsylvania St. Thornton, CO 80241 (303) 469-8868

4307 Arctic Blvd. Anchorage, AK 99503 (907) 258-2155 (907) 258-6634 fax

475 Hall Street. Fairbanks, AK 99701 (907) 456-3116 (907) 456-3125 fax

1203 W. Parks Highway Wasilla, Alaska 99654 (907) 373-5440

Chain of Custody No:

Client Name & Address:
Kenai Watershed Forum
44129 Sterling Hwy
Soldotna, AK 99669

Contact Person: **Branden Bornemann**
Phone No: **(907) 260-5449**
Fax No: (907) 260-5412
E-mail: branden@kenaiwatershed.org

TEAM ID: Kenai Peninsula Borough
Project Name: Kenai River Baseline Project - April 2014

Turnaround Time for Results (TAT)
___ Standard ___ Expedited (< 10 days, prior authorization required)
(please specify due date below; add'tl charges may apply)
Results Due Date:

Special Instructions/Comments:
pH <2 all samples

Section To be Completed by Analytica
Quote ID No: A14040019 **LGN: A1404510**
Account #: Cash: Credit Card:

Invoice to Name & Address:

P.O. or Contract

Requested Analysis/Method

Lab Bottle Order No: / Client Sample Identification / Location	Date Sampled	Time Sampled	Matrix (S-DW-WW-Other)	No. of Containers	Nitrate SM4500-NO3E Lot #: Pres: H2SO4	200.7 Metals by ICP-Total TR Lot #: Pres: HNO3	200.8 Dissolved Metals Lot #: Pres: HNO3	Total Phos SM4500 Lot #: Pres: H2SO4	Lot #: Pres:	Lot #: Pres:	Lot #: Pres:	Field Preserved	Field Filtered	MS/MSD ?
RM 0 ----No Name Creek	4/29/14	10:00AK	Aq	4	X	X	X	X						
RM 0 ----No Name Creek Duplicate	4/29/14	10:30 AK	Aq	4	X	X	X	X						
RM1.5- Kenai City Dock (SNUG HARBOR)	4/29/14	11:00AK	Aq	4	X	X	X	X						

Collected/Relinquished by:	Date	Time	Received by:	Date	Time
Thomas J Dearlove	4/29	11:50		4/29/14	11:55
Relinquished by:	Date	Time	Received by:	Date	Time
	4/29/14	15:07		4/29/14	15:07
Relinquished by:	Date	Time	Received by:	Date	Time
	4/29/14	6:20p		4/29/14	16:20
Name of Sampler: (printed)	Thomas J. Dearlove				

To be Completed by Analytica

	THO	ANC	JUN	FBKS
Chain-of-Custody Seal?:		AWS		
Initialed By:		—		
Temp/Loc:		4.6		
Thermo ID#:		83235		
Shipping Via:		Analytica		

updated April 6, 2006