



SGS North America Inc.
CHAIN OF CUSTODY RECORD

1253728



Profile # 383466 GW

www.us.sgs.com

CLIENT: Kenai Watershed Forum

Instructions: Sections 1 - 5 must be filled out.
Omissions may delay the onset of analysis.

Page 1 of 3

CONTACT: Benjamin Meyer PHONE #: 907-232-0280

Section 3 Preservative

PROJECT NAME: Kenai River Baseline Water Quality Monitoring PROJECT/ PWSID/ PERMIT#:

REPORTS TO: Benjamin Meyer E-MAIL: ben@kenaiwatershed.org Profile #:

INVOICE TO: Kenai Watershed Forum QUOTE #: P.O. #:

RESERVED for lab use

SAMPLE IDENTIFICATION

DATE mm/dd/yy

TIME HH:MM

MATRIX/ MATRIX CODE

CONTAINER S

Comp Grab MI (Multi-incremental)

H2SO4 HNO3 NONE HCl

Analysis*

NOTE: *The following analyses require specific method and/or compound list: BTEX, Metals, PFAS

RESERVED for lab use	SAMPLE IDENTIFICATION	DATE mm/dd/yy	TIME HH:MM	MATRIX/ MATRIX CODE	# CONTAINER S	Comp Grab MI (Multi-incremental)	H2SO4	HNO3	NONE	HCl	Analysis*	REMARKS/LOC ID
1AB 29AB	RM 0 - No Name Creek	7/23/2025	10:57am	water	3		X	X	X			Dissolved metals samples are unfiltered and unpreserved
2AB 31AB	RM 1.5 - Kenai City Dock	7/23/2025	10:00am	water	6		X	X	X	X		Dissolved metals samples are unfiltered and unpreserved
3AB 31AB	RM 6.5 - Cunningham Park	7/23/2025	9:07am	water	6		X	X	X	X		Dissolved metals samples are unfiltered and unpreserved
4AB 32AB	RM 10 - Beaver Creek	7/23/2025	9:28am	water	3		X	X	X			Dissolved metals samples are unfiltered and unpreserved
5AB 31AB	RM 10 - Beaver Creek - DUP	7/23/2025	9:40am	water	3		X	X	X			Dissolved metals samples are unfiltered and unpreserved
6AB 34AB	RM 10.1 - Kenai River	7/23/2025	10:05am	water	3		X	X	X			Dissolved metals samples are unfiltered and unpreserved
7AB 35AB	RM 12.5 - Pillars	7/23/2025	10:25am	water	3		X	X	X			Dissolved metals samples are unfiltered and unpreserved
8AB 36AB	RM 18 - Poacher's Cove	7/23/2025	10:57am	water	3		X	X	X			Dissolved metals samples are unfiltered and unpreserved
9AB 37AB	RM 19 - Slikok Creek	7/23/2025	10:11am	water	3		X	X	X			Dissolved metals samples are unfiltered and unpreserved
10AB 38AB	RM 21 - Soldotna Bridge	7/23/2025	9:42am	water	3		X	X	X			Dissolved metals samples are unfiltered and unpreserved

Relinquished By: (1) Ben Meyer Date 7/23/2025 Time 1:30 Received By:

Section 4 DOD Project? Yes ☒ No ☐ Data-Deliverable Requirements: Please include full Electronic Data Delivery files.

Relinquished By: (2) Date Time Received By:

Cooler ID:

Requested Turnaround Time and/or Special Instructions:

Relinquished By: (3) Date Time Received By:

Temp Blank °C: 4.6 021 Chain of Custody Seal: (Circle)

Relinquished By: (4) Date 7/23/25 Time 1544 Received For Laboratory By:

or Ambient [] INTACT BROKEN ☒ ABSENT

Delivery Method: Hand Delivery [] Commerical Delivery []

http://www.sgs.com/terms-and-conditions



SGS North America Inc.
CHAIN OF CUSTODY RECORD

1253728



www.us.sgs.com

CLIENT: Kenai Watershed Forum					Instructions: Sections 1 - 5 must be filled out. Omissions may delay the onset of analysis.										Page <u>2</u> of <u>3</u>					
CONTACT: Benjamin Meyer					PHONE #: 907-232-0280		Section 3		Preservative											
PROJECT NAME: Kenai River Baseline Water Quality Monitoring					PROJECT/ PWSID/ PERMIT#:		# CONTAINERS	Comp Grab MI (Multi-incremental)	Analysis*										NOTE: *The following analyses require specific method and/or compound list: BTEx, Metals, PFAS	
REPORTS TO: Benjamin Meyer					E-MAIL: ben@kenaiwatershed.org															
INVOICE TO: Kenai Watershed Forum					QUOTE #: P.O. #:															
RESERVED for lab use		SAMPLE IDENTIFICATION		DATE mm/dd/yy	TIME HH:MM	MATRIX/ MATRIX CODE			Total NO3/NO2/SM21 4500/NO3-F, Total P(SM4500)	Total Metals (200.7)	Dissolved Metals (200.8)	BTEx (8260C)								REMARKS/LOC ID
11AB 39AB		RM 22 - Soldotna Creek		7/23/2025	8:17	water	3		X	X	X									Dissolved metals samples are unfiltered and unpreserved
12AB 40AB		RM 23 - Swiftwater Park		7/23/2025	9:00am	water	3		X	X	X									Dissolved metals samples are unfiltered and unpreserved
13AB 41AB		RM 23 - Swiftwater Park - DUP		7/23/2025	9:13am	water	3		X	X	X									Dissolved metals samples are unfiltered and unpreserved
14AB 42AB		RM 30 - Funny River		7/23/2025	8:55am	water	3		X	X	X									Dissolved metals samples are unfiltered and unpreserved
15AB 43AB		RM 31 - Morgan's Landing		7/23/2025	10:30	water	3		X	X	X									Dissolved metals samples are unfiltered and unpreserved
16AB		RM 36 - Moose River		7/23/2025	9:50	water	2		X	X										Dissolved metals samples are unfiltered and unpreserved
17AB		RM 40 - Bing's Landing		7/23/2025	7:50	water	5		X	X		X								
18AB		RM 43 - Upstream of Dow Island		7/23/2025	9:50	water	5		X	X		X								
19AB		RM 44 - Mouth of Killey River		7/23/2025	9:30	water	2		X	X										
20AB		RM 50 - Skilak Lake Outflow		7/23/2025	8:55	water	2		X	X										
Relinquished By: (1) <i>Ben Meyer</i>				Date 7/23/2025	Time 1:30	Received By:			Section 4		DOD Project? Yes ☒ No ☐		Data Deliverable Requirements: Please include full Electronic Data Delivery files!							
Relinquished By: (2)				Date	Time	Received By:			Cooler ID:		Requested Turnaround Time and/or Special Instructions:									
Relinquished By: (3)				Date	Time	Received By:			Temp Blank °C:		Chain of Custody Seal: (Circle) INTACT BROKEN ABSENT									
Relinquished By: (4)				Date	Time	Received For Laboratory By:			or Ambient []		Delivery Method: Hand Delivery [] Commerical Delivery []									

<http://www.sgs.com/terms-and-conditions>



SGS North America Inc.
CHAIN OF CUSTODY RECORD

1253728



WV

CLIENT: Kenai Watershed Forum					Instructions: Sections 1 - 5 must be filled out. Omissions may delay the onset of analysis.										Page <u>3</u> of <u>3</u>					
CONTACT: Benjamin Meyer					PHONE #: 907-232-0280		Section 3		Preservative											
PROJECT NAME: Kenai River Baseline Water Quality Monitoring					PROJECT/ PWSID/ PERMIT#:		# C O N T A I N E R S	Comp Grab MI (Multi-incremental)	Analysis*										NOTE: *The following analyses require specific method and/or compound list: BTEX, Metals, PFAS	
REPORTS TO: Benjamin Meyer					E-MAIL: ben@kenaiwatershed.org														REMARKS/LOC ID	
INVOICE TO: Kenai Watershed Forum					QUOTE #:															
P.O. #:																				
RESERVED for lab use		SAMPLE IDENTIFICATION		DATE mm/dd/yy	TIME HH:MM	MATRIX/ MATRIX CODE			Total NO3/NO2(SM21 4500NO3-F), Total P(SM4500)	Total Metals (200.7)	Dissolved Metals (200.8)	BTEX (8260C)								
21AB	RM 70 - Jim's Landing	7/23/2025	10:55am	water	2															
22AB	RM 74 - Russian River	7/23/2025	10:05am	water	2															
23AB	RM 82 - Kenai Lake Bridge	7/23/2025	8:15am	water	2															
24AB	RM 79.5 - Juneau Creek	7/23/2025	9:00am	water	2															
25A 44AB	RM 6.5 - Cunningham Park - Field Blank	7/23/2025	9:07am	water	2															
26A 45AB	RM 22 - Soldotna Creek - Field Blank	7/23/2025	8:17am	water	2															
27AC	RM 40 and 43 Trip Blank	7/23/2025	9:07am	water	3															
28AC	RM 1.5 and 6.5 Trip Blank	7/23/25	9:50am	water	3															
Relinquished By: (1) <i>Ben Meyer</i>						Date 7/23/2025	Time 1:30	Received By:						Section 4		DOD Project? Yes ☒ No ☐		Data Deliverable Requirements:		
Relinquished By: (2)						Date	Time	Received By:						Cooler ID:		Please include full Electronic Data Delivery files!				
Relinquished By: (3)						Date	Time	Received By:						Requested Turnaround Time and/or Special Instructions:						
Relinquished By: (4)						Date	Time	Received For Laboratory By:						Temp Blank °C:		Chain of Custody Seal: (Circle)				
												or Ambient []		INTACT BROKEN ABSENT						
Delivery Method: Hand Delivery [] Commerical Delivery []																				

<http://www.sgs.com/terms-and-conditions>



1253728



SAMPLE RECEIPT FORM

Project Manager Completion				
Was all necessary information recorded on the COC upon receipt? (Temperature, COC seals, etc.?)	☒ Yes	☐ No	☐ N/A	
Was temperature between 0-6° C?	☒ Yes	☐ No	☐ N/A	If "No", are the samples either exempt* or sampled <8 hours prior to receipt?
Were all analyses received within holding time*?	☒ Yes	☐ No	☐ N/A	
Was a method specified for each analysis, where applicable? If no, please note correct methods.	☒ Yes	☐ No	☐ N/A	
Are compound lists specified, where applicable? For project specific or special compound lists please note correct analysis code.	☐ Yes	☒ No	☐ N/A	run only 200.8: line 5 & line 6
If rush was requested by the client, was the requested TAT approved?	☐ Yes	☐ No	☒ N/A	If "NO", what is the approved TAT?
If SEDD Deliverables are required, were Location ID's and an NPDL Number provided?	☐ Yes	☐ No	☒ N/A	If "NO", contact client for information.
Sample Login Completion				
Do ID's on sample containers match COC?	☒ Yes	☐ No	☐ N/A	
If provided on containers, do dates/times collected match COC?	☒ Yes	☐ No	☐ N/A	Note: If times differ <1 hr., record details below and login per COC.
Were all sample containers received in good condition?	☒ Yes	☐ No	☐ N/A	
Were proper containers (type/mass/volume/preservative) received for all samples? *See form F-083 "Sample Guide"	☒ Yes	☐ No	☐ N/A	Note: If 200.8/6020 Total Metals are received unpreserved, preserve, and note HNO3 lot here: If 200.8/6020 Dissolved Metals are received unpreserved, log in for LABFILTER and do not preserve. For all non-metals methods, inform Project Manager.
Were Trip Blanks (VOC, GRO, Low-Level Hg, etc.) received with samples, where applicable*?	☒ Yes	☐ No	☐ N/A	
Were all VOA vials free of headspace >6mm?	☒ Yes	☐ No	☐ N/A	
Were all soil VOA samples received field extracted with Methanol?	☐ Yes	☐ No	☒ N/A	
Did all soil VOA samples have an accompanying unpreserved container for % solids?	☐ Yes	☐ No	☒ N/A	
If special handling is required, were containers labelled appropriately? e.g. MI/ISM, foreign soils, lab filter, Ref Lab, limited volume	☒ Yes	☐ No	☐ N/A	
For Rush/Short Holding time, was the lab notified?	☐ Yes	☐ No	☒ N/A	
For any question answered "NO", was the Project Manager notified?	☐ Yes	☐ No	☒ N/A	PM Initials:
Was Peer Review of sample numbering/labelling completed?	☒ Yes	☐ No	☐ N/A	Reviewer Initials: <i>W</i>
Additional Notes/Clarification where Applicable, including resolution of "No" answers when a change order is not attached:				
* Please associate Trip Blanks as stated on COC ↓ none				

AIRBILL 16445777

I hereby declare that the goods contained herein do not contain dangerous goods.

Signed.....

Date

Grant Aviation
6420 Kulis Dr. Anchorage, AK 99502
Phone: 1 (888) 359-4726
Freephone: 1 (888) 359-4726
Email: res@flygrant.com
Web: http://www.flygrant.com/



1253728



FREIGHT DETAILS

FROM/TO: Kenai -> Anchorage International

Flight Departs: Jul 23 2:12:00 PM

Receiver: Alert expeditors
907-272-0349

Sender: kenai water shed
907-232-0280

Accepted: Wed, Jul 23 2:12:00 PM

Description & Comment	Quan.	Wgt.	Handle Fee	Hazmat Fee	Total
Standard Freight - water samples	1	55	-	-	\$41.41
Total Tax:					\$2.59
Total Payments made:					\$44.00
Total Unpaid:					\$0.00

Received in good condition by:

CUSTOMER COPY

AIRBILL 16445777

I hereby declare that the goods contained herein do not contain dangerous goods.

Signed.....

Date

Grant Aviation
6420 Kulis Dr. Anchorage, AK 99502
Phone: 1 (888) 359-4726
Freephone: 1 (888) 359-4726
Email: res@flygrant.com
Web: http://www.flygrant.com/



FREIGHT DETAILS

FROM/TO: Kenai -> Anchorage International

Flight Departs: Jul 23 2:25 PM

Receiver: Alert expeditors
907-272-0349

Sender: kenai water shed
907-232-0280

Accepted: Wed, Jul 23 2:12:00 PM

Description & Comment	Quan.	Wgt.	Handle Fee	Hazmat Fee	Total
Standard Freight - water samples	1	55	-	-	\$41.41
TAX: Federal Excise Tax					\$2.59
Total Payments made:					\$44.00
Total Unpaid:					\$0.00

TERMS AND CONDITIONS

Consignemnt Note Text

Alert Expeditors Inc.

#440850

Citywide Delivery • 440-3351
8421 Flamingo Drive • Anchorage, Alaska 99502

Date 7/23/25
From Ken Watershed
To SS

Collect ☐

Prepay ☐

Advance Charges ☐

Job #

PO#

Grant 16445777

1253728



Samples

Shipped Signature

JLY

Total Charge

Received By: _____

Sample Containers and Preservatives

<u>Container Id</u>	<u>Preservative</u>	<u>Container Condition</u>	<u>Container Id</u>	<u>Preservative</u>	<u>Container Condition</u>
1253728001-A	H2SO4 to pH < 2	OK	1253728020-A	H2SO4 to pH < 2	OK
1253728001-B	HNO3 to pH < 2	OK	1253728020-B	HNO3 to pH < 2	OK
1253728002-A	H2SO4 to pH < 2	OK	1253728021-A	H2SO4 to pH < 2	OK
1253728002-B	HNO3 to pH < 2	OK	1253728021-B	HNO3 to pH < 2	OK
1253728002-C	HCL to pH < 2	OK	1253728022-A	H2SO4 to pH < 2	OK
1253728002-D	HCL to pH < 2	OK	1253728022-B	HNO3 to pH < 2	OK
1253728002-E	HCL to pH < 2	OK	1253728023-A	H2SO4 to pH < 2	OK
1253728003-A	H2SO4 to pH < 2	OK	1253728023-B	HNO3 to pH < 2	OK
1253728003-B	HNO3 to pH < 2	OK	1253728024-A	H2SO4 to pH < 2	OK
1253728003-C	HCL to pH < 2	OK	1253728024-B	HNO3 to pH < 2	OK
1253728003-D	HCL to pH < 2	OK	1253728025-A	HNO3 to pH < 2	OK
1253728003-E	HCL to pH < 2	OK	1253728026-A	HNO3 to pH < 2	OK
1253728004-A	H2SO4 to pH < 2	OK	1253728027-A	HCL to pH < 2	OK
1253728004-B	HNO3 to pH < 2	OK	1253728027-B	HCL to pH < 2	OK
1253728005-A	H2SO4 to pH < 2	OK	1253728027-C	HCL to pH < 2	OK
1253728005-B	HNO3 to pH < 2	OK	1253728028-A	HCL to pH < 2	OK
1253728006-A	H2SO4 to pH < 2	OK	1253728028-B	HCL to pH < 2	OK
1253728006-B	HNO3 to pH < 2	OK	1253728028-C	HCL to pH < 2	OK
1253728007-A	H2SO4 to pH < 2	OK	1253728029-A	No Preservative Required	OK
1253728007-B	HNO3 to pH < 2	OK	1253728029-B	HNO3 to pH < 2	OK
1253728008-A	H2SO4 to pH < 2	OK	1253728030-A	No Preservative Required	OK
1253728008-B	HNO3 to pH < 2	OK	1253728030-B	HNO3 to pH < 2	OK
1253728009-A	H2SO4 to pH < 2	OK	1253728031-A	No Preservative Required	OK
1253728009-B	HNO3 to pH < 2	OK	1253728031-B	HNO3 to pH < 2	OK
1253728010-A	H2SO4 to pH < 2	OK	1253728032-A	No Preservative Required	OK
1253728010-B	HNO3 to pH < 2	OK	1253728032-B	HNO3 to pH < 2	OK
1253728011-A	H2SO4 to pH < 2	OK	1253728033-A	No Preservative Required	OK
1253728011-B	HNO3 to pH < 2	OK	1253728033-B	HNO3 to pH < 2	OK
1253728012-A	H2SO4 to pH < 2	OK	1253728034-A	No Preservative Required	OK
1253728012-B	HNO3 to pH < 2	OK	1253728034-B	HNO3 to pH < 2	OK
1253728013-A	H2SO4 to pH < 2	OK	1253728035-A	No Preservative Required	OK
1253728013-B	HNO3 to pH < 2	OK	1253728035-B	HNO3 to pH < 2	OK
1253728014-A	H2SO4 to pH < 2	OK	1253728036-A	No Preservative Required	OK
1253728014-B	HNO3 to pH < 2	OK	1253728036-B	HNO3 to pH < 2	OK
1253728015-A	H2SO4 to pH < 2	OK	1253728037-A	No Preservative Required	OK
1253728015-B	HNO3 to pH < 2	OK	1253728037-B	HNO3 to pH < 2	OK
1253728016-A	H2SO4 to pH < 2	OK	1253728038-A	No Preservative Required	OK
1253728016-B	HNO3 to pH < 2	OK	1253728038-B	HNO3 to pH < 2	OK
1253728017-A	H2SO4 to pH < 2	OK	1253728039-A	No Preservative Required	OK
1253728017-B	HNO3 to pH < 2	OK	1253728039-B	HNO3 to pH < 2	OK
1253728017-C	HCL to pH < 2	OK	1253728040-A	No Preservative Required	OK
1253728017-D	HCL to pH < 2	OK	1253728040-B	HNO3 to pH < 2	OK
1253728017-E	HCL to pH < 2	OK	1253728041-A	No Preservative Required	OK
1253728018-A	H2SO4 to pH < 2	OK	1253728041-B	HNO3 to pH < 2	OK
1253728018-B	HNO3 to pH < 2	OK	1253728042-A	No Preservative Required	OK
1253728018-C	HCL to pH < 2	OK	1253728042-B	HNO3 to pH < 2	OK
1253728018-D	HCL to pH < 2	OK	1253728043-A	No Preservative Required	OK
1253728018-E	HCL to pH < 2	OK	1253728043-B	HNO3 to pH < 2	OK
1253728019-A	H2SO4 to pH < 2	OK	1253728044-A	No Preservative Required	OK
1253728019-B	HNO3 to pH < 2	OK	1253728044-B	HNO3 to pH < 2	OK

<u>Container Id</u>	<u>Preservative</u>	<u>Container Condition</u>	<u>Container Id</u>	<u>Preservative</u>	<u>Container Condition</u>
1253728045-A	No Preservative Required	OK			
1253728045-B	HNO3 to pH < 2	OK			

Container Condition Glossary

Containers for bacteriological, low level mercury and VOA vials are not opened prior to analysis and will be assigned condition code OK unless evidence indicates than an inappropriate container was submitted.

OK - The container was received at an acceptable pH for the analysis requested.

BU - The container was received with headspace greater than 6mm.

DM - The container was received damaged.

FR - The container was received frozen and not usable for Bacteria or BOD analyses.

IC - The container provided for microbiology analysis was not a laboratory-supplied, pre-sterilized container and therefore was not suitable for analysis.

NC- The container provided was not preserved or was under-preserved. The method does not allow for additional preservative added after collection.

PA - The container was received outside of the acceptable pH for the analysis requested. Preservative was added upon receipt and the container is now at the correct pH. See the Sample Receipt Form for details on the amount and lot # of the preservative added.

PH - The container was received outside of the acceptable pH for the analysis requested. Preservative was added upon receipt, but was insufficient to bring the container to the correct pH for the analysis requested. See the Sample Receipt Form for details on the amount and lot # of the preservative added.

QN - Insufficient sample quantity provided.