
03 – Tickets

Driver tickets and offences — list, ticket detail with review, add / edit form



APP	SECTION	DATE	VERSION
TrackSmart fleet compliance prototype	**Menu option** Tickets · /tickets	**23 October 2026**	**1.0** test accounts, demo data

Contents

1 Page overview
Every tab, field, button, modal, state and role difference

2 Screenshots
109 captures — desktop 1440 px and mobile 390 px, with captions

3 Design specification
Layout, typography, components, icons, interactions, accessibility

4 Colour palette
31 colour tokens, light and proposed dark, WCAG contrast

5 Data model
MongoDB collections, fields, relationships, indexes, sample data

6 Agent instructions (summary)
Purpose, stack, rules to preserve, security, acceptance checklist

7 Links
Figma, video, files in this folder

Nothing in this document is masked: every name, address, email and phone number is fictional demo data from the prototype's test accounts.

1 Page overview

App: TrackSmart (fleet compliance prototype) · **Section:** sidebar menu "Tickets" · **Documented:** 2026-10-23 · **Source of truth:** the running app (test accounts only) cross-checked against `src/pages/tickets/*` and the shared review / share components.

> Everything below exists in the app today. Anything not seen on screen is marked **ASSUMPTION:** (inferred from code) or **TO CONFIRM:** (needs a product decision or a check I could not make). Demo figures are for the carrier **Acme Trucking Inc.** (`acct-001`). **Acme's ticket list is regenerated on every page load** (its source violations use `Math.random()`), so totals drift between about 301 and 313 (305 when these screenshots were taken); only the 14 legacy tickets OFF-84729 … OFF-84742 are stable (TO CONFIRM §11 #1).

---

0. Entry point and frame

Item	Value
Sidebar item	**Tickets** (icon: ticket), between Accidents and Beta Safety Analysis; menu group "Safety"
Route	`/tickets` only. The ticket detail page and the add / edit form are **states of the same page** (`expandedId` , `isDialogOpen`); the URL never changes and a reload lands on the Dashboard.
Top-bar title	"Tickets"
Carrier scope	One carrier — the top-bar **Switch carrier** selection or the user's default. Every KPI, tab, filter and the missing-references banner is scoped to it.
Header	`ListPageHeader` : ticket icon · **Tickets & Offenses** + count pill (all tickets, tooltip "{n} records") · "**{carrier legal name}** · Paper & electronic citations" · **Export** · **Add Ticket**. Condenses on scroll (title shrinks, description folds, KPI chip strip appears); the category tabs never scroll away.
Back button	The detail page registers with browser history: Back closes it. The form does not (Back while the form is open leaves the page — TO CONFIRM).

Page-level states

State	What the user sees
Loading	None — local data renders immediately.
View-only (light)	Blue strip "**View only** · a User can look at Tickets here but not change it." The page reads no role, so every control still works (TO CONFIRM §11 #2).
No access (hidden)	"Not in your menu" page with **Go to Dashboard** (drivers never reach `/tickets`).
Success	No toasts. A save returns to the list; a status change shows at once.
Error	No custom field errors. Only the browser's own number-field bubbles (e.g. negative fine) and "Enter a valid email address." in the resolution dialog.

---

1. Tree (what exists inside Tickets)

```
Tickets  (/tickets)
├── List
│   ├── Header                    [Export (no-op)] [Add Ticket → Add form]
│   ├── Category tabs             All Tickets · Unsafe Driving · Vehicle Maintenance · Hours-of-Service ·
│   │                             Driver Fitness · Controlled Substances · Other
│   ├── KPI cards (6)             Total Tickets · Outstanding · Open Offenses · In Court · Paid This Month
· Electronic
│   ├── Missing-references banner  [Sync feeds] [Show missing ⌄] → missing table (select · + Add · Dismiss ·
+ Add N to tickets)
│   ├── Sub-category cards        up to 12 violation groups in the tab (click = filter)
│   ├── Filters                   Search · From / To date · Status · Type · Document · Source · Reset
filters
│   ├── Table (≥ md) / cards (< md)  Citation # · Date · Driver · Vehicle · Location · Violation · Fine ·
Status (editable) · Docs · ⋮
│   │   ├── row click             → Ticket detail
│   │   └── ⋮  Open ticket · Edit ticket · Share to chat · Delete ticket ("Remove this ticket?")
│   └── Pager                     10 / 20 / 50 / 100 per page
├── Ticket detail                 (row click)
│   ├── Header                    Back · title · kind chip · meta · status pill · [Share to chat] [Edit
Ticket] [⋮ Edit · Delete]
│   ├── Tiles                     Status · Fine · Ticket due date · Final date
│   └── Tabs                      Overview (6 cards + Jump to section) · Documents · Review · Activity
│       └── Review                Verify → resolution: Assign training · Issue warning letter · Send safety
alert ·
│                                 Send driver notice · Terminate driver · Dismiss as false → "Send & close
review" dialog
└── Add / Edit ticket             (full-page wizard)
    ├── 1 Driver & Vehicles       Driver · Vehicle 1 — power unit · Vehicle 2 — trailer
    ├── 2 Identifiers & Date      Citation # · Microfilm # · Date · Time · Linked accident #
    ├── 3 Location                Street · City · Zip · Country · State / Province
    ├── 4 Violation & Fine        Violation picker · commercial vehicle · out of service · penalties ·
status · fine ·
    │                             demerit points · legal expense · currency · total
    ├── 5 Dates & Monitoring      Ticket due date + alert · Final date + alert
    └── 6 Ticket Documents        5 document types, each: number · date · files
```

---

2. List

Purpose. The carrier's ledger of driver tickets and offences — paper and electronic citations — with what is owed, what is in court, and which regulator references still have no ticket on file.

2.1 Category tabs

`SubTabs` (aria "Ticket categories"), zero counts shown. Each tab is a regex over the ticket's category + type, so tabs overlap and their counts add up to more than the total.

Tab	Matches	Acme (one load)
All Tickets	everything	305
Unsafe Driving	unsafe driving · speeding · red light · parking · reckless	9
Vehicle Maintenance	vehicle maintenance · equipment defect · overweight	268
Hours-of-Service	hours-of-service · hos · logbook	59
Driver Fitness	driver fitness · insurance	35

Tab	Matches	Acme (one load)
Controlled Substances	controlled substance · alcohol · drug	4
Other	none of the above	0

Changing tab clears the sub-category filter, resets the pager and closes any open ticket.

2.2 KPI cards

Grid 2 → 3 (`sm`) → 6 (`xl`). Computed over **every** ticket of the carrier (tab, filters and search are ignored). **Not clickable.**

Card	Value	Sub-line
Total Tickets	count	—
Outstanding	Σ fine + legal expense of Due + In Court tickets — **USD and CAD added together under "$"** (TO CONFIRM §11 #5)	"Due + In Court"
Open Offenses	count of Due	"Status: Due"
In Court	count of In Court	"Awaiting hearing"
Paid This Month	Paid tickets whose **issue date** is in the current month (no payment date exists)	"Recent closures"
Electronic	count of eTickets	"{n}% eTickets"

The condensed header shows OUTSTANDING · OPEN · IN COURT · PAID · ETICKETS as chips.

2.3 Missing-references banner

Cross-checks the carrier's regulator references against the tickets on file.

Part	Detail
Heading	amber bell "**{n} ticket references missing**" — or green shield "All ticket references reconciled"
Sub-line	"**{n}** on file · Cross-checked against Violation Log (…), SMS (…), Contrav. (…), CVOR Conv. (…), NSC AB Conv. (…), NSC NS Conv. (…), NSC PEI Conv. (…)" — each source tooltip "{agency} — N verified, M missing"
Sync feeds	pulls 1–3 new references from the regulator feeds (in memory) and opens the list; tooltip "Pulls a fresh batch from the regulator feeds" / "Last synced {time}"
Show missing ˅ / Hide missing ^	toggles the missing table
Missing table	☐ · **Source / Date** (source chip, date, time) · **Driver** (+ "DL …") · **Violation** (code chip + severity chip OOS / Critical / Serious / Moderate / Minor, description) · **Reference** ("Ticket #", "Citation #" or "Conviction #", city / state, "Convicted {date}") · **+ Add** · **×** Dismiss
Row click / + Add	opens the Add form pre-filled from the reference ("Click to log this ticket with pre-filled details")
Bulk bar	"{n} references selected" · Clear · **+ Add {n} to tickets**
Pager	Rows per page 5 / 10 / 20 / 50 · "1-10 of {n}" · "1 / {pages}"

Dismissed rows and synced references are kept in memory only. Adding a missing reference does **not** remove it from the banner (TO CONFIRM §11 #8).

2.4 Sub-category cards

"SUB-CATEGORIES — VIOLATION GROUPS IN THIS VIEW · Click a card to narrow the table to that violation group". Up to 12 cards (group · count · % of the tab · bar), grid 2 / 3 / 4 / 6. Clicking toggles the filter (card turns dark; **Clear sub-filter** ✕ appears). Empty tab: "No tickets in this category for the current dataset."

2.5 Filters

Control	Detail
Search	"Search ticket citation #, driver, vehicle, location..." — citation #, driver, vehicle id, location, ticket # and citation #
From date / To date	date inputs (each limits the other); match on the issue date
Status	All Statuses · Due · In Court · Paid · Closed
Type	All Types · Speeding · Overweight · Logbook violation · Equipment defect · Insurance lapse · Red Light · Parking
Document	All Documents · Violation Ticket · Electronic Ticket · Summons / Court Notice · Officer Report · Fine Receipt · Court Disposition
Source ("Filter by regulator source")	All Sources · SMS (FMCSA) · CVOR (Ontario) · NSC (Canada) — derived from the province in the location
Reset filters	shown while search, status, type, document or a date is set (**not** for Source or a sub-category alone — TO CONFIRM); resets all of them

There is no column picker, grouping or sort.

2.6 Table (≥ 768 px)

`min-w-[1400px]`, horizontal scroll, first and last columns pinned. Order = store order (edited / added tickets first).

Column	Content
TICKET CITATION #	blue citation number + kind badge **PAPER** (blue) / **eTicket** (violet)
DATE	date + time (hidden when 00:00)
DRIVER	name
VEHICLE	"UNIT · PLATE (JUR)", "+ unit" for a trailer
LOCATION	"City, ST"
VIOLATION	type badge (Speeding red, Overweight orange, Logbook violation purple, Equipment defect slate, Insurance lapse pink, Red Light red, Parking slate) + subtype + "+N" + **OOS** chip
FINE	"CA$250.00" / "$1250.00" (tooltip adds legal expense)
STATUS	**editable pill** (native select "Ticket status", title "Change status"): Due amber · In Court blue · Paid emerald · Closed slate — saves at once
DOCS	three icons — Offense ticket · Payment receipt · Notice of trial — coloured when on file
ACTIONS	⋮ "Actions for {citation}": **Open ticket** · **Edit ticket** · **Share to chat** · **Delete ticket**

Phone (< 768 px): one card per ticket — citation + badges + ⋮, violation line, DRIVER / VEHICLE / DATE / LOCATION, fine, doc icons and the status pill.

Pager: "Showing 1 – 20 of {n}" · 10 / 20 (default) / 50 / 100 per page · Prev · "Page 1 / 16" · Next.

Empty: "No tickets found matching your criteria."

2.7 Dialogs from the list

Dialog	Detail
Remove this ticket?	"Ticket citation **{n}** will be removed from your ledger. This cannot be undone." · Cancel · **Remove ticket** (rose). For a seeded ticket nothing visible happens (only an edited copy is removed — TO CONFIRM §11 #4).
Share Ticket {n}	"Send the record + documents in a chat, or to an outsider by email" · Send via In-app chat ("TrackSmart user · app") / External chat ("Secure link · they reply") / Email ("One-way · no reply") · recipient · Subject · Message · Attachments ("No documents yet") · **Share in chat** / **Send & create chat** / **Email documents**. The message carries a record link that opens the ticket.

Deep links into a ticket: Compliance Monitoring alerts ("Open in Tickets"), the Roadside Inspection citation link, chat record links and the AI-agent ticket rows open the list straight on that ticket's detail.

---

3. Ticket detail

Purpose. One ticket as a full page: who, which vehicles, where, what charges, what it costs, when it is due, its documents, its review and its history.

3.1 Header

Element	Detail
Strip	"‹ Back to Tickets" · Tickets › {citation}
Identity	ticket tile with a status dot · **Ticket {citation}** · **Paper ticket** / **eTicket** chip · **OOS-qualifying** (when set)
Meta	driver · vehicle (+ trailer) · date · time · location · **status pill**
Sub-line	violation subtype · "+N more"
Actions	**Share to chat** (icon-only below `sm`) · **Edit Ticket** ("Edit" below `sm`) · ⋮ More actions: Edit ticket · Delete ticket
Tiles	**Status** (pill + "Fine outstanding" / "Awaiting hearing" / "Settled" / "Nothing left to do") · **Fine** ("$250.00 USD"; "+ $X legal expense · total $Y" or "No legal expense recorded") · **Ticket due date** ("Overdue · N days ago" / "Due in N days" + "· monitored") · **Final date** ("Passed · N days ago" / "in N days")
Tabs	**Overview** · **Documents {n}** · **Review** · **Activity {n}**

3.2 Overview

Six cards with a **Jump to section** rail (≥ 1024 px) or a floating **Sections** button (phones):

1. **Driver & Vehicles** — Driver · Driver ID · Driver licence · **Vehicle 1 — power unit** and **Vehicle 2 — trailer** (Unit #, Vehicle, Plate, Jurisdiction, VIN — or "Not on this ticket").
2. **Where & when** — Date · Time · Location · Description.
3. **Violation** — Type · Code · Statute section · Description · Category · Sub-category · "All violations · N" (first = **Primary**, code, category, OOS).
4. **Identifiers** — Ticket citation number · Microfilm number · Linked accident # · Docket # · Court case # · Receipt # · USDOT · CVOR / NSC.
5. **Paper ticket detail** (Officer · Officer badge · Court location · Court date) or **Electronic ticket detail** (Portal URL · QR reference · Issuing device).
6. **Money, dates & status** — two **monitored-date cards** (click to edit: date + Monitoring & Notifications + Cancel / Save; "Monitoring on / off", "Reminders 30, 15, 7 days before + on the date · via email, in-app") · Fine · Legal expense · **Total** · Status · Currency · Demerit points · Out of service · Commercial vehicle · Penalty / fine.

3.3 Documents

"Ticket documents" with indicator chips **Ticket file · Receipt · Notice**. One card per attached document (type name, "#number · date", "N files", file names and sizes). Empty: "No documents attached · Attach the ticket, summons, officer report or receipt from the edit form." View only — upload happens in the form.

3.4 Review

- **Citation under review** — Driver · Ticket citation # · Violation · Date · Location · Fine.
- **Review & resolution** (status pill In Review / Closed). Every ticket starts **In Review**:
  - **1 · Verify** — **Mark as verified** → "Verified by {reviewer}".
  - **2 · Resolution — action to take** — **Assign training** · **Issue warning letter** · **Send safety alert** · **Send driver notice** · **Terminate driver** · **Dismiss as false**.
  - **Add note** — "Write a review note..." · Cancel · Save note → "Review notes".
  - Closed: disposition chip, "Closed by {reviewer}", **Reopen for review**, Add note.
- **Dismiss as false** closes at once. The other five open the **resolution dialog**:

Part	Detail
Header	disposition title · "To {driver} · Ticket {citation} · {violation}"
Send via	In-app chat (default) · External chat · Email
Send to	driver chat chip, or an email (prefilled from the roster) — "Enter a valid email address."
Course	training only: HOS / ELD Refresher · Fatigue Management · Log Auditing & Corrections · Hours-of-Service Rules (US) · Hours-of-Service Rules (Canada) · Trip Planning & Scheduling · Defensive Driving
Subject / Message	prefilled per resolution ("Warning letter — Ticket OFF-... · ...", "Hi {first}, a formal warning letter has been issued to your file for ...")
Warning note	"The warning letter is filed to the driver's compliance record with this citation's details, and a copy goes with this message."
Footer	"Delivered through Messages · closes the review with this resolution." · Cancel · **Send & close review**
Sent	"{Resolution} — sent" · "Delivered to {driver}'s chat in the app. The record is closed with this resolution." · Done · Open in Messages

A warning letter is also filed on the driver's compliance record (only when the driver is on the carrier's roster), shown as an amber banner on the Review tab.

3.5 Activity

Timeline, newest first: Ticket issued (Citation) · Recorded in system · Opened by office · one "... uploaded" per file on record · Shared with driver · Linked to accident · Assigned to third party · Note added · Status — {status}, followed by the reviewer's entries (Verified, Closed — ..., notes, Reopened). The first entries are **generated from the record on every view**, not stored (e.g. the office clerk is always "Dana Whitfield" — TO CONFIRM §11 #9).

---

4. Add / Edit ticket (`TicketEditForm.tsx`)

Purpose. Log a ticket, or change one. Full-page wizard: "← Back to tickets" · **Add Driver Ticket** ("Log a driver ticket — record the offense, violation, fine and supporting documents.") / **Edit Ticket** ("ID: {id}") · **Cancel** · **Save Ticket**. Left rail "Progress · Complete each section" with six steps (counts, check marks, click to scroll) — hidden below `md`.

§	Field	Type	Rules / options
1 Driver & Vehicles	Driver	select ("Select Driver…")	roster; fills licence and, if empty, Vehicle 1 from the driver's current unit; "Licence {no} · from the driver record"
	Vehicle 1 — power unit	select ("Select the unit…")	fleet, power units first; info box Unit · Plate · Jurisdiction · VIN · Vehicle ("Filled in from the fleet record")
	Vehicle 2 — trailer (optional)	select ("None / not applicable")	fleet, trailers first
2 Identifiers & Date	Ticket citation number	text ("e.g. OFF-84741 or CT-IL-12345")	default "OFF-{next}"; also stored as ticket # and citation #
	Microfilm number · optional	text ("Court archive reference, if printed")	—
	Date · Time	date · time	default now
	Linked accident #	text + suggestions ("Link an accident (e.g. ACC-2026-0001)")	free text, no check
3 Location	Street Address · City · Zip / Postal Code	text	—
	Country	select United States / Canada	resets State; switches the code list US SMS ↔ Canadian CVOR/NSC
	State / Province	select ("Select…")	50 states or 13 provinces / territories
4 Violation & Fine	Violation type (picker)	chips + code search	charges: Speeding · Improper Lane Change · Failure to Yield · Following Too Closely · Running Red Light / Stop Sign · Distracted Driving · Improper Turn · Failure to Obey Traffic Control; or "Search SMS violation code…" (Canada: "Search Canadian violation code…"); "Selected violations · N" with **Primary**, code, category, group, OOS-qualifying, × Remove; empty "No violations yet — pick a charge above or search a code."
	Were you in a commercial vehicle? · Out of Service?	Yes / No (click again to clear)	—
	Penalty / Fine · select all that apply	chips	Fine · Suspension · Revocation · Community Service · Other
	Ticket Status	select	Due (default) · In Court · Paid · Closed — **"Paid" saves as Due** (TO CONFIRM §11 #3)
	Fine Amount · Legal expense	number (min 0, 0.01)	"Legal expense" = "Lawyer, paralegal and court costs on top of the fine"
	Demerit Points	number (min 0, 1)	—
	Currency	select USD / CAD	—
	Total	read-only	fine + legal expense (always shows "$")

§	Field	Type	Rules / options
5 Dates & Monitoring	Ticket due date	date + Monitoring & Notifications	"Pay the fine or answer the ticket by this date."; default alert on, 30 / 15 / 7 days + on the date, email + in-app
	Final date	date + Monitoring & Notifications	"The court date or last deadline — after it, nothing more can be done."
6 Ticket Documents	Violation Ticket / Citation · Summons / Court Notice · Officer Violation Report · Fine Payment Receipt · Court Disposition / Judgment	switch per type → Ticket number ("e.g. CIT-2025-00123") · Date · files (PDF / JPG / PNG, several; names only)	turning a type off removes it

Validation: none of the app's own; only the browser's number checks (min 0, decimals). **Save** builds the ticket, adds it (or updates the edited one) and returns to the **list** (also from the detail page); no toast. **Cancel / Back** returns to the list without asking. Known effects of the current save (TO CONFIRM §11 #3, #6, #7): a new ticket gets no carrier and may not show in the carrier's list; a citation document's number replaces the citation #; editing an eTicket turns it into a Paper ticket and clears officer / court details; the form opens with all document switches off, so saving an edit drops existing documents; the street field is seeded from the description, so the description grows with each edit.

---

5. Roles and visibility

Menu (key)	Admin	Fleet Admin	Safety Manager	User	Driver
Tickets (`tickets`)	Full	Full	Full	**Light**	Hidden

Super Admin is always Full. Light shows the "View only" strip but does not disable anything. Drivers never reach `/tickets` (their allowed paths are the Driver Mobile App, Messages, their profile, Apply for Carrier and the inventory sign-form).

---

6. Shared behaviours and storage

Behaviour	Detail
Status	Due · In Court · Paid · Closed — any change allowed at any time (pill on list, detail header, Status tile, money card)
Monitoring feed	Each Due / In Court ticket raises up to two alerts on Compliance Monitoring — **Ticket due date** and **Final date** (or a court-date / status watch when neither is set) — source "Tickets & violations", subject = driver, link "Open in Tickets"
Review	Shared with HOS violations, safety events and accidents (`record-review`): verify → resolution → reopen; resolutions are delivered through Messages; a warning letter is filed on the driver's compliance record
Links	Roadside inspections link a citation to a ticket; accidents and tickets cross-reference by number (text only); saving a violation with a citation can create a ticket; a driver application's self-reported violations become Closed tickets
Persistence (prototype)	localStorage `tracksmart_user_tickets_v1` (added tickets + edited copies of seeded ones), `record-review-v1` (reviews), `messages:conversations:v3` (shares, resolutions), `compliance-data-v3` (warning letters). Missing-reference dismissals and synced feeds are in memory only.

---

7. Not in the UI

- **Export** button does nothing.
- No column picker, grouping or sort on the list; KPI cards are not filters.
- No payment date (Paid This Month uses the issue date).
- No document upload or download outside the form.
- No stored audit log for the ticket itself (the Activity tab is generated).
- The driver profile's Tickets tab (in Account) reads only the 14 legacy tickets.

---

11. TO CONFIRM (open questions)


1. **Acme's seed is random per load** (counts 301–313; synthesised tickets change content and ids). Give seeds stable ids.
2. **Light role (User)** sees "View only" but can add, edit, delete, change status, review and share. Disable in light mode and refuse on the server?
3. **Form status "Paid" saves as "Due"** (status inference) — the pill saves Paid correctly.
4. **Delete** does nothing for a seeded ticket (only an edited copy is removed). Soft delete for every ticket?
5. **Outstanding KPI** adds USD and CAD together under "$". Show per currency?
6. **A ticket added from the form, the missing banner or a violation gets no carrier**, so it does not show in the carrier's list.
7. **Editing a ticket** turns an eTicket into Paper, clears officer / court details, drops attached documents (switches start off) and grows the description.
8. **Adding a missing reference** does not remove it from the banner.
9. **Activity tab** is generated (fixed clerk "Dana Whitfield", fixed note). Store a real audit trail?
10. **Paid This Month** uses the issue date — add a payment date?
11. **Fine Payment Receipt** attached in the form never sets the receipt flag.
12. **Reset filters** is not shown when only Source or a sub-category is set.
13. **Driver profile Tickets tab** reads the static legacy list instead of the carrier's tickets.
14. **Warning letters** are filed only for roster drivers (the legacy drivers John Smith etc. are not on the roster, so no letter is filed for them).
15. **Back button** while the form is open leaves the page instead of closing the form.
16. **Review** is attributed to "Safety Manager" (the signed-in user's name is not passed to the page).
17. **Missing-reference dismissals and synced feeds** are lost on navigation. Persist them?
18. **Export** — CSV of the visible rows?

2 Screenshots


109 captures of every tab and state, named `[tab]-[state]-[device].png`. Full-page captures are shown at full height; the source PNGs are in `screenshots/`.

List


Desktop · 1440 px




`list-condensed-header-desktop.png` — Scrolled: the header condenses and the KPI figures ride in a chip strip under the title; the category tabs stay.




`list-default-desktop.png` — Tickets & Offenses: header with Export and Add Ticket, the category tabs, six KPI cards, the missing-references banner, sub-category cards, filters and the citation table.




`list-default-full-desktop.png` — The whole List page in one image: banner, sub-category cards, filters, table and pager.




list-delete-confirm-desktop.png — "Remove this ticket?" — confirmation before a ticket leaves the ledger.




list-filter-date-range-desktop.png — Date range 2024-01-01 – 2024-12-31.




`list-filter-document-electronic-desktop.png` — Document filter "Electronic Ticket": the eTickets.




`list-filter-source-cvor-desktop.png` — Source filter "CVOR (Ontario)": tickets issued in Ontario. Note: choosing only a source does not show "Reset filters" (TO CONFIRM).




`list-filter-status-in-court-desktop.png` — Status filter "In Court": the tickets awaiting a hearing.




`list-filter-type-speeding-desktop.png` — Type filter "Speeding".




`list-missing-expanded-desktop.png` — "Show missing": regulator references with no ticket on file — source, driver, violation code and severity, reference #, + Add.




`list-missing-selected-desktop.png` — Two missing references ticked: the bulk bar "2 references selected · Clear · + Add 2 to tickets".




`list-missing-synced-desktop.png` — "Sync feeds" pulls a fresh batch from the regulator feeds; the new references are added to the missing list.




`list-pager-page-2-desktop.png` — Pager at 50 per page, page 2: "Showing 51 – 100 of ...".




`list-row-menu-desktop.png` — Row ⋮ menu: Open ticket, Edit ticket, Share to chat, Delete ticket.




`list-search-driver-desktop.png` — Search "John Smith": matches citation #, driver, vehicle, location, ticket # and citation #; "Reset filters" appears.




`list-search-no-results-desktop.png` — No results: "No tickets found matching your criteria."




`list-share-dialog-desktop.png` — "Share Ticket OFF-84729": the record and its documents in a chat, or to an outsider by email.




`list-share-dialog-external-desktop.png` — Share by External chat: a saved or new outside contact gets a secure chat link.




`list-subcategory-selected-desktop.png` — A sub-category card selected: the card turns dark, the table narrows to that group and "Clear sub-filter ×" appears.




`list-tab-controlled-substances-desktop.png` — Category tab "Controlled Substances".




`list-tab-hours-of-service-desktop.png` — Category tab "Hours-of-Service": logbook and HOS tickets.



`list-tab-other-empty-desktop.png` — Category tab "Other" with no tickets: the empty sub-category line and "No tickets found matching your criteria."




`list-tab-unsafe-driving-desktop.png` — Category tab "Unsafe Driving": speeding, red light, parking and reckless-driving tickets; the sub-category cards follow the tab.




`list-view-only-desktop.png` — Tickets as a User (light access): the blue "View only" strip; every control is still rendered and works (TO CONFIRM).


Mobile · 390 px




`list-condensed-header-mobile.png`
Scrolled: the header condenses and the KPI figures ride in a chip strip under the title; the category tabs stay.




`list-default-full-mobile.png`
The whole List page in one image: banner, sub-category cards, filters, table and pager.




`list-default-mobile.png`
Tickets & Offenses: header with Export and Add Ticket, the category tabs, six KPI cards, the missing-references banner, sub-category cards, filters and the citation table.




`list-delete-confirm-mobile.png`
"Remove this ticket?" — confirmation before a ticket leaves the ledger.




`list-filter-date-range-mobile.png`
Date range 2024-01-01 – 2024-12-31.




`list-filter-document-electronic-mobile.png`
Document filter "Electronic Ticket": the eTickets.




`list-filter-source-cvor-mobile.png`
Source filter "CVOR (Ontario)": tickets issued in Ontario. Note: choosing only a source does not show "Reset filters" (TO CONFIRM).




`list-filter-status-in-court-mobile.png`
Status filter "In Court": the tickets awaiting a hearing.




`list-filter-type-speeding-mobile.png`
Type filter "Speeding".




`list-missing-expanded-mobile.png`
"Show missing": regulator references with no ticket on file — source, driver, violation code and severity, reference #, + Add.




`list-missing-selected-mobile.png`
Two missing references ticked: the bulk bar "2 references selected · Clear · + Add 2 to tickets".




`list-missing-synced-mobile.png`
"Sync feeds" pulls a fresh batch from the regulator feeds; the new references are added to the missing list.




`list-pager-page-2-mobile.png`
Pager at 50 per page, page 2: "Showing 51 – 100 of ...".




`list-row-menu-mobile.png`
Row ⋮ menu: Open ticket, Edit ticket, Share to chat, Delete ticket.




`list-search-driver-mobile.png`
Search "John Smith": matches citation #, driver, vehicle, location, ticket # and citation #; "Reset filters" appears.




`list-search-no-results-mobile.png`
No results: "No tickets found matching your criteria."




`list-share-dialog-external-mobile.png`
Share by External chat: a saved or new outside contact gets a secure chat link.




`list-share-dialog-mobile.png`
"Share Ticket OFF-84729": the record and its documents in a chat, or to an outsider by email.




`list-subcategory-selected-mobile.png`
A sub-category card selected: the card turns dark, the table narrows to that group and "Clear sub-filter ×" appears.




`list-tab-controlled-substances-mobile.png`
Category tab "Controlled Substances".




list-tab-hours-of-service-mobile.png
Category tab "Hours-of-Service": logbook and HOS tickets.



list-tab-other-empty-mobile.png
Category tab "Other" with no tickets: the empty sub-category line and "No tickets found matching your criteria."




list-tab-unsafe-driving-mobile.png
Category tab "Unsafe Driving": speeding, red light, parking and reckless-driving tickets; the sub-category cards follow the tab.




list-view-only-mobile.png
Tickets as a User (light access): the blue "View only" strip; every control is still rendered and works (TO CONFIRM).

Ticket detail


Desktop · 1440 px




`detail-activity-desktop.png` — Activity tab: the ticket's trail with the reviewer entries (Verified, note, Closed — Issue warning letter).




detail-delete-confirm-desktop.png — Delete from the detail page returns to the list with "Remove this ticket?".




detail-documents-desktop.png — Documents tab: the Ticket file / Receipt / Notice indicators and one card per attached document with its files.




`detail-documents-empty-desktop.png` — A ticket with no attached documents: "No documents attached".




`detail-header-menu-desktop.png` — Header ⋮ menu: Edit ticket, Delete ticket.




`detail-monitored-date-edit-desktop.png` — A monitored date in edit mode: the date, the full Monitoring & Notifications block, Cancel / Save.




`detail-overview-desktop.png` — Ticket detail, Overview: header with kind chip, meta line and status pill, the Status / Fine / due-date / final-date tiles, the Driver & Vehicles card and the Jump to section rail.




`detail-overview-eticket-desktop.png` — An eTicket: the violet eTicket chip; the Overview shows "Electronic ticket detail" (portal URL, QR reference, issuing device).




`detail-overview-full-desktop.png` — Overview, whole page: Driver & Vehicles (power unit + trailer), Where & when, Violation (two charges, Primary), Identifiers, Paper ticket detail, Money, dates & status.




detail-resolution-dialog-desktop.png — Resolution dialog for "Issue warning letter": Send via, Send to, prefilled subject and message, the filing note, Send & close review.




detail-resolution-dialog-email-desktop.png — The same dialog sending by Email: the driver's address is prefilled.




detail-resolution-dialog-training-desktop.png — "Assign training": the Course list is added to the dialog.




detail-resolution-sent-desktop.png — "Issue warning letter — sent": delivered to the driver's chat; the record is closed with this resolution.




`detail-review-closed-desktop.png` — Review closed: the resolution chip, "Closed by Safety Manager", Reopen for review, the review notes and the warning-letter-filed banner.




`detail-review-desktop.png` — Review tab: Citation under review, and Review & resolution in review — 1 · Verify, 2 · six resolution actions, Add note.



`detail-review-note-editor-desktop.png` — Writing a review note.




`detail-review-verified-desktop.png` — Verified: "Verified by Safety Manager".




`detail-share-dialog-desktop.png` — "Share ticket" from the detail page: the ticket files are pre-selected as attachments.


Mobile · 390 px




`detail-activity-mobile.png`
Activity tab: the ticket's trail with the reviewer entries (Verified, note, Closed — Issue warning letter).




`detail-delete-confirm-mobile.png`
Delete from the detail page returns to the list with "Remove this ticket?".




`detail-documents-empty-mobile.png`
A ticket with no attached documents: "No documents attached".




`detail-documents-mobile.png`
Documents tab: the Ticket file / Receipt / Notice indicators and one card per attached document with its files.




detail-header-menu-mobile.png
Header ⋮ menu: Edit ticket, Delete ticket.




detail-monitored-date-edit-mobile.png
A monitored date in edit mode: the date, the full Monitoring & Notifications block, Cancel / Save.




detail-overview-eticket-mobile.png
An eTicket: the violet eTicket chip; the Overview shows "Electronic ticket detail" (portal URL, QR reference, issuing device).




detail-overview-full-mobile.png
Overview, whole page: Driver & Vehicles (power unit + trailer), Where & when, Violation (two charges, Primary), Identifiers, Paper ticket detail, Money, dates & status.




detail-overview-mobile.png
Ticket detail, Overview: header with kind chip, meta line and status pill, the Status / Fine / due-date / final-date tiles, the Driver & Vehicles card and the Jump to section rail.




detail-resolution-dialog-email-mobile.png
The same dialog sending by Email: the driver's address is prefilled.




detail-resolution-dialog-mobile.png
Resolution dialog for "Issue warning letter": Send via, Send to, prefilled subject and message, the filing note, Send & close review.




detail-resolution-dialog-training-mobile.png
"Assign training": the Course list is added to the dialog.




detail-resolution-sent-mobile.png
"Issue warning letter — sent": delivered to the driver's chat; the record is closed with this resolution.




detail-review-closed-mobile.png
Review closed: the resolution chip, "Closed by Safety Manager", Reopen for review, the review notes and the warning-letter-filed banner.




detail-review-mobile.png
Review tab: Citation under review, and Review & resolution in review — 1 · Verify, 2 · six resolution actions, Add note.




detail-review-note-editor-mobile.png
Writing a review note.



detail-review-verified-mobile.png
Verified: "Verified by Safety Manager".




detail-sections-menu-mobile.png
Phones: the floating "Sections" button opens the Jump to section menu.




detail-share-dialog-mobile.png
"Share ticket" from the detail page: the ticket files are pre-selected as attachments.

Add / Edit ticket


Desktop · 1440 px




`form-add-code-search-desktop.png` — Searching the SMS violation codes ("392").




`form-add-dates-monitoring-desktop.png` — Dates & Monitoring: ticket due date and final date, each with its own reminders and channels.




`form-add-default-desktop.png` — Add Driver Ticket: the six-step Progress rail, default citation number, today's date and time, status Due, USD, United States.




`form-add-documents-desktop.png` — Ticket Documents: a document type switched on — ticket number, date and the file drop zone.




`form-add-driver-picked-desktop.png` — Driver picked: the licence is read from the driver record and Vehicle 1 fills in from the unit they drive.




`form-add-fine-total-desktop.png` — Fine 250 + legal expense 150: the Total updates; commercial vehicle, out of service, penalties, status, demerit points, currency.




`form-add-location-desktop.png` — Location: street, city, zip, country and state / province.




`form-add-native-validation-desktop.png` — The only validation: the browser's own check on a negative fine (the app adds no error messages).




`form-add-vehicle-2-desktop.png` — Vehicle 2 — trailer: the fleet record fills Unit, Plate, Jurisdiction and VIN.



`form-add-violations-desktop.png` — Violation & Fine: two charges picked — the first is Primary; each shows its code and category.




`form-edit-default-desktop.png` — Edit Ticket: the same form filled in from the ticket (ID shown under the title).




`form-edit-saved-desktop.png` — After Save Ticket: back on the list, the edited ticket first (no toast).


Mobile · 390 px




`form-add-code-search-mobile.png`
Searching the SMS violation codes ("392").




`form-add-dates-monitoring-mobile.png`
Dates & Monitoring: ticket due date and final date, each with its own reminders and channels.




`form-add-default-mobile.png`
Add Driver Ticket: the six-step Progress rail, default citation number, today's date and time, status Due, USD, United States.




`form-add-documents-mobile.png`
Ticket Documents: a document type switched on — ticket number, date and the file drop zone.




form-add-driver-picked-mobile.png
Driver picked: the licence is read from the driver record and Vehicle 1 fills in from the unit they drive.




form-add-fine-total-mobile.png
Fine 250 + legal expense 150: the Total updates; commercial vehicle, out of service, penalties, status, demerit points, currency.




form-add-location-mobile.png
Location: street, city, zip, country and state / province.




form-add-native-validation-mobile.png
The only validation: the browser's own check on a negative fine (the app adds no error messages).




form-add-vehicle-2-mobile.png
Vehicle 2 — trailer: the fleet record fills Unit, Plate, Jurisdiction and VIN.



form-add-violations-mobile.png
Violation & Fine: two charges picked — the first is Primary; each shows its code and category.



form-edit-default-mobile.png
Edit Ticket: the same form filled in from the ticket (ID shown under the title).



form-edit-saved-mobile.png
After Save Ticket: back on the list, the edited ticket first (no toast).

States not captured

- **Opened native `<select>` menus** (status pill, Status / Type / Document / Source filters, form selects) — they render outside the page; the result of each choice is captured.
- **Browser number-field bubble** — captured where Chromium draws it (`form-add-native-validation`); it is the browser's, not the app's.
- **OOS chip, "+N" violations and the legal-expense tooltip on the list** — no demo ticket on the list carries them except the filled-in OFF-84729 (see the note above).
- **A newly added ticket in the list** — it is saved without a carrier and does not appear in the carrier's list (page-overview §11 #6).
- **Loading state** — none exists.
- **Toasts** — none exist in Tickets.
- **"Hidden" access page** — Tickets is hidden only for drivers, who are routed to the Driver Mobile App; the page itself is the app-wide "Not in your menu" page.

3 Design specification


How the Tickets section is built visually — layout, type, components, icons, motion and accessibility — as it stands in the app on 2026-10-23. Read from the running UI and the component source (`src/pages/tickets/*`, `src/components/ui/ReviewResolution.tsx`, `src/components/share/ResolutionSendDialog.tsx`, the shared list and wizard components). Screenshot links point into `../screenshots/`.

Stack for the visuals: **Tailwind CSS v4** utilities (default palette), **Inter**, **lucide-react** icons, `cn()` (clsx + tailwind-merge). The app shell (sidebar, top bar, carrier switcher) is the same as in 01 – Account.

---

1. Layout

1.1 Page frame



- **One route, three views.** The list, the ticket detail page and the add / edit form replace each other inside `/tickets`; the sidebar and top bar stay. list-default · detail-overview · form-add-default.
- **Header fold:** after 140 px of scroll and 40 px of travel the title shrinks, the description folds and a KPI chip strip appears; the category tabs stay. list-condensed-header.
- **Detail page:** fixed header band (breadcrumb strip, identity block, actions, four tiles, tabs) over its own scroller; Overview has a 224 px sticky **Jump to section** rail on the right (`lg`+) or a floating **Sections** button (phones). detail-sections-menu (mobile).
- **Form:** Wizard chrome — `WizardHeader`, a 288 px **Progress** rail (`md`+) with six steps and scroll-spy, `WizardSection` cards in one scroller. form-add-violations.

1.2 Grids

Where	Grid	Screenshot
KPI cards	2 → 3 (`sm`) → 6 (`xl`), gap 12	list-default-mobile
Sub-category cards	2 / 3 / 4 / 6 (`sm` / `md` / `lg`)	list-subcategory-selected
Filters	phones: 2-column grid (date range spans 2); `sm`+: wrapping row	list-filter-date-range
Table	`min-w-[1400px] table-fixed`, first + last columns sticky	list-default
Phone card	2-column `dl` (Driver, Vehicle, Date, Location)	list-default-mobile
Detail tiles	2 → 4 (`lg`)	detail-overview
Detail field grids	2 → 3 (`sm`); vehicle cards 1 → 2 (`md`)	detail-overview-full

Where	Grid	Screenshot
Form fields	1 → 2 (`sm` / `md`); Identifiers fixed 2 columns	form-add-location

1.3 Spacing and heights

Tailwind's 4 px scale: 4–6 px icon gaps, 8–12 px control gaps and card padding-y, 16 px body padding (`p-4`) and cell padding-x, 20–24 px card padding. Heights: list toolbar inputs and selects **32 px** (`h-8`), header buttons **36 px** (`h-9` , 32 when condensed), form inputs 36–40 px, status pills ~22 px, kebab 28–32 px.

1.4 Breakpoints

Width	Behaviour
< 640 (`sm`)	Drawer sidebar; header description hidden; **Export** icon-only; **Add Ticket** → **"Add"**; filters in a 2-column grid; detail **Share** icon-only and **Edit Ticket** → **"Edit"**
< 768 (`md`)	**Phone cards instead of the table**; form Progress rail hidden
< 1024 (`lg`)	Detail tiles 2-up; **Sections** button instead of the Jump-to-section rail; identity block and actions stack
< 1280 (`xl`)	KPI cards 3-up
≥ 768	Table, 1400 px minimum, horizontal scroll with pinned citation and actions columns

---

2. Typography

Inter (400 / 500 / 600 loaded; `font-bold` is synthesised — TO CONFIRM, as in Account). `tabular-nums` on dates, money and counts; `font-mono` for citation numbers in the detail, codes, licence, VIN, plate and identifier values.

Role	Size / weight	Where
List title	24 px bold (20 px `sm` – `lg` , 14–16 px condensed)	"Tickets & Offenses"
Detail title	24 px bold	"Ticket OFF-84729"
Wizard title	24 px bold + 14 px subtitle	"Add Driver Ticket"
KPI value	24 px bold, tone colour	Outstanding "$8,124"
Card / section title	14–16 px semibold + 12 px subtitle	"Driver & Vehicles", "Review & resolution"
Table header	11 px bold uppercase slate-500	"TICKET CITATION #"
Cell	13–14 px; citation 14 px semibold blue	
Field label	10–11 px bold uppercase `tracking-wider`	"DRIVER LICENCE"
Pill / badge	9–11 px bold uppercase	DUE, PAPER, eTicket, OOS
Button	14 px semibold (13 px in toolbars)	

Frequency in the section's source: `text-[11px]` 46 × · `text-[10px]` 43 × · `text-sm` 34 × · `text-[13px]` 23 × · `text-xs` 21 × · `text-[12px]` 19 × · `text-[9px]` 5 ×.

---

3. Components

3.1 Buttons

Variant	Look	Examples
Primary	blue-600, white 14 px semibold, `h-9`, radius 8	Add Ticket, Edit Ticket, Save Ticket, Sync feeds, Send & close review
Secondary	white, slate-200 border	Export, Share to chat, Show missing, Cancel, Add note
Danger	rose-600	Remove ticket; "Terminate driver" (red outline)
Resolution tiles	outline buttons tinted per action — training violet, warning amber, safety alert orange, notice blue, terminate red, dismiss slate	detail-review
Ghost / link	blue text	Clear sub-filter ×, Reset filters, "+ Add" in the missing table
Icon	28–32 px	⋮ kebab, × dismiss, × close

3.2 Inputs and controls

- Search / date / select inputs `h-8` in the list toolbar; form inputs taller with labels above. Focus ring blue (`ring-2 ring-blue-500/30`).
- **Status pill** — a native `<select>` styled as a rounded uppercase pill with a dot and chevron: Due amber, In Court blue, Paid emerald, Closed slate. Used on rows, cards, the detail header, the Status tile and the money card.
- **Yes / No segmented control** (commercial vehicle, out of service) — click the active side to clear; Yes red for "Out of Service?".
- **Charge chips** (violation picker) — toggles with a check; **code combobox** with search and "[code] description · group · SMS" rows.
- **Penalty chips** — multi-select.
- **Switch** per document type; **file drop zone** "Drag & drop files, or click to browse".
- **Monitoring & Notifications** block (shared): switch, basis radios, date chip / input, reminder checkboxes, channel checkboxes, projected schedule.
- **Monitored-date card** — click-to-edit tile with "Monitoring on / off" pill; edit state has a blue ring and an "Editing" tag.

3.3 Cards

White, slate-200 border, radius 12, `shadow-sm`. **KPI card**: 1.5 px coloured bar on the left, label, big value, sub-line, tinted icon square. **Sub-category card**: palette bar on top (sky, violet, emerald, amber, rose, indigo, teal, fuchsia in rotation), group name, count, % chip, progress bar; selected = slate-900 border and ring. **Banner**: left accent bar amber (work to do) / emerald (reconciled). **Detail info card**: blue icon + title row, uppercase label / value grid, "—" for empty.

3.4 Tabs

- Category tabs (`SubTabs`): underline, count badge, zero counts shown, chevrons on overflow.
- Detail tabs: underline with count pills (Documents, Activity).
- Form steps: numbered rail with counts and green checks.

3.5 Table and phone cards

Header 11 px uppercase on slate-50; rows hover slate-50; pinned first and last columns with soft shadows; no sort. Violation type badges: Speeding red, Overweight orange, Logbook violation purple, Equipment defect slate, Insurance lapse pink, Red Light red, Parking slate; **OOS** red chip; kind badge **PAPER** blue / **eTicket** violet; three doc icons (emerald when on file). Phone card: citation + badges + ⋮, violation line, 2-column facts, fine, doc icons, status pill. list-row-menu-mobile.

3.6 Menus

`KebabMenu` 184 px, portal, closes on scroll / resize: Open ticket · Edit ticket · Share to chat · **Delete ticket** (red, last). Detail header menu: Edit ticket · Delete ticket.

3.7 Dialogs

Dialog	Size / behaviour	Screenshot
Remove this ticket?	small, blurred backdrop (click = cancel)	list-delete-confirm
Share Ticket … (list) / Share ticket (detail)	`max-w-4xl`, 640 px high, compose + attachments panes	detail-share-dialog
Resolution dialog	`max-w-xl`, max 90 vh, **fixed header and footer, middle scrolls**	detail-resolution-dialog
Resolution sent	same modal, green check, Done / Open in Messages	detail-resolution-sent

3.8 Toasts

None. Saving returns to the list; status and review changes show in place.

3.9 Pills and chips

Status pill (above) · kind badge · type badge · OOS chip · severity chips in the missing table (OOS red, Critical rose, Serious amber, others slate) · source chips (SMS blue, CVOR Conv. rose, Contrav. fuchsia, Violation Log slate) · review status (In Review amber, Closed emerald) · resolution chip · "Primary" tag on the first violation · "Monitoring on / off" · Yes / No pills in the money card.

---

4. Icons

lucide-react, 12–20 px, stroke 2. 50 distinct icons in the section's files:

AlertOctagon · AlertTriangle · Ban · Bell · BellOff · BellRing · Calendar · CalendarClock · Check · CheckCircle · CheckCircle2 · ChevronDown · ChevronLeft · ChevronRight · ChevronUp · ClipboardCheck · Clock · Container · DollarSign · Download · Eye · FileCheck · FileText · FileWarning · Globe · GraduationCap · Hash · LayoutGrid · List · MapPin · MessageSquare · MoreVertical · Paperclip · Pencil · Plus · RefreshCw · RotateCcw · Save · Scale · Search · Send · Share2 · ShieldCheck · StickyNote · Ticket · Trash2 · Truck · User · UserX · X

Key mappings: **Ticket** = the section (sidebar, header, detail tile) · **Truck / Container** = vehicle 1 / vehicle 2 · **Scale** = In Court and "Notice of trial" · **FileText / FileCheck** = ticket file / receipt · **BellRing** = missing references · **RefreshCw** = Sync feeds · **GraduationCap / FileWarning / AlertTriangle / Send / UserX / Ban** = the six resolutions.

---

5. Interactions and micro-animations

Interaction	Behaviour
Header fold	~700 ms ease; 140 px threshold, 40 px travel, 840 ms lock after each flip
Category tab	resets sub-filter and pager, closes any open ticket
Sub-category card	toggles the filter; dark selected state
Filters	every change resets the pager; Reset filters appears when something is set
Status pill	saves immediately on change
Row	hover tint; click opens the detail; Enter / Space on the missing table rows opens the pre-filled form
Missing table	header checkbox selects the page (indeterminate on partial); bulk bar slides in
Monitored date	click → edit state with ring; Cancel / Save
Review	verify → tick; resolution → dialog → success screen → closed state; reopen restores
Form	picking a driver fills licence and Vehicle 1; picking a vehicle shows the fleet info box; the first violation becomes Primary; Total recomputes live
Jump to section	scroll-spy highlights the visible card

---

6. Accessibility

6.1 Contrast (WCAG 2.1)

Pair	Ratio	Result
slate-900 text on white	17.8 : 1	pass
slate-500 labels on white	4.8 : 1	pass
slate-400 sub-lines on white (KPI sub-lines, "—")	2.6 : 1	**fail**
white on blue-600	5.2 : 1	pass
amber-700 on amber-50 (Due)	4.9 : 1	pass
emerald-700 on emerald-50 (Paid)	5.1 : 1	pass
blue-700 on blue-50 (In Court, PAPER)	6.3 : 1	pass
rose-600 KPI value (Outstanding) on white	4.5 : 1	pass (just)

All values: design/color-palette.md.

6.2 Focus and keyboard

- Inputs show a blue focus ring; custom buttons rely on the browser outline (TO CONFIRM a shared `focus-visible` style).
- Table rows open on **click only** — they are not focusable (no `tabIndex`), so keyboard users reach a ticket through the ⋮ menu (TO CONFIRM). Missing-table rows are focusable (Enter / Space).
- Monitored-date cards are `role="button"` with Enter / Space.
- Status pills are native selects — fully keyboard accessible.
- Browser Back closes the detail page.

6.3 ARIA

"Ticket categories" (tabs) · "Ticket status" (pills, title "Change status") · "Actions for {citation}" · "More actions" · "From date" / "To date" · "Filter by regulator source" (title) · "Rows per page" · "Select all on page" · "Documents on file" · "Dismiss" · "Remove". The status and type filter selects have **no label** (TO CONFIRM). Dialogs other than the resolution dialog do not set `role="dialog"` (TO CONFIRM).

6.4 Other

- Status is shown by colour **and** text.
- 9–11 px text is common (pills, labels, table headers).
- The Export button looks active but does nothing.
- Touch targets: ⋮ (28 px) and the doc icons are below 44 px on phones.

---

7. Screenshot map

Topic	Desktop	Mobile
List frame	list-default	list-default
Condensed header	list-condensed-header	list-condensed-header
Category tab + sub-filter	list-subcategory-selected	list-subcategory-selected
Missing references	list-missing-selected	list-missing-selected
Row menu	list-row-menu	list-row-menu
Detail header + tiles	detail-overview	detail-overview
Monitored date edit	detail-monitored-date-edit	detail-monitored-date-edit
Review	detail-review	detail-review
Resolution dialog	detail-resolution-dialog	detail-resolution-dialog
Activity	detail-activity	detail-activity
Form + rail	form-add-violations	form-add-violations
Code search	form-add-code-search	form-add-code-search
Dates & monitoring	form-add-dates-monitoring	form-add-dates-monitoring
View-only strip	list-view-only	list-view-only

All images: screenshots/index.md.

Component sheet

03 – Tickets · Components

Reusable parts of the Tickets section with their variants and states. Import with the html.to.design plugin; colours and type match `tokens.json`.

BUTTONS

Primary · outline · danger · icon-only on phones · link

+ Add Ticket | Edit Ticket | Save Ticket | Sync feeds

Export | Share to chat | Show missing | Remove ticket

Clear sub-filter | Reset filters | + Add

STATUS PILLS, KIND AND VIOLATION BADGES

Status pill = an editable select · kind · type · OOS · severity · source

DUE | IN COURT | PAID | CLOSED

PAPER | eTicket | OOS | Speeding | Overweight | Logbook violation | Equipment defect | Insurance lapse

OOS | CRITICAL | SERIOUS | MINOR | SMS | CVOR CONV.

INPUTS

Search · date range · filter selects · form field · read-only total

Search ticket citation #, driver, vehicle, location...

2024-01-01 – 2024-12-31 | All Statuses | All Sources

TICKET CITATION NUMBER: OFF-84729

TOTAL: $800.00 USD

CHOICE CONTROLS

Charge chips · Yes / No · penalty chips · document switch

✓ Speeding | Improper Lane Change | ✓ Following Too Closely | Distracted Driving

COMMERCIAL VEHICLE? Yes / No

OUT OF SERVICE? Yes / No

Fine | Suspension | Revocation | Community Service | Other

Violation Ticket / Citation | Fine Payment Receipt

LIST HEADER AND CATEGORY TABS

Expanded header · category tabs with counts (zero shown)

Tickets & Offenses 305

Acme Trucking Inc. · Paper & electronic citations

Export | + Add Ticket

All Tickets 305 | Unsafe Driving 9 | Vehicle Maintenance 268 | Hours-of-Service 59 | Driver Fitness 35 | Controlled Substances 4 | Other 0

KPI CARDS

Coloured bar + coloured value; not clickable

Total Tickets	Outstanding	Open Offenses	In Court	Paid This Month
305	$8,124	7	13	6
	Due + In Court	Status: Due	Awaiting hearing	Recent closures

Electronic: 67 — 22% eTickets

MISSING-REFERENCES BANNER

Work to do (amber) · reconciled (emerald)

294 ticket references missing

291 on file · Cross-checked against Violation Log (297), SMS (270), Contrav. (8)...

Sync feeds | Show missing

All ticket references reconciled

SUB-CATEGORY CARDS

Default · selected (filters the table)

Vehicle Maintenance 91 30%

Drugs 3 75%

TICKET TABLE

Pinned citation and actions columns; editable status pill; doc icons

TICKET CITATION #	DATE	DRIVER	VEHICLE	LOCATION	VIOLATION	FINE	STATUS	DOCS	ACTIONS
OFF-84729 PAPER	2026-10-02 14:30	Anjali Bhatia	ACM-T0108 · IKM 1008 (DE) + ACM-TR0112	Dover, DE	Speeding Speeding 11-14 mph +1 OOS	$350.00	IN COURT		
OFF-84838 eTicket	2026-08-14	James Sullivan	ACM-T0103	Seattle, WA	Equipment defect Brake out of adjustment	$285.00	PAID		

PHONE CARD

Below 768 px the table becomes one card per ticket

OFF-84729 PAPER


Speeding Speeding 11-14 mph

ROW MENU

Open · Edit · Share · Delete (red, last)

Open ticket

Edit ticket



4 Colour palette

primary
#155dfc · blue-600
dark #2b7fff

primary-hover
#1447e6 · blue-700
dark #51a2ff

primary-subtle
#eff6ff · blue-50
dark #162456

primary-border
#bedbff · blue-200
dark #193cb8

secondary
#f1f5f9 · slate-100
dark #1d293d

secondary-foreground
#314158 · slate-700
dark #e2e8f0

background
#f8fafc · slate-50
dark #020618

surface
#ffffff · white
dark #0f172b

text-primary
#0f172b · slate-900
dark #f8fafc

text-body
#314158 · slate-700
dark #cad5e2

text-secondary
#62748e · slate-500
dark #90a1b9

text-muted
#90a1b9 · slate-400
dark #62748e

border
#e2e8f0 · slate-200
dark #1d293d

border-strong
#cad5e2 · slate-300
dark #314158

success
#009966 · emerald-600
dark #00d492

success-text
#007a55 · emerald-700
dark #5ee9b5

success-subtle
#ecfdf5 · emerald-50
dark #002c22

warning
#e17100 · amber-600
dark #ffb900

warning-text
#bb4d00 · amber-700
dark #ffd230

warning-subtle
#fffbeb · amber-50
dark #461901

error
#e7000b · red-600
dark #ff6467

error-text
#c10007 · red-700
dark #ffa2a2

error-subtle
#fef2f2 · red-50
dark #460809

danger
#ec003f · rose-600
dark #ff2056

danger-subtle
#fff1f2 · rose-50
dark #4d0218

accent
#7f22fe · violet-600
dark #a684ff

accent-text
#7008e7 · violet-700
dark #c4b4ff

accent-subtle
#f5f3ff · violet-50
dark #2f0d68

info
#1447e6 · blue-700
dark #8ec5ff

info-subtle
#eff6ff · blue-50
dark #162456

neutral-inverse
#0f172b · slate-900
dark #f1f5f9

Every colour the Tickets section uses, named as tokens. **Light** values are what the app renders today: Tailwind CSS v4's default palette, converted exactly from its OKLCH definitions to sRGB. **Dark** values are a **proposal** — the app has no dark mode (no `dark:` variants, no `prefers-color-scheme` rules).

Machine-readable: color-palette.json · Figma tokens: figma/tokens.json.

Tokens

	Token	Tailwind (light)	Light HEX	Light RGB	Dark HEX (proposed)	Dark RGB	Uses in code	Where it is used
	`primary`	`blue-600`	`#155dfc`	rgb(21, 93, 252)	`#2b7fff`	rgb(43, 127, 255)	35	Primary buttons (Add Ticket, Edit Ticket, Save Ticket, Sync feeds, Send & close review), active tab underline, citation numbers, switch "on".
	`primary-hover`	`blue-700`	`#1447e6`	rgb(20, 71, 230)	`#51a2ff`	rgb(81, 162, 255)	28	Hover of primary buttons; text on blue chips (PAPER, In Court) and the "View only" strip.
	`primary-subtle`	`blue-50`	`#eff6ff`	rgb(239, 246, 255)	`#162456`	rgb(22, 36, 86)	24	Icon tiles in headers, the detail ticket tile, PAPER badge, In Court pill, selected charge chips, vehicle info box.
	`primary-border`	`blue-200`	`#bedbff`	rgb(190, 219, 255)	`#193cb8`	rgb(25, 60, 184)	14	Border of blue chips, selected charge chips and the vehicle info box.
	`secondary`	`slate-100`	`#f1f5f9`	rgb(241, 245, 249)	`#1d293d`	rgb(29, 41, 61)	35	Count pills, Yes / No segmented track, Closed pill, Equipment defect / Parking badges.
	`secondary-foreground`	`slate-700`	`#314158`	rgb(49, 65, 88)	`#e2e8f0`	rgb(226, 232, 240)	33	Text on secondary surfaces; outline-button text (Export, Share to chat, Cancel).
	`background`	`slate-50`	`#f8fafc`	rgb(248, 250, 252)	`#020618`	rgb(2, 6, 24)	43	Page body, table header band, row hover, breadcrumb strip.
	`surface`	`white`	`#ffffff`	rgb(255, 255, 255)	`#0f172b`	rgb(15, 23, 43)	79	Cards, KPI cards, dialogs, header bands, inputs.
	`text-primary`	`slate-900`	`#0f172b`	rgb(15, 23, 43)	`#f8fafc`	rgb(248, 250, 252)	20	Page, ticket and dialog titles; primary values; amounts.
	`text-body`	`slate-700`	`#314158`	rgb(49, 65, 88)	`#cad5e2`	rgb(202, 213, 226)	33	Body copy, table cells, form values, message templates.
	`text-secondary`	`slate-500`	`#62748e`	rgb(98, 116, 142)	`#90a1b9`	rgb(144, 161, 185)	44	Descriptions, field labels, table headers, KPI labels, helper text.
	`text-muted`	`slate-400`	`#90a1b9`	rgb(144, 161, 185)	`#62748e`	rgb(98, 116, 142)	59	KPI sub-lines, empty "—", idle doc icons, placeholders. Fails body-text contrast — see §WCAG.
	`border`	`slate-200`	`#e2e8f0`	rgb(226, 232, 240)	`#1d293d`	rgb(29, 41, 61)	93	Card, table, dialog and input borders; row dividers.
	`border-strong`	`slate-300`	`#cad5e2`	rgb(202, 213, 226)	`#314158`	rgb(49, 65, 88)	29	Form input borders; unselected charge chips; checkboxes.
	`success`	`emerald-600`	`#009966`	rgb(0, 153, 102)	`#00d492`	rgb(0, 212, 146)	8	Paid status dot, Paid This Month card, doc icons on file, verified check.

	Token	Tailwind (light)	Light HEX	Light RGB	Dark HEX (proposed)	Dark RGB	Uses in code	Where it is used
	`success-text`	`emerald-700`	`#007a55`	rgb(0, 122, 85)	`#5ee9b5`	rgb(94, 233, 181)	8	Text of Paid pills, Closed review status, "Monitoring on".
	`success-subtle`	`emerald-50`	`#ecfdf5`	rgb(236, 253, 245)	`#002c22`	rgb(0, 44, 34)	7	Background of Paid pills and the reconciled banner.
	`warning`	`amber-600`	`#e17100`	rgb(225, 113, 0)	`#ffb900`	rgb(255, 185, 0)	4	Due status dot, Open Offenses card, missing-references bell.
	`warning-text`	`amber-700`	`#bb4d00`	rgb(187, 77, 0)	`#ffd230`	rgb(255, 210, 48)	7	Text of Due pills, In Review status, Serious severity, warning-letter chip.
	`warning-subtle`	`amber-50`	`#fffbeb`	rgb(255, 251, 235)	`#461901`	rgb(70, 25, 1)	10	Background of Due pills, the missing-references table and the warning-letter banner.
	`error`	`red-600`	`#e70000b`	rgb(231, 0, 11)	`#ff6467`	rgb(255, 100, 103)	1	OOS chip, overdue dates, Speeding / Red Light badges, Terminate driver.
	`error-text`	`red-700`	`#c10007`	rgb(193, 0, 7)	`#ffa2a2`	rgb(255, 162, 162)	9	Text of OOS chips, Speeding badges and "Overdue · n days ago".
	`error-subtle`	`red-50`	`#fef2f2`	rgb(254, 242, 242)	`#460809`	rgb(70, 8, 9)	9	Background of OOS chips and Speeding badges.
	`danger`	`rose-600`	`#ec003f`	rgb(236, 0, 63)	`#ff2056`	rgb(255, 32, 86)	7	Outstanding KPI value, Delete ticket in ⋮, Remove ticket button, Critical severity.
	`danger-subtle`	`rose-50`	`#fff1f2`	rgb(255, 241, 242)	`#4d0218`	rgb(77, 2, 24)	5	Background of the remove-ticket icon tile and Critical severity chips.
	`accent`	`violet-600`	`#7f22fe`	rgb(127, 34, 254)	`#a684ff`	rgb(166, 132, 255)	0	eTicket badge, Electronic KPI card, Assign training resolution.
	`accent-text`	`violet-700`	`#7008e7`	rgb(112, 8, 231)	`#c4b4ff`	rgb(196, 180, 255)	7	Text of the eTicket badge and the Electronic KPI value.
	`accent-subtle`	`violet-50`	`#f5f3ff`	rgb(245, 243, 255)	`#2f0d68`	rgb(47, 13, 104)	5	Background of the eTicket badge.
	`info`	`blue-700`	`#1447e6`	rgb(20, 71, 230)	`#8ec5ff`	rgb(142, 197, 255)	28	Text of the "View only" strip and informational notes (shares the primary hue on purpose).
	`info-subtle`	`blue-50`	`#eff6ff`	rgb(239, 246, 255)	`#162456`	rgb(22, 36, 86)	24	Background of the "View only" strip and info notes.
	`neutral-inverse`	`slate-900`	`#0f172b`	rgb(15, 23, 43)	`#f1f5f9`	rgb(241, 245, 249)	20	Selected sub-category card border and number.

The eleven required roles map as: **primary** = `primary`, **secondary** = `secondary`, **background** = `background`, **surface** = `surface`, **text-primary** = `text-primary`, **text-secondary** = `text-secondary`, **border** = `border`, **success** = `success`, **warning** = `warning`, **error** = `error`, **info** = `info`. The other tokens are the subtle / text / hover

companions each role needs to render a pill, chip or banner.

WCAG 2.1 contrast

Normal text needs **4.5 : 1** (AA) or 7 : 1 (AAA); large text (≥ 18.66 px bold / 24 px) and essential UI parts need **3 : 1**.

Foreground	Background	Where	Light ratio	Light result	Dark ratio	Dark result
`text-primary`	`surface`	Titles and primary values on cards	17.83 : 1	AAA	17.04 : 1	AAA
`text-primary`	`background`	Titles on the page body	17.04 : 1	AAA	19.27 : 1	AAA
`text-body`	`surface`	Body copy, table cells, message templates	10.36 : 1	AAA	12 : 1	AAA
`text-secondary`	`surface`	Descriptions, field labels, table headers	4.76 : 1	AA	6.78 : 1	AA
`text-secondary`	`background`	Labels on zebra rows and tinted header bands	4.55 : 1	AA	7.66 : 1	AAA
`text-muted`	`surface`	KPI sub-lines, empty dashes, placeholders	2.63 : 1	FAIL	3.74 : 1	AA large only — FAIL for body text
`text-muted`	`background`	Muted text on the table header band	2.51 : 1	FAIL	4.23 : 1	AA large only — FAIL for body text
`surface`	`primary`	Primary button label (white on blue)	5.25 : 1	AA	4.74 : 1	AA
`primary`	`surface`	Active tab, citation numbers, links	5.25 : 1	AA	4.74 : 1	AA
`primary-hover`	`primary-subtle`	PAPER badge, In Court pill	6.28 : 1	AA	5.6 : 1	AA
`secondary-foreground`	`secondary`	Count pills, Closed pill	9.45 : 1	AAA	11.86 : 1	AAA
`secondary-foreground`	`surface`	Outline button label	10.36 : 1	AAA	14.46 : 1	AAA
`success-text`	`success-subtle`	Paid pill	5.09 : 1	AA	9.97 : 1	AAA
`warning-text`	`warning-subtle`	Due pill, In Review	4.85 : 1	AA	10.37 : 1	AAA
`error-text`	`error-subtle`	OOS chip, Speeding badge	5.87 : 1	AA	8.42 : 1	AAA
`danger`	`surface`	Outstanding value, Delete ticket in ⁝	4.53 : 1	AA	4.75 : 1	AA
`danger`	`danger-subtle`	Critical severity chip	4.12 : 1	AA large only — FAIL for body text	4.18 : 1	AA large only — FAIL for body text
`surface`	`error`	Remove ticket / Terminate driver	4.77 : 1	AA	6.17 : 1	AA
`surface`	`accent`	White on violet (eTicket emphasis)	5.89 : 1	AA	6.25 : 1	AA
`accent-text`	`accent-subtle`	eTicket badge	6.65 : 1	AA	8.21 : 1	AAA
`info`	`info-subtle`	"View only" strip	6.28 : 1	AA	8.15 : 1	AAA

Foreground	Background	Where	Light ratio	Light result	Dark ratio	Dark result
`surface`	`neutral-inverse`	Selected sub-category card (white on slate-900)	17.83 : 1	AAA	16.28 : 1	AAA
`border`	`surface`	Card / table border against the card (non-text; 3:1 only for essential UI)	1.23 : 1	FAIL	1.22 : 1	FAIL
`border-strong`	`surface`	Form input border (non-text UI component, WCAG 1.4.11 asks 3:1)	1.49 : 1	FAIL	1.72 : 1	FAIL

Failing pairs (5): `text-muted` on `surface` (kpi sub-lines, empty dashes, placeholders); `text-muted` on `background` (muted text on the table header band); `danger` on `danger-subtle` (critical severity chip); `border` on `surface` (card / table border against the card (non-text; 3:1 only for essential ui)); `border-strong` on `surface` (form input border (non-text ui component, wcag 1.4.11 asks 3:1)).

What to do about them:

- `text-muted` (slate-400) is used for **text** on 59 class occurrences (KPI sub-lines, empty dashes, placeholders). Move every *text* use to `text-secondary` (slate-500, 4.76 : 1); keep slate-400 for icons and decorative rules only.
- `danger` text (rose-600) on `danger-subtle` is 4.12 : 1 — set pill text to rose-700 (`#c70036` , 5.49 : 1), as the Terminated pill already does.
- `border` (slate-200) is fine for card outlines, which are not essential to understanding; for **form inputs** use `border-strong` and darken it to slate-400 (`#90a1b9` , 2.63 : 1) if WCAG 1.4.11 compliance is required.

Raw palette in use

All 83 Tailwind colours referenced by the Tickets code, most used first (counts are class occurrences across the section's source files).

	Tailwind	HEX	RGB	Uses
	`slate-200`	`#e2e8f0`	rgb(226, 232, 240)	93
	`white`	`#ffffff`	rgb(255, 255, 255)	79
	`slate-400`	`#90a1b9`	rgb(144, 161, 185)	59
	`slate-500`	`#62748e`	rgb(98, 116, 142)	44
	`slate-50`	`#f8fafc`	rgb(248, 250, 252)	43
	`slate-100`	`#f1f5f9`	rgb(241, 245, 249)	35
	`blue-600`	`#155dfc`	rgb(21, 93, 252)	35
	`slate-700`	`#314158`	rgb(49, 65, 88)	33
	`blue-500`	`#2b7fff`	rgb(43, 127, 255)	32
	`slate-600`	`#45556c`	rgb(69, 85, 108)	30
	`slate-300`	`#cad5e2`	rgb(202, 213, 226)	29
	`blue-700`	`#1447e6`	rgb(20, 71, 230)	28
	`blue-50`	`#eff6ff`	rgb(239, 246, 255)	24
	`slate-900`	`#0f172b`	rgb(15, 23, 43)	20
	`slate-800`	`#1d293d`	rgb(29, 41, 61)	20

	Tailwind	HEX	RGB	Uses
	`blue-200`	`#bedbff`	rgb(190, 219, 255)	14
	`amber-50`	`#fffbeb`	rgb(255, 251, 235)	10
	`red-700`	`#c10007`	rgb(193, 0, 7)	9
	`red-50`	`#fef2f2`	rgb(254, 242, 242)	9
	`emerald-700`	`#007a55`	rgb(0, 122, 85)	8
	`emerald-600`	`#009966`	rgb(0, 153, 102)	8
	`violet-700`	`#7008e7`	rgb(112, 8, 231)	7
	`rose-600`	`#ec003f`	rgb(236, 0, 63)	7
	`red-200`	`#ffc9c9`	rgb(255, 201, 201)	7
	`emerald-50`	`#ecfdf5`	rgb(236, 253, 245)	7
	`amber-700`	`#bb4d00`	rgb(187, 77, 0)	7
	`amber-200`	`#fee685`	rgb(254, 230, 133)	7
	`violet-50`	`#f5f3ff`	rgb(245, 243, 255)	5
	`rose-700`	`#c70036`	rgb(199, 0, 54)	5
	`rose-500`	`#ff2056`	rgb(255, 32, 86)	5
	`rose-50`	`#fff1f2`	rgb(255, 241, 242)	5
	`indigo-700`	`#432dd7`	rgb(67, 45, 215)	5
	`emerald-500`	`#00bc7d`	rgb(0, 188, 125)	5
	`emerald-200`	`#a4f4cf`	rgb(164, 244, 207)	5
	`amber-500`	`#fe9a00`	rgb(254, 154, 0)	5
	`violet-500`	`#8e51ff`	rgb(142, 81, 255)	4
	`violet-200`	`#ddd6ff`	rgb(221, 214, 255)	4
	`blue-400`	`#51a2ff`	rgb(81, 162, 255)	4
	`blue-300`	`#8ec5ff`	rgb(142, 197, 255)	4
	`blue-100`	`#dbeafe`	rgb(219, 234, 254)	4
	`amber-600`	`#e17100`	rgb(225, 113, 0)	4
	`red-100`	`#ffe2e2`	rgb(255, 226, 226)	3
	`indigo-500`	`#615fff`	rgb(97, 95, 255)	3
	`indigo-50`	`#eef2ff`	rgb(238, 242, 255)	3
	`amber-800`	`#973c00`	rgb(151, 60, 0)	3
	`amber-100`	`#fef3c6`	rgb(254, 243, 198)	3
	`teal-700`	`#00786f`	rgb(0, 120, 111)	2
	`teal-500`	`#00bba7`	rgb(0, 187, 167)	2
	`teal-50`	`#f0fdfa`	rgb(240, 253, 250)	2
	`sky-700`	`#0069a8`	rgb(0, 105, 168)	2
	`sky-500`	`#00a6f4`	rgb(0, 166, 244)	2

	Tailwind	HEX	RGB	Uses
	sky-50	#f0f9ff	rgb(240, 249, 255)	2
	rose-200	#ffccd3	rgb(255, 204, 211)	2
	rose-100	#ffe4e6	rgb(255, 228, 230)	2
	indigo-200	#c6d2ff	rgb(198, 210, 255)	2
	fuchsia-700	#a800b7	rgb(168, 0, 183)	2
	fuchsia-500	#e12afb	rgb(225, 42, 251)	2
	fuchsia-50	#fdf4ff	rgb(253, 244, 255)	2
	emerald-100	#d0fae5	rgb(208, 250, 229)	2
	blue-800	#193cb8	rgb(25, 60, 184)	2
	amber-300	#ffd230	rgb(255, 210, 48)	2
	violet-100	#ede9fe	rgb(237, 233, 254)	1
	teal-200	#96f7e4	rgb(150, 247, 228)	1
	teal-100	#cbfbf1	rgb(203, 251, 241)	1
	sky-200	#b8e6fe	rgb(184, 230, 254)	1
	sky-100	#dff2fe	rgb(223, 242, 254)	1
	red-600	#e7000b	rgb(231, 0, 11)	1
	red-500	#fb2c36	rgb(251, 44, 54)	1
	purple-700	#8200db	rgb(130, 0, 219)	1
	purple-50	#faf5ff	rgb(250, 245, 255)	1
	purple-100	#f3e8ff	rgb(243, 232, 255)	1
	pink-700	#c6005c	rgb(198, 0, 92)	1
	pink-50	#fdf2f8	rgb(253, 242, 248)	1
	pink-100	#fce7f3	rgb(252, 231, 243)	1
	orange-700	#ca3500	rgb(202, 53, 0)	1
	orange-50	#fff7ed	rgb(255, 247, 237)	1
	orange-100	#ffedd4	rgb(255, 237, 212)	1
	indigo-100	#e0e7ff	rgb(224, 231, 255)	1
	fuchsia-200	#f6cfff	rgb(246, 207, 255)	1
	fuchsia-100	#fae8ff	rgb(250, 232, 255)	1
	blue-900	#1c398e	rgb(28, 57, 142)	1
	amber-900	#7b3306	rgb(123, 51, 6)	1
	[#F8FAFC]	#f8fafc	rgb(248, 250, 252)	1

Notes

- text-muted (slate-400) fails 4.5:1 on white and slate-50; it is used for KPI sub-lines, empty dashes and placeholders. Recommended fix: use slate-500 for any text.

- The KPI cards carry a 1.5 px coloured bar and a coloured value: Outstanding rose, Open Offenses amber, In Court indigo, Paid emerald, Electronic violet. Indigo appears only on that card — the In Court pill is blue.
- Some components mix the red and rose families for errors/danger, and green with emerald for success; the tokens above pick one family per role.

5 Data model

What the Tickets section stores, collection by collection, with the fields the UI reads and writes, how the collections point at each other and at Account's, and the indexes the list, tabs, KPIs, reconciliation and Monitoring need. One JSON Schema per collection is in collections/ and 3–5 fictional sample documents per collection in sample-data/. All three are generated from one definition, so they cannot drift.

Conventions: calendar days (`date` , `dueDate` , `finalDate`) are `YYYY-MM-DD` strings; timestamps are ISO date-times. Every document belongs to one `carrierId` and every query starts with it. Money is stored per ticket with its currency and never summed across currencies. Clearing a field is `$unset` or `null` .

> **ASSUMPTION:** the prototype has no database; this model is derived from the TypeScript types it uses today (`TicketRecord` , `TicketViolation` , `TicketVehicle` , `TicketIdentifiers` , `MissingTicketRef` , `RecordReview`) and from the form in ../docs/page-overview.md. Where the model improves on the prototype — required `carrierId` , `paidAt` , structured location, stored activity, persisted reference dismissals, ids instead of free-text links — it says so and the point is in TO CONFIRM.

Collections at a glance

Collection	One document per	Written by	Read by
`tickets`	ticket / citation	Add / Edit form, status pill, monitored-date edit, missing-reference "Add", violation sync, driver application	List, tabs, KPIs, detail, Monitoring, profile insights, driver profile, Messages dashboards, roadside citation search
`ticket_references`	regulator reference that should have a ticket	regulator feed sync, violation log, Dismiss	Missing-references banner and table
`record_reviews`	reviewed record (`subjectKind = "ticket"` here)	Review tab: verify, note, resolve, reopen	Review tab, Activity tab
`ticket_activity`	event on a ticket	every ticket write (server side)	Activity tab

Relationships

```
carriers (Account) 1 ──< tickets           (tickets.carrierId)
drivers  (Account) 1 ──< tickets           (tickets.driverId; driverName denormalised)
assets   (Account) 1 ──< tickets           (vehicle.assetId, vehicle2.assetId — snapshots kept on the
ticket)
tickets            1 ──1 record_reviews    (subjectKind "ticket", subjectId)
tickets            1 ──< ticket_activity   (ticketId)
ticket_references  * ──1 tickets           (matchedTicketId; null = missing)
tickets            * ──1 accidents         (accidentId)          ┐ outside this section
tickets            * ──1 roadside inspections (roadsideInspectionId) │
record_reviews     1 ──1 compliance Warning Letter (warningLetterId) │
record_reviews     1 ──1 Messages conversation (delivery.conversationId) ┘
```

Rules the relationships imply:

- **Citation #** unique per carrier; creating a ticket whose normalised citation / ticket number matches a reference sets that reference's `matchedTicketId`, so it leaves the missing list.
- **Primary violation** (`primary.*`) is written from `violations[0]` on every save.
- **Flags** (`flags.ticketFile / receiptFile / noticeFile`) are derived from `documents` on every save.
- **paidAt** is set when status becomes Paid and cleared when it leaves Paid.
- **Monitoring feed** (not stored): tickets with status Due / In Court and `dueMonitoring.enabled` / `finalMonitoring.enabled` → alerts "Ticket due date" / "Final date", subject = driver.
- **Deleting** is a soft delete (`deletedAt`); its review and activity stay.

`tickets`

One document per ticket. Charges, vehicles, identifiers, court / eTicket details, monitored dates and documents are embedded because they are always read and written with the ticket. The list, tabs, KPIs, detail page, form, Monitoring feed, profile insights and the driver profile all read this collection.

Field	Type	Required	Default	Description
`_id`	string	yes	—	"tkt-" (legacy seed ids "1"..."14" and "acct-001-tkt-NNN" migrate as-is).
`carrierId`	string	yes	—	→ `carriers._id` (Account). Required — the prototype drops it for form / banner / violation-created tickets.
`offenseNumber`	string	yes	—	The ticket citation # people read. Unique per carrier (partial index, deletedAt null).
`ticketKind`	string	yes	`"Paper"`	One of: `Paper`, `Electronic`.
`date`	date	yes	—	Issue date, YYYY-MM-DD.
`time`	string	no	`null`	HH:MM; null = unknown (the prototype stores "00:00").
`driverId`	string	no	`null`	→ `drivers._id` (Account).
`driverName`	string	yes	—	Denormalised at write time.
`vehicle.assetId`	string	no	`null`	→ `assets._id` (Account) — the power unit.
`vehicle.unitNumber`	string	no	`""`	Snapshot at the time of the ticket.
`vehicle.plateNumber`	string	no	`""`	
`vehicle.plateJurisdiction`	string	no	`""`	State / province code.
`vehicle.vin`	string	no	`""`	
`vehicle.label`	string	no	`""`	"Kenworth T800 2022".

Field	Type	Required	Default	Description
`vehicle.kind`	string	no	`""`	"Truck · Power Unit", "Trailer · Dry Van Trailer".
`vehicle2.assetId`	string	no	`null`	→ `assets._id` (Account) — the trailer (optional).
`vehicle2.unitNumber`	string	no	`""`	Snapshot at the time of the ticket.
`vehicle2.plateNumber`	string	no	`""`	
`vehicle2.plateJurisdiction`	string	no	`""`	State / province code.
`vehicle2.vin`	string	no	`""`	
`vehicle2.label`	string	no	`""`	"Kenworth T800 2022".
`vehicle2.kind`	string	no	`""`	"Truck · Power Unit", "Trailer · Dry Van Trailer".
`location.street`	string	no	`""`	Street / highway / mile marker.
`location.city`	string	no	`""`	
`location.state`	string	no	`""`	State / province code (ON, DE).
`location.zip`	string	no	`""`	
`location.country`	string	yes	`"USA"`	Also picks the code list (US SMS vs Canadian CVOR / NSC). One of: `USA`, `Canada`.
`description`	string	no	`""`	Free text (kept separate from the street — the prototype mixes them).
`violations`	object[]	yes	—	≥ 1 charge: `{ label, type?, subtype?, category?, group?, code?, isOos?, source: "preset"|"sms", dataId? }`. [0] is Primary.
`primary.type`	string	yes	—	Mirror of violations[0] — the narrow bucket used by badges and filters. One of: `Speeding`, `Overweight`, `Logbook violation`, `Equipment defect`, `Insurance lapse`, `Red Light`, `Parking`.
`primary.subtype`	string	no	`""`	Full master-chart text.
`primary.category`	string	no	`""`	BASIC family ("Unsafe Driving").
`primary.group`	string	no	`""`	Violation group — drives the sub-category cards.

Field	Type	Required	Default	Description
`primary.code`	string	no	`""`	SMS / CVOR / NSC code.
`isOos`	boolean	yes	`false`	Any charge qualifies for out-of-service.
`outOfService`	boolean	no	`null`	Answer to "Out of Service?" (null = unanswered).
`commercialVehicle`	boolean	no	`null`	Answer to "Were you in a commercial vehicle?".
`penalties`	string[]	no	`[]`	Items: `Fine`, `Suspension`, `Revocation`, `Community Service`, `Other`.
`demeritPoints`	int	no	`null`	≥ 0.
`fineAmount`	number	yes	`0`	≥ 0, 2 decimals.
`legalExpense`	number	no	`0`	Lawyer, paralegal and court costs on top of the fine.
`currency`	string	yes	`"USD"`	Money is never summed across currencies. One of: `USD`, `CAD`.
`status`	string	yes	`"Due"`	One of: `Due`, `In Court`, `Paid`, `Closed`.
`paidAt`	date	no	`null`	Set when status becomes Paid (new — "Paid This Month" uses it).
`dueDate`	date	no	`null`	Pay or answer by. YYYY-MM-DD.
`finalDate`	date	no	`null`	Court date / last deadline. ≥ date.
`dueMonitoring.enabled`	boolean	yes	`true`	Reminders for the due date on / off.
`dueMonitoring.basis`	string	yes	`"expiry"`	"expiry" = the date itself; "custom" = customDate. One of: `expiry`, `custom`.
`dueMonitoring.customDate`	date	no	`null`	YYYY-MM-DD when basis = custom.
`dueMonitoring.reminders`	int[]	yes	`[30,15,7,0]`	Subset of 90, 60, 45, 30, 15, 7, 0 (0 = on the date).
`dueMonitoring.channels.email`	boolean	yes	`true`	
`dueMonitoring.channels.inApp`	boolean	yes	`true`	

Field	Type	Required	Default	Description
`dueMonitoring.assigneeUserId`	string	no	`null`	→ `users._id`; who acts on the reminder.
`finalMonitoring.enabled`	boolean	yes	`true`	Reminders for the final date on / off.
`finalMonitoring.basis`	string	yes	`"expiry"`	"expiry" = the date itself; "custom" = customDate. One of: `expiry`, `custom`.
`finalMonitoring.customDate`	date	no	`null`	YYYY-MM-DD when basis = custom.
`finalMonitoring.reminders`	int[]	yes	`[30,15,7,0]`	Subset of 90, 60, 45, 30, 15, 7, 0 (0 = on the date).
`finalMonitoring.channels.email`	boolean	yes	`true`	
`finalMonitoring.channels.inApp`	boolean	yes	`true`	
`finalMonitoring.assigneeUserId`	string	no	`null`	→ `users._id`; who acts on the reminder.
`details.officerName`	string	no	`""`	Paper.
`details.officerBadge`	string	no	`""`	Paper.
`details.courtLocation`	string	no	`""`	Paper.
`details.courtDate`	date	no	`null`	Paper.
`details.portalUrl`	string	no	`""`	Electronic.
`details.qrReference`	string	no	`""`	Electronic.
`details.issuingDevice`	string	no	`""`	Electronic.

Field	Type	Required	Default	Description
`identifiers`	object	no	`{}`	Regulatory and admin numbers: ticketNumber, citationNumber, violationTicketNumber, offenceNumber, offenceNoticeNumber, contraventionNumber, microfilmNumber, docketNumber, courtCaseNumber, courtLocationCode, iconCourtCode, violationCode, statuteSection, driverLicenceNumber, plateNumber, vinNumber, inspectionReportNumber, officerBadgeNumber, usdotNumber, mcNumber, cvorNumber, nscNumber, carrierNumber, finePenaltyNumber, paymentReferenceNumber, receiptNumber.
`documents`	object[]	no	`[]`	`{ docTypeId, docNumber, issueDate, files: [{ fileId, name, size, contentType }] }` — docTypeId one of viol_ticket, viol_eticket, viol_summons, viol_officer_report, viol_fine_receipt, viol_court_disposition. Files live in object storage.
`flags.ticketFile`	boolean	yes	`false`	Derived from documents on write (drives the list icons).
`flags.receiptFile`	boolean	yes	`false`	True when a Fine Payment Receipt document exists.
`flags.noticeFile`	boolean	yes	`false`	
`assignedToThirdParty`	boolean	no	`false`	Handed to a lawyer / paralegal.
`assigneeName`	string	no	`""`	
`accidentId`	string	no	`null`	→ accidents (by id, not by text).
`roadsideInspectionId`	string	no	`null`	→ roadside inspections.
`source`	string	yes	`"manual"`	How the ticket came in. One of: `manual`, `reference`, `violation`, `application`, `seed`.
`sourceRefId`	string	no	`null`	→ `ticket_references._id` or the violation / application it came from.
`createdByUserId`	string	no	`null`	→ `users._id`.
`deletedAt`	date	no	`null`	Soft delete.
`createdAt`	date	yes	`now`	Set by the server on insert.
`updatedAt`	date	yes	`now`	Set by the server on every write.

Indexes

Index	Options	Why
`{ carrierId: 1, offenseNumber: 1 }`	unique, partial (deletedAt null)	One citation # per carrier; search.
`{ carrierId: 1, status: 1, date: -1 }`	—	KPIs, status filter, default order.

Index	Options	Why
`{ carrierId: 1, "primary.category": 1, "primary.type": 1 }`	—	Category tabs and type filter.
`{ carrierId: 1, driverId: 1 }`	sparse	Driver profile Tickets tab; Messages dashboards.
`{ carrierId: 1, "vehicle.assetId": 1 }`	sparse	Asset views.
`{ carrierId: 1, dueDate: 1 }, { carrierId: 1, finalDate: 1 }`	partial (status in Due, In Court)	Monitoring feed.
`{ "identifiers.ticketNumber": 1 }, { "identifiers.citationNumber": 1 }`	sparse	Reference reconciliation.
`{ offenseNumber: "text", driverName: "text", "location.city": "text" }`	text	List search.

Schema: collections/tickets.json · Samples: sample-data/tickets.json

`ticket_references`

Every reference that should have a ticket: the carrier's citation-issued violations and the regulator feeds (SMS, contraventions, CVOR / NSC convictions). "Missing" = no ticket matches it. Replaces the prototype's in-memory dismissals and synced batches.

Field	Type	Required	Default	Description
`_id`	string	yes	—	"mt-viol-" / "mt-ext-".
`carrierId`	string	yes	—	→ `carriers._id`.
`sourceKind`	string	yes	—	One of: `violation`, `external-feed`.
`source`	string	yes	—	One of: `VIOL-LOG`, `SMS`, `CONTRAV`, `CVOR-CONV`, `NSC-AB-CONV`, `NSC-NS-CONV`, `NSC-PEI-CONV`.
`date`	date	yes	—	YYYY-MM-DD.
`time`	string	no	`null`	
`driverName`	string	yes	—	
`driverLicense`	string	no	`""`	
`city`	string	no	`""`	
`state`	string	no	`""`	
`country`	string	no	`"USA"`	One of: `USA`, `CA`.
`ticketNumber`	string	no	`""`	
`citationNumber`	string	no	`""`	
`convictionNumber`	string	no	`""`	
`convictionDate`	date	no	`null`	
`violationCode`	string	yes	—	
`violationDescription`	string	yes	—	

Field	Type	Required	Default	Description
`severity`	string	yes	`"Minor"`	One of: `OOS`, `Critical`, `Serious`, `Moderate`, `Minor`.
`fineAmount`	number	no	`0`	
`currency`	string	yes	`"USD"`	One of: `USD`, `CAD`.
`normalizedRefs`	string[]	yes	`[]`	Alphanumeric lower-case reference numbers used for matching.
`matchedTicketId`	string	no	`null`	→ `tickets._id` once on file (null = missing).
`dismissedAt`	date	no	`null`	
`dismissedByUserId`	string	no	`null`	
`syncedAt`	date	yes	`now`	When the feed delivered it.

Indexes

Index	Options	Why
`{ carrierId: 1, matchedTicketId: 1, dismissedAt: 1, date: -1 }`	—	The missing list (matchedTicketId null, not dismissed).
`{ carrierId: 1, normalizedRefs: 1 }`	multikey	Matching new tickets against references.
`{ carrierId: 1, source: 1 }`	—	Per-source verified / missing counts.

Schema: collections/ticket_references.json · Samples: sample-data/ticket_references.json

`record_reviews`

One review per reviewed record. Shared by tickets, accidents, HOS violations and safety events; for this section `subjectKind = "ticket"`.

Field	Type	Required	Default	Description
`_id`	objectId	yes	—	
`carrierId`	string	yes	—	→ `carriers._id`.
`subjectKind`	string	yes	—	One of: `ticket`, `accident`, `hos-violation`, `safety-event`.
`subjectId`	string	yes	—	→ `tickets._id` here.
`status`	string	yes	`"review"`	Every ticket starts in review. One of: `review`, `resolved`.
`verified`	boolean	yes	`false`	
`verifiedByUserId`	string	no	`null`	
`disposition`	string	no	`null`	One of: `training`, `warning`, `alert`, `notice`, `terminated`, `false`.
`trainingName`	string	no	`null`	Course, when disposition = training.
`delivery.via`	string	no	`null`	One of: `in-app`, `external`, `email`.

Field	Type	Required	Default	Description
`delivery.to`	string	no	`""`	Email for external / email.
`delivery.conversationId`	string	no	`null`	→ the Messages conversation.
`warningLetterId`	string	no	`null`	The Warning Letter filed on the driver's compliance record.
`reviewedByUserId`	string	no	`null`	
`notes`	object[]	no	`[]`	`{ text, byUserId, at }`.
`createdAt`	date	yes	`now`	Set by the server on insert.
`updatedAt`	date	yes	`now`	Set by the server on every write.

Indexes

Index	Options	Why
`{ subjectKind: 1, subjectId: 1 }`	unique	One review per record.
`{ carrierId: 1, status: 1 }`	—	Open reviews per carrier.

Schema: collections/record_reviews.json · Samples: sample-data/record_reviews.json

`ticket_activity`

A real audit log for each ticket (the prototype generates a fixed trail on every view). One row per event: created, updated (with the change list), status, dates, document uploaded, shared, linked, assigned, review steps.

Field	Type	Required	Default	Description
`_id`	objectId	yes	—	
`carrierId`	string	yes	—	
`ticketId`	string	yes	—	→ `tickets._id`.
`kind`	string	yes	—	One of: `created`, `updated`, `status`, `uploaded`, `shared`, `linked`, `assigned`, `verified`, `note`, `resolved`, `reopened`, `deleted`.
`title`	string	yes	—	"Status — In Court", "Ticket file uploaded".
`detail`	string	no	`""`	
`changes`	object[]	no	`[]`	`{ field, from, to }`.
`byUserId`	string	no	`null`	
`byName`	string	yes	—	
`role`	string	yes	`"Office"`	One of: `Office`, `Reviewer`, `Driver`, `System`, `Citation`.
`at`	date	yes	`now`	

Indexes

Index	Options	Why
`{ ticketId: 1, at: -1 }`	—	Activity tab, newest first.

Schema: collections/ticket_activity.json · Samples: sample-data/ticket_activity.json

Sample data

Every document in sample-data/ is fictional and lines up with the Account samples (carrier `acct-001` Acme Trucking Inc., drivers `DRV-001-…`, units `AST-001-…`). The tickets cover a paper ticket in court with two charges, a trailer, documents and legal expense (the walkthrough's OFF-84729); a paid eTicket logged from an SMS reference with a receipt; a Canadian (CAD) Ontario ticket that is due; and a closed ticket created from a driver application. The references cover a matched one, a missing OOS one, a Canadian conviction and a dismissed violation-log entry; the reviews cover a warning letter, assigned training and one still in review. Emails use `.example`, numbers are invented.

TO CONFIRM

1. Required `carrierId` on every ticket (the prototype drops it for form-, banner- and violation-created tickets).
2. `paidAt` as the basis of "Paid This Month" (today: the issue date).
3. Stable ids for seeded tickets (Acme's are regenerated on every load).
4. Structured `location` + separate `description` (today the street is folded into the description).
5. Store the activity trail (`ticket_activity`) instead of generating it.
6. Persist reference dismissals and feed syncs (`ticket_references`).
7. Link accidents and roadside inspections by id instead of free text.
8. Soft delete for every ticket (today only edited copies can be removed).

6 Agent instructions — summary

Sections 1, 2, 4, 6 and 8 of `docs/agent.md`. The file structure (§3), the full API (§5) and the do's and don'ts (§7) are in the file itself.

1. Purpose

Tickets is the carrier's ledger of **driver tickets and offences** — paper and electronic citations from US (SMS / FMCSA) and Canadian (CVOR, NSC) enforcement:

- **List** — every ticket with citation #, driver, vehicles, location, violation, fine and status; category tabs by violation family; KPIs for money owed and court cases; a reconciliation banner listing regulator references that have **no ticket on file**.
- **Ticket detail** — the full record, its documents, a **review** that ends in a resolution sent to the driver (training, warning letter, safety alert, notice, termination, or dismissal), and its activity.
- **Add / Edit** — one six-section form: driver & vehicles, identifiers, location, violations & money, monitored dates, documents.

Open tickets feed **Compliance Monitoring** (due date and final date reminders). Everything is **scoped to one carrier**.

---

2. Tech stack

2.1 Current (the prototype you are maintaining)

Layer	Choice
UI	React 19 + TypeScript 5.9, Vite 7, Tailwind CSS 4.1, lucide-react
Routing	One path, `/tickets`, held in `App.tsx` state. The detail page (`expandedId`) and the form (`isDialogOpen`) are component state inside `TicketsPage`; `useBackAwareView` lets browser Back close the detail.
Data	Seed per carrier (`carrier-tickets.data.ts`, synthesised from the carrier's "Citation Issued" violations + 14 legacy rows for Acme) merged with a localStorage store (`tickets.store.ts`, key `tracksmart_user_tickets_v1`); reviews in `record-review.ts` (`record-review-v1`); deliveries through `messages-store`
Roles	`roles.data.ts` key `tickets` (OFFICE row); gate in `App.tsx`
Build / check	`npx tsc -b` **and** `npx vite build`

2.2 Target

ASSUMPTION — TO CONFIRM: React + TypeScript front end, a **Node.js REST API**, **MongoDB** with the collections in ../data/schema.md. `tickets.store.ts` and `record-review.ts` become thin clients of the API so the pages do not change.

---

4. Behaviour you must preserve

1. **Carrier scope.** Every ticket belongs to one carrier; every list, KPI, tab and reference check is for the active carrier. **A ticket created from the form, the missing banner or a violation must get the carrier** (the prototype drops it — page-overview §11 #6).
2. **One citation number.** Typing the citation # sets `offenseNumber`, `identifiers.ticketNumber` and `identifiers.citationNumber` together; it is unique per carrier and the de-duplication key.
3. **Violations.** A ticket carries one or more charges (`violations[]`); the first is **Primary** and is mirrored into the flat `violationType / violationSubtype / violationCategory / violationGroup / isOos / identifiers.violationCode` that the list, tabs, filters and badges read.
4. **Vehicles.** Vehicle 1 (power unit) and vehicle 2 (trailer) are **snapshots** of the fleet record at the time (unit, plate, jurisdiction, VIN, label, kind); `assetId` mirrors vehicle 1.
5. **Money.** `fineAmount` and `legalExpense` are separate; total = fine + legal expense; currency per ticket (USD / CAD). **Never add USD and CAD together** (the prototype's Outstanding KPI does).
6. **Status.** Due · In Court · Paid · Closed; any change at any time; the pill saves at once. The form must save **Paid** as Paid (the prototype stores Due).
7. **Category tabs** are computed from category + type (regex rules in page-overview §2.1); tabs overlap.
8. **Monitoring.** Each Due / In Court ticket yields a "Ticket due date" alert and a "Final date" alert (each with its own reminders, default 30 / 15 / 7 days + on the day), or a court-date / status watch when neither date is set; subject = the driver; link opens the ticket.
9. **Review.** Every ticket starts "In Review": verify → one resolution → closed (reopen allowed). Delivered resolutions go through Messages (in-app chat, secure external link, or email). **Issue warning letter** also files a Warning Letter on the driver's compliance record. **Dismiss as false** closes without sending.
10. **Missing references.** Cross-check the carrier's citation-issued violations and regulator feeds (SMS, contraventions, CVOR / NSC convictions) against tickets by normalised reference; logging one must remove it from the list.
11. **Documents.** Five document types (Violation Ticket / Citation, Summons / Court Notice, Officer Violation Report, Fine Payment Receipt, Court Disposition / Judgment), each with number, date and files; the receipt sets the "receipt on file" flag. Editing must **keep** existing documents.
12. **Links.** Roadside inspections link a citation to a ticket; accidents cross-reference by accident # (store ids, not text); a driver application's incidents become Closed tickets.
13. **Navigation.** Detail opens over the list; Save / Cancel return to the list; Back closes the detail (and should close the form).

---

6. Validation and security rules

- **Auth** on every route; roles are per carrier. `tickets`: Admin, Fleet Admin, Safety Manager full; **User light**; Driver hidden; Super Admin full. **Enforce light on the server** and disable the controls in the UI (the prototype only shows a banner).
- **TicketInput:** `offenseNumber` required, trimmed, unique per carrier · `date` required (ISO day), `time` HH:MM · `driverId` must be on the carrier's roster (or null with `driverName`) · `vehicle.assetId` / `vehicle2.assetId` must be the carrier's units · `location.country` USA / Canada, `state` in that country's list · `violations` ≥ 1, `code` must exist in the catalogue for the country · `fineAmount` ≥ 0 (2 decimals), `legalExpense` ≥ 0, `demeritPoints` integer ≥ 0 · `currency` USD / CAD · `status` one of four · `dueDate` / `finalDate` ISO days, `finalDate ≥ date` · `penalties` ⊆ Fine, Suspension, Revocation, Community Service, Other · `accidentId` / `roadsideInspectionId` must belong to the carrier.
- **Documents:** PDF / JPG / PNG, ≤ 20 MB each, virus-scanned; stored in object storage, not the database.
- **Resolution delivery:** email validated; external links signed and expiring; training needs a course; a warning letter is filed only for a roster driver.
- **Personal data:** licence numbers and VINs are personal / sensitive — return them only to full-access roles; never in share link previews.

- **Rate limits:** 60 writes / minute / user; `sync` 6 / hour / carrier.
- **Audit:** every write appends to the ticket's activity with user, role and timestamp (replacing today's generated trail).

---

8. Acceptance checklist

- [ ] `npx tsc -b` and `npx vite build` pass.
- [ ] List matches list-default: header, 7 category tabs with counts, 6 KPI cards, banner, sub-category cards, filters, table, pager; phone cards below 768 px.
- [ ] KPIs keep USD and CAD apart; Paid This Month uses a payment date.
- [ ] Status pill saves at once and the same value shows on the detail page and in Monitoring.
- [ ] Row ⁝: Open / Edit / Share / Delete; delete removes **any** ticket (soft delete) after "Remove this ticket?".
- [ ] Missing references: show / hide, select, bulk add, dismiss (persisted), sync; a logged reference disappears from the list.
- [ ] Detail: header, tiles, Overview (6 cards + jump-to-section), Documents, Review, Activity — matches detail-overview.
- [ ] Monitored dates edit in place and drive Monitoring alerts.
- [ ] Review: verify, notes, each of the six resolutions; delivered ones arrive in Messages; a warning letter is filed on the driver's record; reopen works.
- [ ] Form: six sections; Paid saves as Paid; a new ticket appears in the carrier's list; editing keeps documents, kind and court details.
- [ ] Light role cannot change anything (UI disabled and server 403); hidden role gets "Not in your menu".
- [ ] Browser Back closes the detail page and the form.
- [ ] Mobile 390 px: no page-level horizontal scroll; cards instead of the table — matches list-default-mobile.

7 Links

Figma file	**TO CONFIRM — not created.** No Figma access in the documenting session. Build guide, tokens (`design/figma/tokens.json`) and components (`design/figma/components.html`) are ready: see `design/figma-link.md` .
Video	`video/tickets-walkthrough.mp4` — 2 min 11 s, 1920 × 1080, H.264, captions burned in; script with timestamps in `video/script.md` .
Hosted docs	Not hosted — by decision. The documentation is this folder and this PDF.
App (local)	`http://localhost:5173/` → sign in with a demo test account → sidebar **Tickets** (`/tickets`).

Files in this folder

CHECKLIST.md — the Step 12 final check: what was verified, and the open decisions (TO CONFIRM) that need an answer.

docs/

File	What it is	Status
docs/page-overview.md	The list, the detail page and the form — every tab, field, button, dialog, state and role difference; 18 open questions (Step 1)	✅ done
docs/design.md	Layout, typography, components, icons, interactions, accessibility, linked to screenshots (Step 5)	✅ done
docs/agent.md	Build / maintain instructions for an AI coding agent: stack, structure, behaviour to preserve, API, validation and security, acceptance checklist (Step 6)	✅ done

data/

File	What it is	Status
data/schema.md	MongoDB data model: 4 collections (tickets, ticket_references, record_reviews, ticket_activity), every field, relationships to Account, indexes (Step 7)	✅ done
data/collections/	One JSON Schema (draft-07) per collection, generated from the same definition as schema.md (Step 7)	✅ done
data/sample-data/	3–5 fictional documents per collection (16 in all), validated against the schemas (Step 7)	✅ done

design/

File	What it is	Status
design/color-palette.json	31 colour tokens with HEX/RGB, usage, light + proposed dark values, 24 WCAG contrast pairs, the 83 raw Tailwind colours in use (Step 8)	✅ done
design/color-palette.md	The same palette, readable, with swatches and fixes for the 5 failing pairs (Step 8)	✅ done
design/figma-link.md	Figma build guide: what to import, page / frame / component structure. **The Figma file itself is TO CONFIRM** — no Figma access in the documenting session (Step 9)	⚠️ link pending
design/figma/	`tokens.json` (DTCG variables, Light + Dark, 15 text styles) and `components.html` (15 component sets, importable with html.to.design) (Step 9)	✅ done

File	What it is	Status
design/exports/	Component sheet + 15 component PNGs, vector `color-tokens.svg`, 18 labelled desktop + mobile key frames (Step 9)	✅ done

screenshots/

Folder	Contents	Status
screenshots/index.md	One line per image with a caption, plus the states that cannot be captured (Step 3)	✅ done
screenshots/desktop/list/ · detail/ · form/	54 captures at 1440 px, `[tab]-[state]-desktop.png` (Step 3)	✅ done
screenshots/mobile/list/ · detail/ · form/	55 captures at 390 px, `[tab]-[state]-mobile.png` (Step 3)	✅ done
screenshots/hosted-docs.png	Screenshot of a hosted docs site (Step 11)	➖ not needed — the folder is not hosted

video/

File	What it is	Status
video/tickets-walkthrough.mp4	1080p H.264 walkthrough (2 min 11 s) of the list, missing references, a ticket's detail and review with a warning letter, and the edit / add form; captions burned in, nothing masked (Step 4)	✅ done
video/script.md	The caption / voice-over script with timestamps (Step 4)	✅ done

pdf/

File	What it is	Status
pdf/tickets-section.pdf	Everything above in one A4 document: cover, contents, overview, all 109 screenshots with captions, design spec, colour palette, data model, agent summary, links (Step 10)	✅ done