Custom Columns Expressions Encyclopedia

To help you successfully integrate custom columns into your reports, this encyclopedia provides examples of dozens of expressions that you can use for common and complex use cases. The

- Mathematical Operations for Two or More Values
- Concatenate Multiple Values
- If / Then / Else Conditions
- Other String-Based Functions

Each category includes multiple use cases. Each use case includes examples of how to configure the fields and also example expressions. Where applicable, examples are included for both B

Mathematical Operations for Two or More Values

One of the most common uses for custom columns is to perform arithmetic between values sourced from two or more columns in a report. Similar to Microsoft Excel, the arithmetic perform execute.

Use-Case 1.1

Add together two counter values, Regular and Weekly Overtime, within a Calculated Time Report.

Sample report and path: My Reports > Time Reports > Calculated Time > Calculated Time Summary > Calculated Time Summary (Counters)

Basic Mode Examples

Name: [Choose a name]

Type: Time

Format (Recommended): +H.00; -H.00 or HHMM

Sum: Enabled

Example Expressions:

```
Add(value(TotalTimeByTACounter_xxxxxxxx),value(TotalTimeByTACounter_xxxxxxxx))
```

```
value(TotalTimeByTACounter_xxxxxxxx),value(TotalTimeByTACounter_xxxxxxxx)
```

```
value(TotalTimeByTACounter_xxxxxxxx)+value(TotalTimeByTACounter_xxxxxxxx)
```

```
value(TotalTimeByTACounter_xxxxxxxx),value(TotalTimeByTACounter_xxxxxxxx), value(TotalTimeByTACounter_xxxxxxxx)
```

Advanced Mode Examples

Name: [Choose a name]

Type: Time

Format (Recommended): +H.00; -H.00 or HHMM

Sum: Enabled

Example Expressions:

```
Add(TotalTimeByTACounter_xxxxxxxx),(TotalTimeByTACounter_xxxxxxxx))
```

```
(TotalTimeByTACounter_xxxxxxxx)+(TotalTimeByTACounter_xxxxxxxx)
```

Use-Case 1.2

Combine general ledger credit amounts and debit amounts into one column.

Sample report and path: My Reports > Payroll Reports > Post Payroll Reporting > General Ledger (Summary)

Basic Mode Examples

Name: [Choose a name]

Type: Money

Format (Recommended): $#0.00;($#0.00)

Example Expression:

```
value(GL_DebitAmount)-value(GL_CreditAmount)
```

Top

Advanced Mode Examples

Name: [Choose a name]

Type: Money

Format (Recommended): $#0.00;($#0.00)

Example Expression:

```
Subtract(GL_DebitAmount,GL_CreditAmount)
```

Use-Case 1.3

Provide the monthly insurance rate for benefit reconciliations based on a bi-weekly pay period configuration by multiplying both the scheduled amount for employees and the schedule deduc

Sample report and path: My Reports > Benefits Reports > Benefit Reconcile Report

Basic Mode Examples

Name: [Choose a name]

Type: Money

Format (Recommended): $#,##0.00;($#,##0.00)

Sum: Enabled

Example Expression:

```
Add(Value(ScheduledEEAmount),Value(ScheduledERAmount))*26/12
```

Advanced Mode: Not yet supported; Scheduled EE Amount and Scheduled ER Amount columns are not currently available with this mode.

Use-Case 1.4

Calculate a total for only certain unpaid hours, such as those tied to certain time offs.

> **Note:** The expression provided is for companies that use the Pay Calculation 1 engine. To supplement the variables used for the Pay Calculation 2, use Counters column variables instead.

Sample report and path: My Reports > Time Reports > Calculated Time > Calculated Time Summary > Calculated Time Summary

Examples

Name: [Choose a name]

Type: Time

Format (Recommended): H.00+;H.00-

Sum: Enabled

Example Expressions:

```
ToDouble(CalcTotalTimeByTimeOffCategory_#######)+ToDouble(CalcTotalTimeByTimeOffCategory_#######)+ToDouble(CalcTotalTimeByTimeOffCategory_#######)+ToDouble(CalcTotalTime
```

```
Add(ToDouble(CalcTotalTimeByTimeOffCategory_#######),ToDouble(CalcTotalTimeByTimeOffCategory_#######),ToDouble(CalcTotalTimeByTimeOffCategory_#######),ToDouble(CalcTotalTin
```

Use-case and formula provided by: Niki Meyers, B2E Solutions Inc.

Concatenate Multiple Values

You can use Custom Columns to display values from one or more columns in the same cell. You can construct concatenate-based expressions to simply display values without any additional

Use-Case 2.1

Conjoin the beginning designation with an ending designation to create a new value, such as a unique ID.

> **Note:** Because account extra fields are utilized for different purposes, when using this expression make sure to place the correct variable, such as EmplCustom1.

Sample report and path: My Reports > Time Reports > Calculated Time > Calculated Time Summary > Calculated Time Summary

Basic Mode or Advanced Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
Concat(left(EmplCustom#,2),"-",right(EmplCustom#,4))
```

Use-Case 2.2

Concatenate the payroll date, only with the written-out month and date with a certain payroll designation.

Sample report and path: My Reports > Payroll Reports > Post Payroll Reporting > General Ledger (Summary)

Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
Concat(FormatDate(Payroll_PayDate,"MMMM dd"),," PR T.E.D.")
```

Top

Use-Case 2.3

A benefit vendor needs the Last Name suffix in one field with no punctuation.

Sample report and path: My Team > Employee Information

Basic Mode or Advanced Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
Concat(Replace(Replace(EmplLastName,".",""),"-",""))," ",Replace(Replace(EmplSuffix,".",""),"-",""))
```

Use-Case 2.4

Display five different counter values into a single cell, per employee.

Sample report and path: My Reports > Time Reports > Calculated Time > Calculated Time Summary > Calculated Time Summary (Counters)

Basic Mode or Advanced Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
Concat("Regular:",TotalTimeByTACounter_xxxxxxxx,",",
"Overtime:",TotalTimeByTACounter_xxxxxxxx,", ",
"Vacation:",TotalTimeByTACounter_xxxxxxxx,", ",
"Sick:",TotalTimeByTACounter_xxxxxxxx,", ",
"Personal",TotalTimeByTACounter_xxxxxxxx)
```

Advanced Mode: Not yet supported; the ability to display both text and time output values simultaneously is not currently available in this mode.

Use-Case 2.5

Display one or more counter values when their value is greater than zero, inside a single cell, per employee.

Sample report and path: My Reports > Time Reports > Calculated Time > Calculated Time Summary > Calculated Time Summary (Counters)

Basic Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
Concat(If(value(TotalTimeByTACounter_########)>0,Concat("Regular:",TotalTimeByTACounter_########,", ")," "),
If(value(TotalTimeByTACounter_########)>0,Concat("Overtime:",TotalTimeByTACounter_########,", ")," "),
If(value(TotalTimeByTACounter_########)>0,Concat("Vacation:",TotalTimeByTACounter_########,", ")," "),
If(value(TotalTimeByTACounter_########)>0,Concat("Sick:",TotalTimeByTACounter_########,", ")," "),
If(value(TotalTimeByTACounter_########)>0,Concat("Personal:",TotalTimeByTACounter_########)," "))
```

Advanced Mode: Not yet supported; the ability to display both text and time output values simultaneously is not currently available in this mode.

Use-Case 2.6

Combine the OnShift data tied to time entries, where the date and time is needed in a specific format.

Sample report and path: Time > Timesheets > Time Entries > All Time Entries

Basic Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
Concat(FormatDate(TimeEntryDate,"YYYY-MM-DD")," ",If(And(Right(TimeEntryStartTimeLocal,1)=="p",Mid((TimeEntryStartTimeLocal),1,2)!="12"),ToHHMM(Add(Value(TimeEntryStartTimeLocal),Value
```

Advanced Mode: Not yet supported in this mode.

Use-case and formula provided by: Niki Meyers, B2E Solutions Inc.

If / Then / Else Conditions

If, then, else-based expressions are essential when the goal for a custom column is to only display new or existing values that meet certain conditions, including alternative values. These type
cases.

Use-Case 3.1

Convert cost center values tied to time entries into unique payroll codes that will be used by a third-party payroll processing application.

Top

Sample report and path: My Reports > Time Reports > Calculated Time > Detailed Calculated Time (Counters)

Basic Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(TACounterCostCenter1Level3Name=="Sales Coordinator","SC250",
If(TACounterCostCenter1Level3Name=="Sales Assistant","SA235",
If(TACounterCostCenter1Level3Name=="Help Desk Technician","HDT200",
If(TACounterCostCenter1Level3Name=="Data Services Manager","DSM200"," "))))
```

Advanced Mode: Not yet supported; counter-aligned cost center columns are not currently available in this mode.

Use-Case 3.2

Confirm whether a credential has expired by comparing the credential expiration date with today's date.

Sample report and path: Learning > Credentials

Basic Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(DateSubtract(Today(),Credential_Expires)>1,"Yes, Expired","Active")
```

Advanced Mode: Not yet supported; the DateSubtract() function is not currently available in this mode.

Use-case and formula provided by: Lisa Leslie, Hydro-Gear Drivetrain Solutions

Use-Case 3.3

Track the number of months left before a specific credential expires.

Sample report and path: Learning > Credentials

Basic Mode Examples

Name: [Choose a name]

Type: Numeric

Format (Recommended): 0.00;-0.00

Example Expression:

```
If(Eq(EmplTrainingProfile,"Full Time HG - LOTO Authorized"),DateSubtract(Today(),Credential_Expires)/30,"")
```

Advanced Mode: Not yet supported; the DateSubtract() function is not currently available in this mode.

Use-case and formula provided by: Lisa Leslie, Hydro-Gear Drivetrain Solutions

Use-Case 3.4

Remove spaces for a custom field where the Tax File Number is stored for Australia-based Employees.

> **Note:** HR Custom Fields are utilized for different purposes. When using this expression, make sure to place the correct variable, such as HrCustomField1.

Sample report and path: My Team > Employee Information

Basic Mode Examples

Name: [Choose a name]

Type: Numeric

Format (Recommended): 0;-0

Example Expression:

```
Replace((HrCustomUserField#)," ","")
```

Advanced Mode: Not yet supported; HR Custom Field columns are not currently available in this mode.

Use-Case 3.5

Provide custom age bands to track your workforce demographics.

Sample report and path: My Team > Employee Information

Basic Mode or Advanced Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(Eq(Max(EmplAge,29),29),"29 or younger",
If(Eq(Max(EmplAge,39),39),"30 to 39",
If(Eq(Max(EmplAge,49),49),"40 to 49",
If(Eq(Max(EmplAge,59),59),"50 to 59","60+"))))
```

Top

Use-Case 3.6

Indicate custom tenure values to track the employment length of different employees.

Sample report and path: My Team > Employee Information

Basic Mode or Advanced Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(Eq(Max(DaysEmployed,365),365),"Less than 1 Year",
If(Eq(Max(DaysEmployed,730),730),"1 Year",
If(Eq(Max(DaysEmployed,1460),1460),"2-4 Years",
If(Eq(Max(DaysEmployed,2190),2190),"5 -6 Years",
If(Eq(Max(DaysEmployed,3285),3285),"7-9 Years",
If(Eq(Max(DaysEmployed,5110),5110),"10-14 Years",
If(Eq(Max(DaysEmployed,6935),6935),"15-19 Years",
If(Eq(Max(DaysEmployed,10950),10950),"20-30 Years","30+ Years")))))))
```

Use-Case 3.7

Display the email addresses for employees in a single cell, and if no email is provided, reveal the phone numbers aligned to them instead.

Sample report and path: My Team > Employee Information

Basic Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(And(EmplPrimaryEmail==“”,EmplSecondaryEmail==“”),
Concat("Work #:",EmplWorkPhone,", ",
"Home #:",EmplHomePhone,", ",
"Cell #:",EmplCellPhone),
Concat(EmplPrimaryEmail," ",EmplSecondaryEmail))
```

Advanced Mode: Not yet supported; these columns are not yet supported in this mode: EmplPrimaryEmail, EmplSecondaryEmail, EmplWorkPhone, EmplHomePhone, EmplCellPhone.

Use-Case 3.8

Indicate the amount of time an individual has worked, only showing a value if the length is beyond five years, by comparing the hire date or re-hire date to today’s date.

Sample report and path: My Team > Employee Information

Examples

Name: [Choose a name]

Type: Numeric

Format (Recommended): 0.00;-0.00

Example Expression:

```
If(And(EmplDateReHired==“”,DateDiff(Today(),EmplDateHired)/365.25>=5),DateDiff(Today(),EmplDateHired)/365.25,If(DateDiff(Today(),EmplDateReHired)/365.25>=5,DateDiff(Today(),EmplDateReHi
```

Use-Case 3.9

Detect any newly hired employees for the current month based on all pay types except a specifically cited type.

> **Note:** Because this expression was initially configured for a specific company, please adjust the example expression as needed for your company’s precise needs.

Sample report and path: My Team > Employee Information

Basic Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expressions:

```
If(DateDiff(EmplDateHired,"05/31/2021")<30 && (EmplHRPayType!="Flex"),"1","0")
```

```
IfAnd(DateDiff(EmplDateHired,"05/31/2021")<30,EmplHRPayType!="Flex"),"1","0")
```

Advanced Mode: Not yet supported; text and date-based column variables cannot be used in the same expression in this mode.

Use-Case 3.10

Top

Detect any terminated employees for the current month based on all pay types except a specifically cited type.

> **Note:** Because this expression was initially configured for a specific company, please adjust the example expression as needed for your company’s precise needs.

Sample report and path: My Team > Employee Information

Basic Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(And(EmplHRPayType!="Flex",EmplDateTerminated!=""),"1","0")
```

Advanced Mode: Not yet supported; the ability to compare date-based columns with a manually inputted null value is not currently available in this mode.

Use-case and formula provided by: Lisa Leslie, Hydro-Gear Drivetrain Solutions

Use-Case 3.11

Locate the specific section of different GL Account Numbers based on the entry type.

Sample report and path: My Reports > Payroll Reports > Post Payroll Reporting > General Ledger (Summary)

Basic Mode Examples

Name: [Choose a name]

Type: Numeric

Format (Recommended): 0;-0

Example Expression:

```
If(GL_EntryType=="Earning",Mid(GL_GLAccount,7,3),
If(GL_EntryType=="Deduction",Mid(GL_GLAccount,7,2),
If(GL_EntryType=="Tax",Mid(GL_GLAccount,7,3),
If(GL_EntryType=="Direct Deposit",Mid(GL_GLAccount,7,2)," "))))
```

Advanced Mode: Not yet supported; the GL Entry Type column is not currently available in this mode.

Use-Case 3.12

Detect certain pay statement record names and translate them into another name/value.

> **Note:** Because this expression was initially configured for a specific company, please adjust the example expression as needed for your company's precise needs.

Sample report and path: My Reports > Payroll Reports > Pay History > Earning/Deduction/Tax Listing

Basic Mode or Advanced Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(Eq(PSTRC_Name,"LHC FSA"),"MEDDV",If(Eq(PSTRC_Name,"S125 EBC Flex Spending"),"MED",If(Eq(PSTRC_Name,"S125 FSA Dependent Care"),"DEP","")))
```

Use-case and formula provided by: Niki Meyers, B2E Solutions Inc.

Use-Case 3.13

Detect whether the scheduled deduction equals 401k and whether it is active, and then display the percentage of the deduction.

Sample report and path: Payroll > Employee Payroll Maintenance > Deductions

Basic Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expressions:

```
If(And(SchDed_DeductionName=="401k",SchDed_Active=="Y"),value(SchDed_EE_Percent),"")
If(And(SchDed_DeductionName=="401k",SchDed_Active=="Y"),Concat(value(SchDed_EE_Percent),"%"),"")
```

Advanced Mode: Not yet supported; the ability to compare Boolean (Y/N) columns with a manually inputted text value is not currently available in this mode.

Use-Case 3.14

Display a message or code if an employee's role is in management or not, by using a search function for multiple possible titles.

Sample report and path: My Team > Employee Information

Basic Mode Examples

Name: [Choose a name]

Type: Text

Top

Format (Recommended): N/A

Example Expression:

```
If(Or(Search("Administrator",EmplDefaultCostCenter10Name),(Search("Manager",EmplDefaultCostCenter10Name))),"This Person is in Management","Not in Management")
```

Advanced Mode: Not yet supported; OR function only accepts Boolean column variables in this mode.

Use-Case 3.15

Given the pay type assigned to employees, format their hourly base compensation using a specific configuration.

Sample report and path: My Team > Employee Information

Basic Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(EmplHRPayType=="Hourly",Concat("$",FormatDouble(EmplHourlyPay,4)),
If(EmplHRPayType=="Salaried",Concat("$",FormatDouble(EmplSalary,2))," "))
```

Advanced Mode: Not yet supported in this mode.

Use-Case 3.16

Compare the employee's seniority date and review date to find out which one is more recent.

Sample report and path: My Team > Employee Information

Basic Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(value(FormatDate(EmplDateSeniority,"YYYYMMDD"))<value(FormatDate(EmplDateReview,"YYYYMMDD")),"Seniority Date is First","Review Date is First")
```

Advanced Mode: Not yet supported in this mode.

Use-Case 3.17

Display only the company email addresses for employees, while ignoring personal email addresses.

> **Note:** Because this expression was initially configured for a specific company, please adjust the example expression as needed for your company's precise needs.

Sample report and path: My Team > Employee Information

Basic Mode or Advanced Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(Search("@hydro-gear.com",LowerCase(EmplPrimaryEmail))>0, EmplPrimaryEmail,"")
```

Use-case and expression provided by: Lisa Leslie, Hydro-Gear Drivetrain Solutions

Use-Case 3.18

Recognize which benefit plan coverage levels employees are enrolled in, and reconcile benefit provider bills.

> **Note:** Because this expression was initially configured for a specific company, please adjust the example expression as needed for your company's precise needs.

Sample report and path: My Reports > Benefits Reports > Benefit Reconcile Report

Example

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(Search("EE",BenefitPlanCoverage)>0 && Search("EE",BenefitPlanCoverage)>0,"EE Directed & Dental",
If(Search("Waived",BenefitPlanCoverage)>0 && Search("EE",BenefitPlanCoverage)>0,"EE Directed Only",
If(Search("",BenefitPlanCoverage)>0 && Search("EE",BenefitPlanCoverage)>0,"EE Directed Only",
If(Search("EE",BenefitPlanCoverage)>0 && Search("EE",BenefitPlanCoverage)>0,"Traditional & Dental",
If(Search("Waived",BenefitPlanCoverage)>0 && SEARCH("EE",BenefitPlanCoverage)>0,"Traditional Only",
If(Search("",BenefitPlanCoverage)>0 && Search("EE",BenefitPlanCoverage)>0,"Traditional Only",
If(Search("EE",BenefitPlanCoverage)>0 && Search("Waived",BenefitPlanCoverage)>0,"Dental Only",
If(Search("EE",BenefitPlanCoverage)>0 && Search("",BenefitPlanCoverage)>0,"Dental Only",
If(Search("EE",BenefitPlanCoverage)>0 && Search("",BenefitPlanCoverage)>0,"Dental Only","No Plan")))))))))
```

Top

Use-case and formula provided by: Lisa Leslie, Hydro-Gear Drivetrain Solutions

Use-Case 3.19

Provide a summary of the primary and secondary language values for each employee.

> **Note:** Because this expression was initially configured for a specific company, please adjust the example expression as needed for your company's precise needs.

Sample report and path: My Team > Employee Information

Basic Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expressions:

```
If(And(EmplPrimaryLanguage==“”,EmplSecondaryLanguage==“”)),“English/Unknown”,
If(And(EmplPrimaryLanguage==“English”,EmplSecondaryLanguage==“”)),“English/Unknown”,
If(And(EmplPrimaryLanguage==“English”,EmplSecondaryLanguage==“Spanish”)),“English/Spanish”,
If(And(EmplPrimaryLanguage==“Spanish”,EmplSecondaryLanguage==“”)),“Spanish/Unknown”,
If(And(EmplPrimaryLanguage==“Spanish”,EmplSecondaryLanguage==“English”)),“Spanish/English”,Concat(EmplPrimaryLanguage,“/”,EmplSecondaryLanguage))))))
```

Works with the Advanced Mode Only

```
If(And(Eq(EmplPrimaryLanguage,“”),Eq(EmplSecondaryLanguage,“”)),“English/Unknown”,
If(And(Eq(EmplPrimaryLanguage,“English”),Eq(EmplSecondaryLanguage,“”)),“English/Unknown”,
If(And(Eq(EmplPrimaryLanguage,“English”),Eq(EmplSecondaryLanguage,“Spanish”)),“English/Spanish”,
If(And(Eq(EmplPrimaryLanguage,“Spanish”),Eq(EmplSecondaryLanguage,“”)),“Spanish/Unknown”,
If(And(Eq(EmplPrimaryLanguage==“Spanish”,Eq(EmplSecondaryLanguage,“English”)),“Spanish/English”,Concat(EmplPrimaryLanguage,“/”,EmplSecondaryLanguage))))))
```

Use-case and formula provided by: Lisa Leslie, Hydro-Gear Drivetrain Solutions

Use-Case 3.20

Determine the annual cost of each benefit coverage level via the benefit census.

> **Note:** Because this expression was initially configured for a specific company, please adjust the example expression as needed for your company's precise needs.

Sample report and path: My Reports > Benefits Reports > Benefit Reconcile Report

Basic Mode or Advanced Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(Eq(BenefitPlanCoverage,“EE Only”),“1,526.22”,
If(Eq(BenefitPlanCoverage,“EE + Family”),“$3,702.06”,
If(Eq(BenefitPlanCoverage,“EE + Children”),“$3,702.06”,
If(Eq(BenefitPlanCoverage,“EE + Spouse”),“$2,612.74”,
If(Eq(BenefitPlanCoverage,“EE Only”),“$1,385.06”,
If(Eq(BenefitPlanCoverage,“EE + Family”),“$3,292.70”,
If(Eq(BenefitPlanCoverage,“EE + Children”),“$3,292.70”,
If(Eq(BenefitPlanCoverage,“EE + Spouse”),“$2,348.52”,
If(Eq(BenefitPlanCoverage,“EE Only”),“$1,334.66”,
If(Eq(BenefitPlanCoverage,“EE + Family”),“$3,242.30”,
If(Eq(BenefitPlanCoverage,“EE + Children”),“$3,242.30”,
If(Eq(BenefitPlanCoverage,“EE + Spouse”),“$2,298.12”,
If(Eq(BenefitPlanCoverage,“EE Only”),“$1,475.82”,
If(Eq(BenefitPlanCoverage,“EE + Family”),“$3,651.66”,
If(Eq(BenefitPlanCoverage,“EE + Children”),“$3,651.66”,
If(Eq(BenefitPlanCoverage,“EE + Spouse”),“$2,562.34”,“$0.00”))))))))))))))))))
```

Use-case and formula provided by: Lisa Leslie, Hydro-Gear Drivetrain Solutions

Use-Case 3.21

When HSA ER contribution is set to a certain limit, such as $500 annually, and it is paid weekly, you can determine the cost of the ER contribution dependent on the number of weeks emplo
the total cost of the coverage for what is covered.

> **Note:** Because this expression was initially configured for a specific company, please adjust the example expression as needed for your company's precise needs.

Sample report and path: Benefits > Benefit Plans

Basic Mode Examples

Name: [Choose a name]

Type: Money

Format (Recommended): $#0.00;-$#0.00

Example Expression:

Top

```
If(Search(“New Employee in 2022”,BenPlanCoverageName)>0,Multiply(Divide(DateDiff(CoverageDateFrom,CoverageDateTo),Value(30.5)),(Divide(Value(500.00),Value(12)))),
If(Search(“Current Employee No Prior EDHP”,BenPlanCoverageName)>0,Multiply(Divide(DateDiff(CoverageDateFrom,CoverageDateTo),Value(30.5)),(Divide(Value(500.00),Value(12)))),
If(Search(“Current Employee Hired 1/1/2022-6/30/2022”,BenPlanCoverageName)>0, Multiply(Divide(DateDiff(CoverageDateFrom,CoverageDateTo),Value(30.5)),(Divide(Value(250.00),Value(12)))),
If(Search(“Current Employee Hired 7/1/2022 -12/31/2022”,BenPlanCoverageName)>0, Multiply(Divide(DateDiff(CoverageDateFrom,CoverageDateTo),Value(30.5)),(Divide(Value(500.00),Value(12)))),
```

```
If(Search("Current EE Directed with +1 Year Service",BenPlanCoverageName)>0,"$0.00",
If(Search("GTL",BenPlanCoverageName)>0,"$0.00",
If(Search("New Employee in 2019, no EE Directed Plan",BenPlanCoverageName)>0,Multiply(Divide(DateDiff(CoverageDateFrom,CoverageDateTo),Value(30.5)),(Divide(Value(500.00),Value(12)))),Mult
```

Advanced Mode: Not yet supported due to the 500-character limit in this mode.

Use-case and formula provided by: Lisa Leslie, Hydro-Gear Drivetrain Solutions

Use-Case 3.22

When a wellness incentive is driven by a custom field, but it is not tied to the actual wellness plan, calculate the premium to return the regular premium if they haven't achieved the wellness i

> **Note:** Because this expression was initially configured for a specific company, please adjust the example expression as needed for your company's precise needs.
> Also, HR Custom fields are utilized for different purposes. When using this expression, make sure to place the correct variable, such as HrCustomUserField1.

Sample report and path: Benefits > Benefit Plans

Basic Mode Examples

Name: [Choose a name]

Type: Money

Format (Recommended): $#0.00;-$#0.00

Example Expression:

```
If(Search("MyPHA",HrCustomUserField#)>0 && (BenefitType=="Medical"),Multiply(Value(Value(BenPlanAmountEE1)-Value(10.00)),Value(4.333)),
If(Search("PCP",HrCustomUserField#)>0 && (BenefitType=="Medical"),Multiply(Value(Value(BenPlanAmountEE1)-Value(10.00)),Value(4.333)),
If(Search("MyPHA & PCP",HrCustomUserField#)>0 && (BenefitType=="Medical"),Multiply(Value(Value(BenPlanAmountEE1)-Value(10.00)),Value(4.333)),
If(Search("New Hire",HrCustomUserField#)>0 && (BenefitType=="Medical"),Multiply(Value(Value(BenPlanAmountEE1)-Value(10.00)),Value(4.333)),
If(Search("",HrCustomUserField#)>0,Multiply(Value(BenPlanAmountEE1),Value(4.333)),Multiply(Value(BenPlanAmountEE1),Value(4.333)))))))
```

Advanced Mode: Not yet supported; the HR Custom Field columns are not currently available in this mode.

Use-case and formula provided by: Lisa Leslie, Hydro-Gear Drivetrain Solutions

Use-Case 3.23

Determine how many HSA participants are fully utilizing the HSA, and how many are not utilizing it at all. Also, assess whether they are at the minimum, maximum, over, or slightly under t

> **Note:** Because this expression was initially configured for a specific company, please adjust the example expression as needed for your company's precise needs.

Sample report and path: Benefits > Benefit Plans

Basic Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expressions:

Works only with the Basic Mode

```
If(And(BenefitType=="Health Savings Account",BenPlanCoverageName=="HSA Individual",Value(ABPUnits)<101),"Minimum",
If(And(BenefitType=="Health Savings Account",BenPlanCoverageName=="HSA Individual",Value(ABPUnits)<1825),"Less than Half",
If(And(BenefitType=="Health Savings Account",BenPlanCoverageName=="HSA Individual",Value(ABPUnits)<3649),"Over Half",
If(And(BenefitType=="Health Savings Account",BenPlanCoverageName=="HSA Individual",Value(ABPUnits)>3650),"Maximum",
If(And(BenefitType=="Health Savings Account",BenPlanCoverageName=="HSA Family",Value(ABPUnits)<101),"Minimum",
If(And(BenefitType=="Health Savings Account",BenPlanCoverageName=="HSA Family",Value(ABPUnits)<3649),"Less than Half",
If(And(BenefitType=="Health Savings Account",BenPlanCoverageName=="HSA Family",Value(ABPUnits)<7299),"Over Half",
If(And(BenefitType=="Health Savings Account",BenPlanCoverageName=="HSA Family",Value(ABPUnits)>7299),"Maximum",
If(And(BenefitType!="Health Savings Account"),"","")))))))))
```

Works only with the Advanced Mode

```
If(And(Eq(BenefitType,"Health Savings Account"),Eq(BenPlanCoverageName,"HSA Individual"),ABPUnits<101),"Minimum",
If(And(Eq(BenefitType,"Health Savings Account"),Eq(BenPlanCoverageName,"HSA Individual"),ABPUnits<1825),"Less than Half",
If(And(Eq(BenefitType,"Health Savings Account"),Eq(BenPlanCoverageName,"HSA Individual"),ABPUnits<3649),"Over Half",
If(And(Eq(BenefitType,"Health Savings Account"),Eq(BenPlanCoverageName,"HSA Individual"),ABPUnits>3650),"Maximum",
If(And(Eq(BenefitType,"Health Savings Account"),Eq(BenPlanCoverageName,"HSA Family"),ABPUnits<101),"Minimum",
If(And(Eq(BenefitType,"Health Savings Account"),Eq(BenPlanCoverageName,"HSA Family"),ABPUnits<3649),"Less than Half",
If(And(Eq(BenefitType,"Health Savings Account"),Eq(BenPlanCoverageName,"HSA Family"),ABPUnits<7299),"Over Half",
If(And(Eq(BenefitType,"Health Savings Account"),Eq(BenPlanCoverageName,"HSA Family"),ABPUnits>7299),"Maximum",
If(Not(Eq(BenefitType,"Health Savings Account")),"","")))))))))
```

Use-case and formula provided by: Lisa Leslie, Hydro-Gear Drivetrain Solutions

Use-Case 3.24

Assess the coverage amount level needed for life insurance based on each employee's assigned Benefit Profile, age, and days they have been employed.

> **Note:** Because this expression was initially configured for a specific company, please adjust the example expression as needed for your company's precise needs.

Sample report and path: My Team > Employee Information or Benefits > Benefit Plans

Top

Basic Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(Eq(EmplBenefitProfile,"Direct Benefits") && Value(EmplAge)>69,"00012500",
If(Eq(EmplBenefitProfile,"Direct Benefits") && Value(EmplAge)>64,"00016250",
If(Eq(EmplBenefitProfile,"Direct Benefits") && Value(EmplAge)<65,"00025000",
If(Eq(EmplBenefitProfile,"In-Direct Benefits") && Value(EmplAge)>69,"00012500",
If(Eq(EmplBenefitProfile,"In-Direct Benefits") && Value(EmplAge)>64,"00016250",
If(Eq(EmplBenefitProfile,"In-Direct Benefits") && Value(EmplAge)<65,"00025000",
If(Eq(EmplBenefitProfile,"Salaried Benefits (Includes Non-Exempt)") && Value(DaysEmployed)<182.5 && Value(EmplAge)>69,"00012500",
If(Eq(EmplBenefitProfile,"Salaried Benefits (Includes Non-Exempt)") && Value(DaysEmployed)<182.5 && Value(EmplAge)>64,"00016250",
If(Eq(EmplBenefitProfile,"Salaried Benefits (Includes Non-Exempt)") && Value(DaysEmployed)<182.5 && Value(EmplAge)<65,"00025000",
If(Eq(EmplBenefitProfile,"Salaried Benefits (Includes Non-Exempt)") && Value(DaysEmployed)>182.5 && Value(EmplAge)>69,"00050000",
If(Eq(EmplBenefitProfile,"Salaried Benefits (Includes Non-Exempt)") && Value(DaysEmployed)>182.5 && Value(EmplAge)>64,"00065000",
If(Eq(EmplBenefitProfile,"Salaried Benefits (Includes Non-Exempt)") && Value(DaysEmployed)>182.5 && Value(EmplAge)<65,"00100000",
If(Eq(EmplBenefitProfile,"Executive Salaried Benefits") && Value(DaysEmployed)<182.5 && Value(EmplAge)>69,"00012500",
If(Eq(EmplBenefitProfile,"Executive Salaried Benefits") && Value(DaysEmployed)<182.5 && Value(EmplAge)>64,"00016250",
If(Eq(EmplBenefitProfile,"Executive Salaried Benefits") && Value(DaysEmployed)<182.5 && Value(EmplAge)<65,"00025000",
If(Eq(EmplBenefitProfile,"Executive Salaried Benefits") && Value(DaysEmployed)>182.5 && Value(EmplAge)>69,"00050000",
If(Eq(EmplBenefitProfile,"Executive Salaried Benefits") && Value(DaysEmployed)>182.5 && Value(EmplAge)>64,"00065000",
If(Eq(EmplBenefitProfile,"Executive Salaried Benefits") && Value(DaysEmployed)>182.5 && Value(EmplAge)<65,"00100000","ERROR")))))))))))))))))))
```

Advanced Mode: Not yet supported; EmplBenefitProfile is not currently available in this mode.

Use-case and formula provided by: Lisa Leslie, Hydro-Gear Drivetrain Solutions

Use-Case 3.25

Your third-party benefits administrator needs a report with all benefit plans that is translated to the designations they have on record.

> **Note:** Because this expression was initially configured for a specific company, please adjust the example expression as needed for your company's precise needs.

Sample report and path: Benefits > Benefit Plans

Basic Mode or Advanced Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(Search("EE Directed",BenPlanName)>0,"HYDROEDHP",
If(Search("Employee Directed",BenPlanName)>0,"HYDROEDHP",
If(Search("Traditional",BenPlanName)>0,"HYDROTRAD",
If(Search("VSP",BenPlanName)>0,"HYDROVIS",
If(Search("FSA",BenPlanName)>0,"HYDROFSA",
If(Search("HSA",BenPlanName)>0,"HYDROHSA",
If(Search("Dental",BenPlanName)>0,"HYDRODEN","")))))))
```

Use-case and formula provided by: Lisa Leslie, Hydro-Gear Drivetrain Solutions

Use-Case 3.26

Determine whether a course / certification is a required course based on the training profile assigned.

> **Note:** Because this expression was initially configured for a specific company, please adjust the example expression as needed for your company's precise needs.

Sample report and path: Learning > Trainings / Certifications

Basic Mode or Advanced Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(Search("Lock Out Tag Out Authorization per OSHA STANDARD 29 CFR 1910.147",Course) && (EmplTrainingProfile=="Full Time HG - LOTO Authorized"),"Yes, OSHA Required",
If(Search("Lock Out Tag Out Authorization per OSHA STANDARD 29 CFR 1910.147",Course) && (EmplTrainingProfile!="Full Time HG - LOTO Authorized"),"OTO, but OSHA Required",
If(Search("Lock Out Tag Out Authorization OTO - per OSHA STANDARD 29 CFR 1910.147",Course)>0,"OTO OSHA Required",
If(Eq(Course,"Focus Group"),"No",
If(Eq(Course,"First-Aid Responder"),"Yes, to maintain status",
If(Eq(Course,"Orientation & OSHA"),"Yes, OTO OSHA required",
If(Search("Annual HIPAA Training",Course),"Yes, HIPAA Required",
If(Search("OPP",Description),"Only For OPP",
If(Search("Mobile Equipment",Description)>0,"Yes, Safety",
If(Search("Orientation",Description)>0,"OTO",
If(Search("Monthly Safety Communication",Description)>0,"Yes, Safety","")))))))))))
```

Use-case and formula provided by: Lisa Leslie, Hydro-Gear Drivetrain Solutions

Use-Case 3.27

Top

Find and clean up any manager names where an account name is presented with the full EIN name.

> **Note:** Because this expression was initially configured for a specific company, please adjust the example expression as needed for your company's precise needs.

Sample report and path: My Team > Employee Information

Basic Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
If(search(".",EmplManager1Name)>0,Concat((Left(EmplManager1Name,Search(" ",EmplManager1Name))),(Left((Right(EmplManager1Name,Len(EmplManager1Name)-(Search(" ",EmplManager1Nar
(Search(" ",EmplManager1Name,Search(" ",EmplManager1Name,(Search(" ",EmplManager1Name)+3))))))))),(Concat((Left(EmplManager1Name,Search(" ",EmplManager1Name))),(Left((Right(EmplM
",EmplManager1Name))))))),Search(" ",(Right(EmplManager1Name,Len(EmplManager1Name)-(Search(" ",EmplManager1Name,Search(" ",EmplManager1Name,(Search(" ",EmplManager1Name))))))))
```

Advanced Mode: Not yet supported due to the 500 character limit in this mode.

Use-case and formula provided by: Mekenzie Buhr, Fort Wayne Metals

Other String-Based Functions

Custom Columns can be utilized to only display partial characters/values from sourced column variables or pad new and existing values with additional alphanumeric or other symbol-based

Use-Case 4.1

Only display the first character of employee middle initials.

Sample report and path: My Team > Employee Information

Basic Mode or Advanced Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
Left(EmplMI,1)
```

Use-case and formula provided by: Niki Meyers, B2E Solutions Inc.

Use-Case 4.2

Only display the last four digits from employee social security numbers.

Sample report and path: My Reports > Payroll Reports > Post Payroll Reporting > General Ledger (Summary)

Basic Mode Examples

Name: [Choose a name]

Type: Text

Format (Recommended): N/A

Example Expression:

```
Right(EmplSS,4)
```

Advanced Mode: Not yet supported; EmplSS column is not available for this mode.

Use-Case 4.3

Provide a date if employees are terminated or 0's if they are still employed.

Sample report and path: My Team > Employee Information

Examples

Name: [Choose a name]

Type: Date

Format (Recommended): N/A

Example Expressions:

```
Right(Concat("00000000",FormatDate(EmplDateTerminated,"YYYYMMDD")),8)
```

Was this helpful? Yes No

Top