Event tree

แบบจำลอง 198 ตัว · event รวม 3,244 event

รหัส guard และรหัส event เป็นคนละชุด อยู่คนละเอกสารและคนละไฟล์ ตัวอักษรเดียวกันในสองชุดจึงไม่เกี่ยวข้องกัน

1. ที่มา

event tree สร้างจาก guard ที่สูตรแปลงใช้ควบคุมลำดับข้อความในแบบจำลอง Event-B ที่ได้จาก ChronoSeq-B โดยไม่แก้ไขแบบจำลอง

- receive ตามหลัง send ของข้อความเดียวกัน (`m ∈ sentMessages`)
- send ของข้อความ m ตามหลัง receive ของข้อความ p เมื่อ send m มี guard `p ∈ receivedMessages`
- alt ทำให้ tree แยกกิ่ง และกิ่งกลับมารวมที่ event ที่มี guard `p ∈ receivedMessages ∨ q ∈ receivedMessages`
- event นับรอบ loop อยู่ท้าย loop เครื่องหมาย ↺ ชี้กลับไปยัง event แรกของ loop

2. การตั้งรหัส

> **รหัส event** (send และ receive นับเป็นคนละ event)
> - **ตัวอักษร** คือลำดับขั้น event ที่ต่อกันเป็นเส้นตรงได้ตัวอักษรใหม่ทุกขั้น (a1 → b1 → c1)
> - **ตัวเลข** คือทางเลือกที่จุดแยก event ขั้นเดียวกันของแต่ละกิ่งใช้ตัวอักษรเดียวกัน เช่น กิ่ง GOLD, SILVER, BRONZE ได้ m1, m2, m3 และขั้นถัดไปได้ n1, n2, n3
> - ท้าย loop เป็นจุดแยกเช่นกัน คือทำต่อ (o1) หรือวนรอบใหม่ (o2)
> - event ที่กิ่งมารวมกันได้ตัวอักษรใหม่ (q1)

3. การแสดงผล

เอกสารนี้แสดง event tree แบบย่อ คือ event ที่ต่อกันเป็นเส้นตรงเขียนในบรรทัดเดียว และขึ้นบรรทัดใหม่เฉพาะที่จุดแยก รูปเต็มอยู่ใน `models/<id>/event_tree.txt` ข้อมูลรวมอยู่ใน `data/event_trees.jsonl` และ `event_codes.csv` · ↺ x หมายถึงวนกลับไปที่ event x

4. ตัวอย่าง

model_141 PharmacyDelivery — opt ตามด้วย alt 3 ทาง

รหัส event

a1	sendsyncSignature_1
b1	receivesyncSignature_1
c1	sendvalidateSignature_2
d1	receivevalidateSignature_2
e1	sendfetchRoute_3_opt1
f1	receivefetchRoute_3_opt1
g1	sendqueryRoute_4_opt1
h1	receivequeryRoute_4_opt1
i1	sendconfirmRoute_5
j1	receiveconfirmRoute_5
k1	sendissuePackage_6
l1	receiveissuePackage_6
m1	sendcancelSignature_7
m2	sendqueryPackage_9
m3	sendscheduleSignature_11
n1	receivecancelSignature_7
n2	receivequeryPackage_9
n3	receivescheduleSignature_11
o1	sendconfirmPackage_8
o2	sendackSignature_10
p1	receiveconfirmPackage_8
p2	receiveackSignature_10
q1	sendapproveRoute_12
r1	receiveapproveRoute_12

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
    ├── m1 → n1 → o1 → p1 → q1 → r1
    ├── m2 → n2 → o2 → p2 → q1 → r1
    └── m3 → n3 → q1 → r1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 -> n2 -> o2 -> p2 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m3 -> n3 -> q1 -> r1
```

model_109 HospitalLabRequest — alt ใน loop และกิ่งแรกมี loop ซ้อน

รหัส event

a1	sendcheckOrder_1
b1	receivecheckOrder_1
c1	sendrequestResult_2
d1	receiverequestResult_2
e1	sendconfirmOrder_3
f1	receiveconfirmOrder_3
g1	sendscheduleOrder_4
g2	sendreportSample_9
h1	receivescheduleOrder_4
h2	receivereportSample_9
i1	sendackSample_5
j1	receiveackSample_5
k1	sendapproveSample_6
l1	receiveapproveSample_6
m1	sendissueResult_7
n1	receiveissueResult_7
o1	sendreportResult_8
o2	checkloop_ackSample_5_loop2
p1	receivereportResult_8
q1	sendrequestSample_10
r1	receiverequestSample_10
s1	sendreserveSample_11
s2	checkloop_confirmOrder_3_loop1
t1	receivereserveSample_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1 → m1 → n1
    │   ├── o1 → p1 → q1 → r1
    │   │   ├── s1 → t1
    │   │   └── s2 ↺ e1
    │   └── o2 ↺ i1
    └── g2 → h2 → q1 → r1
        ├── s1 → t1
        └── s2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 ↺ i1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> q1 ->
r1 -> s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> q1 ->
r1 -> s2 ↺ e1
```

model_001 — model.txt มีเพียงชื่อ event จึงใช้ event จากไฟล์ .bpo ของ Rodin แทน มี 1 event ที่ไม่มีชื่อในไฟล์ (unnamed_event_N) และเนื่องจากแปลงด้วยสูตรรุ่นแรก event tree จึงแยกเป็นหลายกิ่งจาก root

5. event tree ของแต่ละแบบจำลอง

การเงินและการชำระเงิน · Finance & Payment (14)

model_001 Payment & Notification · pass

รหัส event

a1	sendsubmitPayment_1_opt1
a2	sendvalidatePayment_7_loop3
b1	receivesubmitPayment_1_opt1
b2	receivevalidatePayment_7_loop3
c1	sendpaymentDetails_2_opt1
c2	sendvalidationResult_8_loop3
d1	receivePaymentDetails_2_opt1
d2	recivevalidationResult_8_loop3
e1	sendprocessLargePayment_3_alt2
e2	sendProcessStandarddPayment_5_alt2
f1	receiveprocessLargePayment_3_alt2
f2	receiveProcessStandarddPayment_5_alt2
g1	sendapprovalRequired_4_alt2
g2	sendpaymentConfirmation_6_alt2
h1	reciveapprovalRequired_4_alt2
h2	recivepaymentConfirmation_6_alt2
i1	unnamed_event_N
j1	sendsendSMSNotification_9_par4
k1	sendsendEmailNotification_10_par4
k2	receivedsendSMSNotification_9_par4
l1	receivedsendEmailNotification_10_par4
m1	sendpaymentStatus_11
n1	receivepaymentStatus_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
├── a1 → b1 → c1 → d1
│   ├── e1 → f1 → g1 → h1 → i1
│   └── e2 → f2 → g2 → h2 → i1
└── a2 → b2 → c2 → d2 → j1
    ├── k1 → l1 → m1 → n1
    └── k2
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g2 -> h2 -> i1
a2 -> b2 -> c2 -> d2 -> j1 -> k1 -> l1 -> m1 -> n1
a2 -> b2 -> c2 -> d2 -> j1 -> k2
```

model_003 ATMWithdrawal · pass

รหัส event

a1	sendinsertCard_1
b1	receiveinsertCard_1
c1	sendrequestPIN_2
d1	receiverequestPIN_2
e1	sendenterPIN_3
f1	receiveenterPIN_3
g1	sendinvalidPIN_4
h1	receiveinvalidPIN_4
i1	sendreenterPIN_5
j1	receivereenterPIN_5
k1	sendselectAmount_6
k2	sendretainCard_8
k3	checkloop_invalidPIN_4_loop1
l1	receiveselectAmount_6
l2	receiveretainCard_8
m1	senddispenseCash_7
n1	receivedispenseCash_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1
    ├── k1 → l1 → m1 → n1
    ├── k2 → l2
    └── k3 ↺ g1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 -> l2
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k3 ↺ g1
```

model_004 BankTransfer · fail

รหัส event

a1	sendinitiateTransfer_1
b1	receiveinitiateTransfer_1
c1	sendcheckFraud_2
d1	receivecheckFraud_2
e1	sendriskScore_3
f1	receiveriskScore_3
g1	sendpostTransfer_4
g2	sendholdTransfer_6
h1	receivepostTransfer_4
h2	receiveholdTransfer_6
i1	sendpostingDone_5
j1	receivepostingDone_5
k1	sendtransferStatus_7
l1	receivetransferStatus_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1
    └── g2 → h2 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1
```

model_025 InsuranceClaim · pass

รหัส event

a1	sendsubmitClaim_1
b1	receivesubmitClaim_1
c1	senduploadDocs_2_opt1
d1	receiveuploadDocs_2_opt1
e1	sendapprovalNotice_3
e2	sendassignAssessor_4
f1	receiveapprovalNotice_3
f2	receiveassignAssessor_4
g1	sendpayout_8
h1	receivepayout_8
i1	sendtransferDone_9
j1	receivetransferDone_9
k1	sendnotifyClaimant_10
l1	receivenotifyClaimant_10
m1	sendsiteVisit_5
n1	receivesiteVisit_5
o1	sendvisitDone_6
p1	receivevisitDone_6
q1	sendassessmentReport_7
r1	receiveassessmentReport_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1 → k1 → l1
    └── e2 → f2 → m1 → n1 → o1 → p1 → q1 → r1 →
          g1 → h1 → i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> m1 -> n1 -> o1 ->
p1 -> q1 -> r1 -> g1 -> h1 -> i1 -> j1 -> k1 -> l1
```

model_056 BankBranchQueue · pass

รหัส event

a1	sendqueryCounter_1
b1	receivequeryCounter_1
c1	sendassignService_2
d1	receiveassignService_2
e1	sendscheduleService_3
f1	receivescheduleService_3
g1	sendsyncTicket_4
h1	receivesyncTicket_4
i1	sendfetchTicket_5
j1	receivefetchTicket_5
k1	sendackCounter_6
l1	receiveackCounter_6
m1	sendnotifyService_7
n1	receivenotifyService_7
o1	sendqueryTicket_8
o2	checkloop_scheduleService_3_loop1
p1	receivequeryTicket_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
    ├── o1 → p1
    └── o2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 ↺ e1
```

model_066 CanteenPayment · pass

รหัส event

a1	sendupdateBalance_1
b1	receiveupdateBalance_1
c1	sendlogTopup_2
d1	receivelogTopup_2
e1	sendrequestTopup_3
f1	receiverequestTopup_3
g1	sendassignBalance_4
h1	receiveassignBalance_4
i1	sendcheckTopup_5
j1	receivecheckTopup_5
k1	sendreleaseMeal_6
l1	receivereleaseMeal_6
m1	sendreportMeal_7
n1	receivereportMeal_7
o1	sendupdateTopup_8
p1	receiveupdateTopup_8
q1	sendscheduleMeal_9
r1	receivescheduleMeal_9
s1	sendsendBalance_10
t1	receivesendBalance_10
u1	sendscheduleBalance_11
v1	receivescheduleBalance_11
w1	sendvalidateMeal_12
x1	receivevalidateMeal_12
y1	sendconfirmTopup_13
z1	receiveconfirmTopup_13

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1 →
      q1 → r1 → s1 → t1 → u1 → v1 → w1 → x1 →
      y1 → z1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w1 -> x1 -> y1 -> z1
```

model_094 FleetFuelCard · fail

รหัส event

a1	sendreleaseLimit_1
b1	receivereleaseLimit_1
c1	sendreportCard_2
d1	receivereportCard_2
e1	sendsendFuel_3
e2	sendcancelFuel_8
f1	receivesendFuel_3
f2	receivecancelFuel_8
g1	sendissueLimit_4
h1	receiveissueLimit_4
i1	sendissueCard_5
j1	receiveissueCard_5
k1	sendapproveCard_6
l1	receiveapproveCard_6
m1	sendissueFuel_7
n1	receiveissueFuel_7
o1	sendvalidateCard_9
p1	receivevalidateCard_9

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1 → k1 → l1 →
    │     m1 → n1 → o1 → p1
    └── e2 → f2 → o1 → p1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> o1 -> p1
```

model_100 GasStationPrepay · pass

รหัส event

a1	sendnotifyPrepay_1
b1	receivenotifyPrepay_1
c1	sendvalidatePrepay_2
d1	receivevalidatePrepay_2
e1	sendlogFuel_3_opt1
f1	receivelogFuel_3_opt1
g1	sendreserveReceipt_4
h1	receivereserveReceipt_4
i1	sendassignFuel_5
j1	receiveassignFuel_5
k1	sendreleaseReceipt_6
l1	receivereleaseReceipt_6
m1	sendfetchFuel_7
n1	receivefetchFuel_7
o1	sendrequestFuel_8
o2	checkloop_releaseReceipt_6_loop1
p1	receiverequestFuel_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
    ├── o1 → p1
    └── o2 ↺ k1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 ↺ k1
```

model_113 InsuranceTelematics · pass

รหัส event

a1	sendconfirmRating_1
b1	receiveconfirmRating_1
c1	sendfetchPremium_2
d1	receivefetchPremium_2
e1	sendsyncRating_3_opt1
f1	receivesyncRating_3_opt1
g1	sendnotifyRating_4_opt1
h1	receivenotifyRating_4_opt1
i1	sendconfirmTrip_5_opt1
i2	checkloop_notifyRating_4_loop1
j1	receiveconfirmTrip_5_opt1
k1	sendconfirmPremium_6
l1	receiveconfirmPremium_6
m1	sendackPremium_7
n1	receiveackPremium_7
o1	sendassignTrip_8
o2	sendschedulePremium_9
p1	receiveassignTrip_8
p2	receiveschedulePremium_9
q1	sendqueryRating_10
r1	receivequeryRating_10

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1
    ├── i1 → j1 → k1 → l1 → m1 → n1
    │   ├── o1 → p1 → q1 → r1
    │   └── o2 → p2 → q1 → r1
    └── i2 ↺ g1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 -> p2 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i2 ↺ g1
```

model_124 MarketplaceEscrow · pass

รหัส event

a1	sendvalidateEscrow_1
b1	receivevalidateEscrow_1
c1	sendapproveEscrow_2
d1	receiveapproveEscrow_2
e1	sendlogEscrow_3
f1	receivelogEscrow_3
g1	sendrequestEscrow_4
h1	receiverequestEscrow_4
i1	sendfetchEscrow_5
j1	receivefetchEscrow_5
k1	sendnotifyEscrow_6
l1	receivenotifyEscrow_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_128 MobileTopUp · fail

รหัส event

a1	sendnotifyCredit_1
b1	receivenotifyCredit_1
c1	sendconfirmBundle_2
d1	receiveconfirmBundle_2
e1	sendreportBundle_3
e2	sendcheckBundle_5
f1	receivereportBundle_3
f2	receivecheckBundle_5
g1	sendackCredit_4
g2	sendassignCredit_6
h1	receiveackCredit_4
h2	receiveassignCredit_6
i1	sendreleaseTopup_7
j1	receivereleaseTopup_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1
    └── e2 → f2 → g2 → h2 → i1 → j1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g2 -> h2 -> i1 ->
j1
```

model_131 OnlineBankingOTP · fail

รหัส event

a1	sendconfirmTransfer_1
b1	receiveconfirmTransfer_1
c1	sendsendOtp_2
d1	receivesendOtp_2
e1	sendsendTransfer_3
f1	receivesendTransfer_3
g1	sendvalidateAccount_4
g2	sendsyncOtp_6
h1	receivevalidateAccount_4
h2	receivesyncOtp_6
i1	sendupdateOtp_5
i2	sendapproveOtp_7
j1	receiveupdateOtp_5
j2	receiveapproveOtp_7
k1	sendcancelTransfer_8
l1	receivecancelTransfer_8
m1	sendapproveAccount_9
n1	receiveapproveAccount_9
o1	sendsendAccount_10
p1	receivesendAccount_10
q1	sendissueOtp_11
q2	checkloop_sendTransfer_3_loop1
r1	receiveissueOtp_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1 → m1 → n1 →
    │     o1 → p1
    │   ├── q1 → r1
    │   └── q2 ↺ e1
    └── g2 → h2 → i2 → j2 → k1 → l1 → m1 → n1 →
          o1 → p1
        ├── q1 → r1
        └── q2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> i2 ->
j2 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> i2 ->
j2 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q2 ↺ e1
```

model_132 OnlineDonation · pass

รหัส event

a1	sendsendReceipt_1
b1	receivesendReceipt_1
c1	sendqueryGift_2
d1	receivequeryGift_2
e1	sendapproveReceipt_3
f1	receiveapproveReceipt_3
g1	sendnotifyReceipt_4
h1	receivenotifyReceipt_4
i1	sendapproveGift_5
j1	receiveapproveGift_5
k1	sendrequestGift_6
l1	receiverequestGift_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_189 TradingOrderGateway · pass

รหัส event

a1	sendcheckFill_1
b1	receivecheckFill_1
c1	sendassignOrder_2
d1	receiveassignOrder_2
e1	sendscheduleFill_3
f1	receivescheduleFill_3
g1	sendscheduleOrder_4
h1	receivescheduleOrder_4
i1	sendnotifyOrder_5
j1	receivenotifyOrder_5
k1	sendackMargin_6
l1	receiveackMargin_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

สุขภาพและการแพทย์ · Healthcare & Medical (26)

model_006 BloodBankRequest · pass

รหัส event

a1	sendrequestBlood_1
b1	receiverequestBlood_1
c1	sendcrossMatch_2
c2	sendbackorder_5
d1	receivecrossMatch_2
d2	receivebackorder_5
e1	sendprepareCourier_3
f1	receiveprepareCourier_3
g1	senddeliverBlood_4
h1	receivedeliverBlood_4
i1	sendconfirmReceipt_6
j1	receiveconfirmReceipt_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1
    ├── c1 → d1 → e1 → f1 → g1 → h1 → i1 → j1
    └── c2 → d2 → i1 → j1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1
a1 -> b1 -> c2 -> d2 -> i1 -> j1
```

model_020 FitnessTracker · pass

รหัส event

a1	sendpairDevice_1
b1	receivepairDevice_1
c1	sendpairOK_2
d1	receivepairOK_2
e1	sendsyncSteps_3
f1	receivesyncSteps_3
g1	sendsyncAck_4
h1	receivesyncAck_4
i1	sendshowDashboard_5
i2	checkloop_syncSteps_3_loop1
j1	receiveshowDashboard_5

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1
    ├── i1 → j1
    └── i2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i2 ↺ e1
```

model_023 HospitalTriage · pass

รหัส event

a1	sendregisterPatient_1
b1	receiveregisterPatient_1
c1	sendmeasureVitals_2
d1	receivemeasureVitals_2
e1	sendcallDoctor_3
e2	sendscheduleVisit_6
f1	receivecallDoctor_3
f2	receivescheduleVisit_6
g1	sendorderLabTest_4
h1	receiveorderLabTest_4
i1	sendprescribeDrug_5
j1	receiveprescribeDrug_5
k1	senddischargeNote_7
l1	receivedischargeNote_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1 → k1 → l1
    └── e2 → f2 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> k1 -> l1
```

model_026 LabSampleTesting · fail

รหัส event

a1	sendcollectSample_1
b1	receivecollectSample_1
c1	sendtransportSample_2
d1	receivetransportSample_2
e1	sendsampleReceived_3
f1	receivesampleReceived_3
g1	sendrequestRetest_4
h1	receiverequestRetest_4
i1	sendretestResult_5
j1	receiveretestResult_5
k1	sendfinalReport_6
k2	checkloop_requestRetest_4_loop1
l1	receivefinalReport_6
m1	sendnotifyClinic_7
n1	receivenotifyClinic_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1
    ├── k1 → l1 → m1 → n1
    └── k2 ↺ g1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 ↺ g1
```

model_029 MedicationDispenser · fail

รหัส event

a1	sendscheduleDose_1
b1	receivescheduleDose_1
c1	senddoseAlert_2
d1	receivedoseAlert_2
e1	sendconfirmIntake_3
f1	receiveconfirmIntake_3
g1	sendlogDose_4
g2	sendescalateMissed_6
h1	receivelogDose_4
h2	receiveescalateMissed_6
i1	sendlogAck_5
j1	receivelogAck_5
k1	sendrefillCheck_7
l1	receiverefillCheck_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1
    └── g2 → h2 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1
```

model_052 AmbulanceRouting · pass

รหัส event

a1	sendapproveEta_1
b1	receiveapproveEta_1
c1	sendackPatient_2
d1	receiveackPatient_2
e1	sendassignPatient_3_opt1
f1	receiveassignPatient_3_opt1
g1	sendnotifyRoute_4
h1	receivenotifyRoute_4
i1	sendreserveEta_5
j1	receivereserveEta_5
k1	sendrequestRoute_6_opt2
l1	receiverequestRoute_6_opt2
m1	sendcheckPatient_7
n1	receivecheckPatient_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
```

model_058 BloodDonationDrive · fail

รหัส event

a1	sendackScreening_1
b1	receiveackScreening_1
c1	sendlogSlot_2
d1	receivelogSlot_2
e1	sendsyncSlot_3
e2	sendlogDonation_6
f1	receivesyncSlot_3
f2	receivelogDonation_6
g1	sendnotifyDonation_4_opt1
h1	receivenotifyDonation_4_opt1
i1	sendvalidateScreening_5
j1	receivevalidateScreening_5
k1	sendfetchScreening_7
l1	receivefetchScreening_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1 → k1 → l1
    └── e2 → f2 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> k1 -> l1
```

model_082 DentalAppointment · fail

รหัส event

a1	sendqueryAppointment_1
b1	receivequeryAppointment_1
c1	sendassignTreatment_2
d1	receiveassignTreatment_2
e1	sendupdateTreatment_3
f1	receiveupdateTreatment_3
g1	sendqueryClaim_4
h1	receivequeryClaim_4
i1	sendconfirmAppointment_5
j1	receiveconfirmAppointment_5
k1	sendreserveClaim_6
l1	receivereserveClaim_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_101 GlucoseMeterSync · pass

รหัส event

a1	sendconfirmInsulin_1
b1	receiveconfirmInsulin_1
c1	sendsyncReading_2
d1	receivesyncReading_2
e1	sendupdateAlert_3
f1	receiveupdateAlert_3
g1	sendqueryReading_4
h1	receivequeryReading_4
i1	sendnotifyAlert_5
j1	receivenotifyAlert_5
k1	sendreleaseAlert_6
l1	receivereleaseAlert_6
m1	sendqueryAlert_7
n1	receivequeryAlert_7
o1	sendreleaseInsulin_8_opt1
p1	receivereleaseInsulin_8_opt1
q1	sendrequestAlert_9_opt1
r1	receiverequestAlert_9_opt1
s1	sendreportInsulin_10_opt1
t1	receivereportInsulin_10_opt1
u1	sendupdateInsulin_11_opt1
v1	receiveupdateInsulin_11_opt1
w1	sendsendAlert_12_opt1
x1	receivesendAlert_12_opt1
y1	sendapproveAlert_13_opt1
z1	receiveapproveAlert_13_opt1
aa1	sendreserveAlert_14
ab1	receivereserveAlert_14

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1 →
      q1 → r1 → s1 → t1 → u1 → v1 → w1 → x1 →
      y1 → z1 → aa1 → ab1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w1 -> x1 -> y1 -> z1 -> aa1 ->
ab1
```

model_106 HomeOxygenConcentrator · pass

รหัส event

a1	sendreserveFlow_1
b1	receivereserveFlow_1
c1	sendupdateAlert_2
d1	receiveupdateAlert_2
e1	sendreserveAlert_3_opt1
f1	receivereserveAlert_3_opt1
g1	sendnotifyAlert_4
h1	receivenotifyAlert_4
i1	sendsyncAlert_5
j1	receivesyncAlert_5
k1	sendrequestFlow_6_opt2
l1	receiverequestFlow_6_opt2
m1	sendlogFlow_7_opt2
n1	receivelogFlow_7_opt2
o1	sendschedulePurity_8
p1	receiveschedulePurity_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
```

model_108 HospitalBedAllocation · pass

รหัส event

a1	sendsendBed_1
b1	receivesendBed_1
c1	sendassignBed_2
d1	receiveassignBed_2
e1	sendsyncTransfer_3
f1	receivesyncTransfer_3
g1	sendscheduleBed_4
h1	receivescheduleBed_4
i1	sendlogTransfer_5
j1	receivelogTransfer_5
k1	sendreleasePatient_6
l1	receivereleasePatient_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_109 HospitalLabRequest · fail

รหัส event

a1	sendcheckOrder_1
b1	receivecheckOrder_1
c1	sendrequestResult_2
d1	receiverequestResult_2
e1	sendconfirmOrder_3
f1	receiveconfirmOrder_3
g1	sendscheduleOrder_4
g2	sendreportSample_9
h1	receivescheduleOrder_4
h2	receivereportSample_9
i1	sendackSample_5
j1	receiveackSample_5
k1	sendapproveSample_6
l1	receiveapproveSample_6
m1	sendissueResult_7
n1	receiveissueResult_7
o1	sendreportResult_8
o2	checkloop_ackSample_5_loop2
p1	receivereportResult_8
q1	sendrequestSample_10
r1	receiverequestSample_10
s1	sendreserveSample_11
s2	checkloop_confirmOrder_3_loop1
t1	receivereserveSample_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1 → m1 → n1
    │   ├── o1 → p1 → q1 → r1
    │   │   ├── s1 → t1
    │   │   └── s2 ↺ e1
    │   └── o2 ↺ i1
    └── g2 → h2 → q1 → r1
        ├── s1 → t1
        └── s2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 ↺ i1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> q1 ->
r1 -> s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> q1 ->
r1 -> s2 ↺ e1
```

model_110 HospitalPharmacyRobot · pass

รหัส event

a1	sendnotifyDrawer_1
b1	receivenotifyDrawer_1
c1	sendconfirmOrder_2
d1	receiveconfirmOrder_2
e1	sendreportOrder_3
e2	sendcheckOrder_5
f1	receivereportOrder_3
f2	receivecheckOrder_5
g1	sendackDrawer_4
g2	sendassignDrawer_6
h1	receiveackDrawer_4
h2	receiveassignDrawer_6
i1	sendreleaseDose_7
j1	receivereleaseDose_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1
    └── e2 → f2 → g2 → h2 → i1 → j1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g2 -> h2 -> i1 ->
j1
```

model_125 MedicalImagingPACS · fail

รหัส event

a1	sendcheckImage_1
b1	receivecheckImage_1
c1	sendassignImage_2
d1	receiveassignImage_2
e1	sendassignReport_3
f1	receiveassignReport_3
g1	sendapproveReport_4
g2	sendrequestImage_5
h1	receiveapproveReport_4
h2	receiverequestImage_5
i1	sendvalidateImage_6
j1	receivevalidateImage_6
k1	sendsyncReport_7
k2	checkloop_assignReport_3_loop1
l1	receivesyncReport_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1
    │   ├── k1 → l1
    │   └── k2 ↺ e1
    └── g2 → h2 → i1 → j1
        ├── k1 → l1
        └── k2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> i1 ->
j1 -> k2 ↺ e1
```

model_126 MedicalTranscription · pass

รหัส event

a1	sendcheckTranscript_1
b1	receivecheckTranscript_1
c1	sendlogTranscript_2
d1	receivelogTranscript_2
e1	sendsendNote_3_opt1
f1	receivesendNote_3_opt1
g1	sendupdateDictation_4_opt1
h1	receiveupdateDictation_4_opt1
i1	sendnotifyDictation_5
j1	receivenotifyDictation_5
k1	sendconfirmDictation_6
l1	receiveconfirmDictation_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_139 PatientIntakeForm · fail

รหัส event

a1	sendreleaseForm_1
b1	receivereleaseForm_1
c1	sendcancelForm_2
d1	receivecancelForm_2
e1	sendconfirmForm_3
f1	receiveconfirmForm_3
g1	sendreportForm_4_opt1
h1	receivereportForm_4_opt1
i1	sendscheduleConsent_5
j1	receivescheduleConsent_5
k1	sendconfirmConsent_6
l1	receiveconfirmConsent_6
m1	sendissueForm_7
n1	receiveissueForm_7
o1	sendassignRecord_8
o2	checkloop_confirmForm_3_loop1
p1	receiveassignRecord_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
    ├── o1 → p1
    └── o2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 ↺ e1
```

model_141 PharmacyDelivery · fail

รหัส event

a1	sendsyncSignature_1
b1	receivesyncSignature_1
c1	sendvalidateSignature_2
d1	receivevalidateSignature_2
e1	sendfetchRoute_3_opt1
f1	receivefetchRoute_3_opt1
g1	sendqueryRoute_4_opt1
h1	receivequeryRoute_4_opt1
i1	sendconfirmRoute_5
j1	receiveconfirmRoute_5
k1	sendissuePackage_6
l1	receiveissuePackage_6
m1	sendcancelSignature_7
m2	sendqueryPackage_9
m3	sendscheduleSignature_11
n1	receivecancelSignature_7
n2	receivequeryPackage_9
n3	receivescheduleSignature_11
o1	sendconfirmPackage_8
o2	sendackSignature_10
p1	receiveconfirmPackage_8
p2	receiveackSignature_10
q1	sendapproveRoute_12
r1	receiveapproveRoute_12

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
    ├── m1 → n1 → o1 → p1 → q1 → r1
    ├── m2 → n2 → o2 → p2 → q1 → r1
    └── m3 → n3 → q1 → r1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 -> n2 -> o2 -> p2 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m3 -> n3 -> q1 -> r1
```

model_142 PharmacyRefill · fail

รหัส event

a1	sendissuePrescription_1
b1	receiveissuePrescription_1
c1	sendcheckClaim_2
d1	receivecheckClaim_2
e1	sendschedulePrescription_3_opt1
f1	receiveschedulePrescription_3_opt1
g1	sendqueryRefill_4_opt1
h1	receivequeryRefill_4_opt1
i1	sendackRefill_5
j1	receiveackRefill_5
k1	sendreservePrescription_6
l1	receivereservePrescription_6
m1	sendcancelRefill_7
n1	receivecancelRefill_7
o1	sendvalidateClaim_8
p1	receivevalidateClaim_8
q1	sendconfirmPrescription_9
r1	receiveconfirmPrescription_9

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1 →
      q1 → r1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1
```

model_153 RemotePatientMonitor · fail

รหัส event

a1	sendsyncAlert_1
b1	receivesyncAlert_1
c1	sendcancelReport_2
d1	receivecancelReport_2
e1	sendapproveVital_3
f1	receiveapproveVital_3
g1	sendscheduleReport_4
h1	receivescheduleReport_4
i1	sendreleaseReport_5
i2	checkloop_approveVital_3_loop1
j1	receivereleaseReport_5
k1	sendsendAlert_6
l1	receivesendAlert_6
m1	sendreportVital_7
n1	receivereportVital_7
o1	sendnotifyAlert_8
p1	receivenotifyAlert_8
q1	sendfetchVital_9
r1	receivefetchVital_9
s1	sendreportAlert_10
t1	receivereportAlert_10
u1	sendreportReport_11
v1	receivereportReport_11
w1	sendconfirmVital_12
x1	receiveconfirmVital_12
y1	sendassignAlert_13
z1	receiveassignAlert_13

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1
    ├── i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1 →
    │     q1 → r1 → s1 → t1 → u1 → v1 → w1 → x1 →
    │     y1 → z1
    └── i2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w1 -> x1 -> y1 -> z1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i2 ↺ e1
```

model_158 RuralTelehealthKiosk · fail

รหัส event

a1	sendreportVital_1
b1	receivereportVital_1
c1	sendvalidateVital_2
d1	receivevalidateVital_2
e1	sendfetchPrescription_3
f1	receivefetchPrescription_3
g1	sendschedulePrescription_4
g2	sendreportPrescription_11
h1	receiveschedulePrescription_4
h2	receivereportPrescription_11
i1	sendcancelPrescription_5
j1	receivecancelPrescription_5
k1	sendnotifyConsult_6
l1	receivenotifyConsult_6
m1	sendsendVital_7
n1	receivesendVital_7
o1	sendfetchVital_8
p1	receivefetchVital_8
q1	sendackConsult_9
r1	receiveackConsult_9
s1	sendupdateConsult_10
t1	receiveupdateConsult_10
u1	sendconfirmVital_12
v1	receiveconfirmVital_12
w1	sendreleaseVital_13
w2	checkloop_fetchPrescription_3_loop1
x1	receivereleaseVital_13

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1 → m1 → n1 →
    │     o1 → p1 → q1 → r1 → s1 → t1 → u1 → v1
    │   ├── w1 → x1
    │   └── w2 ↺ e1
    └── g2 → h2 → u1 → v1
        ├── w1 → x1
        └── w2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w1 -> x1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> u1 ->
v1 -> w1 -> x1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> u1 ->
v1 -> w2 ↺ e1
```

model_172 SmartMirrorFitness · fail

รหัส event

a1	sendreleaseWorkout_1
b1	receivereleaseWorkout_1
c1	sendreportRep_2
d1	receivereportRep_2
e1	sendapprovePlan_3
f1	receiveapprovePlan_3
g1	sendconfirmWorkout_4_opt1
h1	receiveconfirmWorkout_4_opt1
i1	sendlogWorkout_5_opt1
j1	receivelogWorkout_5_opt1
k1	sendissueWorkout_6_opt1
l1	receiveissueWorkout_6_opt1
m1	sendcancelRep_7_opt1
n1	receivecancelRep_7_opt1
o1	sendackRep_8_opt1
p1	receiveackRep_8_opt1
q1	sendreservePlan_9_opt1
r1	receivereservePlan_9_opt1
s1	sendsendWorkout_10_opt1
t1	receivesendWorkout_10_opt1
u1	sendscheduleWorkout_11
v1	receivescheduleWorkout_11
w1	sendsyncPlan_12
w2	checkloop_approvePlan_3_loop1
x1	receivesyncPlan_12

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1 →
      q1 → r1 → s1 → t1 → u1 → v1
    ├── w1 → x1
    └── w2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w1 -> x1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w2 ↺ e1
```

model_173 SmartPillBox · pass

รหัส event

a1	sendsyncRefill_1
b1	receivesyncRefill_1
c1	sendvalidateRefill_2
d1	receivevalidateRefill_2
e1	sendfetchReminder_3_opt1
f1	receivefetchReminder_3_opt1
g1	sendqueryReminder_4_opt1
h1	receivequeryReminder_4_opt1
i1	sendconfirmReminder_5
j1	receiveconfirmReminder_5
k1	sendissueDose_6
l1	receiveissueDose_6
m1	sendcancelRefill_7
m2	sendqueryDose_9
m3	sendscheduleRefill_11
n1	receivecancelRefill_7
n2	receivequeryDose_9
n3	receivescheduleRefill_11
o1	sendconfirmDose_8
o2	sendackRefill_10
p1	receiveconfirmDose_8
p2	receiveackRefill_10
q1	sendapproveReminder_12
r1	receiveapproveReminder_12

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
    ├── m1 → n1 → o1 → p1 → q1 → r1
    ├── m2 → n2 → o2 → p2 → q1 → r1
    └── m3 → n3 → q1 → r1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 -> n2 -> o2 -> p2 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m3 -> n3 -> q1 -> r1
```

model_186 TelemedicineVisit · fail

รหัส event

a1	sendissuePrescription_1
b1	receiveissuePrescription_1
c1	sendconfirmPrescription_2
d1	receiveconfirmPrescription_2
e1	sendupdateVisit_3
f1	receiveupdateVisit_3
g1	sendschedulePrescription_4
g2	sendrequestVisit_5
h1	receiveschedulePrescription_4
h2	receiverequestVisit_5
i1	sendsyncPrescription_6
j1	receivesyncPrescription_6
k1	sendsendNote_7
k2	checkloop_updateVisit_3_loop1
l1	receivesendNote_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1
    │   ├── k1 → l1
    │   └── k2 ↺ e1
    └── g2 → h2 → i1 → j1
        ├── k1 → l1
        └── k2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> i1 ->
j1 -> k2 ↺ e1
```

model_187 ThermalCameraScreening · pass

รหัส event

a1	sendcancelScan_1
b1	receivecancelScan_1
c1	sendackScan_2
d1	receiveackScan_2
e1	sendassignAlert_3
f1	receiveassignAlert_3
g1	sendconfirmAlert_4
h1	receiveconfirmAlert_4
i1	sendackAlert_5
j1	receiveackAlert_5
k1	sendqueryFever_6
l1	receivequeryFever_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_192 VaccineColdBox · fail

รหัส event

a1	sendreleaseAlarm_1
b1	receivereleaseAlarm_1
c1	sendackVaccine_2
d1	receiveackVaccine_2
e1	sendsyncReading_3
f1	receivesyncReading_3
g1	sendsyncAlarm_4
h1	receivesyncAlarm_4
i1	sendapproveAlarm_5
j1	receiveapproveAlarm_5
k1	sendsendVaccine_6
l1	receivesendVaccine_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_193 VeterinaryClinic · pass

รหัส event

a1	sendreleaseAppointment_1
b1	receivereleaseAppointment_1
c1	sendcancelAppointment_2
d1	receivecancelAppointment_2
e1	sendreportInvoice_3
f1	receivereportInvoice_3
g1	sendsendAppointment_4
h1	receivesendAppointment_4
i1	sendapproveAppointment_5
j1	receiveapproveAppointment_5
k1	sendvalidateInvoice_6
l1	receivevalidateInvoice_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

การเดินทางและยานพาหนะ · Transportation & Mobility (26)

model_002 AirportBaggage · fail

รหัส event

a1	sendtagBag_1
b1	receivetagBag_1
c1	sendrouteBag_2
d1	receiverouteBag_2
e1	sendsorted_3
f1	receivesorted_3
g1	sendloadBag_4
g2	senddivertBag_6
h1	receiveloadBag_4
h2	receivedivertBag_6
i1	sendloadedAck_5
j1	receiveloadedAck_5
k1	sendmanifestUpdate_7
l1	receivemanifestUpdate_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1
    └── g2 → h2 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1
```

model_007 CarRentalBooking · pass

รหัส event

a1	sendopenApp_1
b1	receiveopenApp_1
c1	sendsearchCar_2
d1	receivesearchCar_2
e1	sendcarList_3
f1	receivecarList_3
g1	sendaddInsurance_4_opt1
g2	checkloop_searchCar_2_loop1
h1	receiveaddInsurance_4_opt1
i1	sendrequestPayment_5
j1	receiverequestPayment_5
k1	sendpaymentResult_6
l1	receivepaymentResult_6
m1	sendconfirmBooking_7
m2	sendcancelBooking_8
n1	receiveconfirmBooking_7
n2	receivecancelBooking_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1
    │   ├── m1 → n1
    │   └── m2 → n2
    └── g2 ↺ c1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 -> n2
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 ↺ c1
```

model_019 FerryTicketGate · pass

รหัส event

a1	sendtapTicket_1
b1	receivetapTicket_1
c1	sendvalidate_2
d1	receivevalidate_2
e1	sendopenBarrier_3
f1	receiveopenBarrier_3
g1	sendpassThrough_4
h1	receivepassThrough_4

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1
```

model_040 SmartParking · pass

รหัส event

a1	sendrequestEntry_1
b1	receiverequestEntry_1
c1	sendcheckSlot_2
d1	receivecheckSlot_2
e1	sendslotStatus_3
f1	receiveslotStatus_3
g1	sendopenGate_4_opt1
h1	receiveopenGate_4_opt1
i1	sendissueTicket_5_opt1
j1	receiveissueTicket_5_opt1
k1	sendlogEntry_6
l1	receivelogEntry_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_042 TaxiDispatch · fail

รหัส event

a1	sendrequestRide_1
b1	receiverequestRide_1
c1	sendfindDriver_2
d1	receivefindDriver_2
e1	senddriverAccept_3
f1	receivedriverAccept_3
g1	sendrideConfirmed_4
h1	receiverideConfirmed_4
i1	sendaddPassenger_5_opt1
j1	receiveaddPassenger_5_opt1
k1	sendtripComplete_6
l1	receivetripComplete_6
m1	sendchargeRider_7
n1	receivechargeRider_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
```

model_045 TrafficLightController · fail

รหัส event

a1	sendsetGreen_1
b1	receivesetGreen_1
c1	sendgreenAck_2
d1	receivegreenAck_2
e1	sendsetYellow_3
f1	receivesetYellow_3
g1	sendsetRed_4
h1	receivesetRed_4
i1	sendphaseDone_5
j1	receivephaseDone_5
k1	sendshutdown_6
k2	checkloop_setYellow_3_loop1
l1	receiveshutdown_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1
    ├── k1 → l1
    └── k2 ↺ e1
```

เส้นทาง

a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 -> j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 -> j1 -> k2 ↺ e1

model_049 AirportSecurityLane · fail

รหัส event

a1	sendcancelTray_1
b1	receivecancelTray_1
c1	sendvalidateTray_2
d1	receivevalidateTray_2
e1	sendrequestScan_3
e2	sendreleaseScan_4
f1	receiverequestScan_3
f2	receivereleaseScan_4
g1	sendreserveTray_6
h1	receivereserveTray_6
i1	sendupdateTray_5
j1	receiveupdateTray_5

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1
    └── e2 → f2 → i1 → j1 → g1 → h1
```

เส้นทาง

a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> i1 -> j1 -> g1 -> h1

model_050 AirportShuttle · pass

รหัส event

a1	sendsendRoute_1
b1	receivesendRoute_1
c1	sendnotifyPickup_2
d1	receivenotifyPickup_2
e1	sendupdateSeat_3
f1	receiveupdateSeat_3
g1	sendconfirmPickup_4
h1	receiveconfirmPickup_4
i1	sendscheduleRoute_5
j1	receivescheduleRoute_5
k1	sendfetchSeat_6
l1	receivefetchSeat_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 -> j1 -> k1 -> l1

model_057 BikeSharing · pass

รหัส event

a1	sendfetchRide_1
b1	receivefetchRide_1
c1	sendconfirmBike_2
d1	receiveconfirmBike_2
e1	sendsyncFee_3
e2	sendvalidateFee_7
f1	receivesyncFee_3
f2	receivevalidateFee_7
g1	sendfetchBike_4_opt1
h1	receivefetchBike_4_opt1
i1	sendreserveBike_5_opt1
j1	receivereserveBike_5_opt1
k1	sendapproveBike_6
l1	receiveapproveBike_6
m1	sendnotifyFee_8
n1	receivenotifyFee_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1 → k1 → l1 →
    │     m1 → n1
    └── e2 → f2 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> m1 -> n1
```

model_062 BusTicketBooking · fail

รหัส event

a1	sendvalidateSeat_1
b1	receivevalidateSeat_1
c1	sendlogTicket_2
d1	receivelogTicket_2
e1	sendsendSeat_3
f1	receivesendSeat_3
g1	sendreserveSeat_4_opt1
h1	receivereserveSeat_4_opt1
i1	sendrequestRoute_5_opt1
j1	receiverequestRoute_5_opt1
k1	sendlogSeat_6
l1	receivelogSeat_6
m1	sendscheduleTicket_7
n1	receivescheduleTicket_7
o1	sendapproveSeat_8
o2	checkloop_sendSeat_3_loop1
p1	receiveapproveSeat_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
    ├── o1 → p1
    └── o2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 ↺ e1
```

model_064 CampusShuttleBus · pass

รหัส event

a1	sendscheduleArrival_1
b1	receivescheduleArrival_1
c1	sendscheduleSeat_2
d1	receivescheduleSeat_2
e1	sendvalidateArrival_3
f1	receivevalidateArrival_3
g1	sendupdateStop_4
h1	receiveupdateStop_4
i1	sendvalidateStop_5
j1	receivevalidateStop_5
k1	sendreserveSeat_6
l1	receivereserveSeat_6
m1	sendupdateArrival_7_opt1
n1	receiveupdateArrival_7_opt1
o1	sendapproveArrival_8_opt1
o2	sendsendStop_10_opt1
p1	receiveapproveArrival_8_opt1
p2	receivesendStop_10_opt1
q1	sendquerySeat_9_opt1
r1	receivequerySeat_9_opt1
s1	sendissueStop_11_opt1
t1	receiveissueStop_11_opt1
u1	sendissueArrival_12
v1	receiveissueArrival_12

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
    ├── o1 → p1 → q1 → r1 → s1 → t1 → u1 → v1
    └── o2 → p2 → s1 → t1 → u1 → v1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 -> p2 -> s1 -> t1 ->
u1 -> v1
```

model_068 CarRentalReturn · pass

รหัส event

a1	sendapproveDamage_1
b1	receiveapproveDamage_1
c1	sendfetchCar_2
d1	receivefetchCar_2
e1	sendvalidateDamage_3
f1	receivevalidateDamage_3
g1	sendcancelCar_4
h1	receivecancelCar_4
i1	sendfetchDamage_5
j1	receivefetchDamage_5
k1	sendqueryInvoice_6
l1	receivequeryInvoice_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_087 DroneTrafficControl · pass

รหัส event

a1	sendreportCorridor_1
b1	receivereportCorridor_1
c1	sendsyncFlight_2
d1	receivesyncFlight_2
e1	sendackFlight_3
e2	sendcancelCorridor_7
f1	receiveackFlight_3
f2	receivecancelCorridor_7
g1	sendupdateCorridor_4_opt1
h1	receiveupdateCorridor_4_opt1
i1	sendqueryCorridor_5_opt1
j1	receivequeryCorridor_5_opt1
k1	sendconfirmFlight_6
l1	receiveconfirmFlight_6
m1	sendconfirmCorridor_8
n1	receiveconfirmCorridor_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1 → k1 → l1 →
    │     m1 → n1
    └── e2 → f2 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> m1 -> n1
```

model_095 FlightCheckIn · pass

รหัส event

a1	sendapproveSeat_1
b1	receiveapproveSeat_1
c1	sendcancelSeat_2
d1	receivecancelSeat_2
e1	sendfetchBoarding_3
f1	receivefetchBoarding_3
g1	sendcancelBag_4
h1	receivecancelBag_4
i1	sendassignSeat_5
j1	receiveassignSeat_5
k1	sendrequestBoarding_6
l1	receiverequestBoarding_6
m1	sendackBag_7
n1	receiveackBag_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
```

model_096 FlightCrewScheduling · fail

รหัส event

a1	sendcancelDuty_1
b1	receivecancelDuty_1
c1	sendackDuty_2
d1	receiveackDuty_2
e1	sendassignSwap_3
f1	receiveassignSwap_3
g1	sendconfirmSwap_4
h1	receiveconfirmSwap_4
i1	sendackSwap_5
j1	receiveackSwap_5
k1	sendqueryRoster_6
l1	receivequeryRoster_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_099 GarageGateControl · pass

รหัส event

a1	sendsendTicket_1
b1	receivesendTicket_1
c1	sendassignTicket_2
d1	receiveassignTicket_2
e1	sendreserveTicket_3
f1	receivereserveTicket_3
g1	sendreserveFee_4
h1	receivereserveFee_4
i1	sendrequestSlot_5
j1	receiverequestSlot_5
k1	sendassignFee_6
l1	receiveassignFee_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_137 ParkingPermitPortal · pass

รหัส event

a1	sendfetchPermit_1
b1	receivefetchPermit_1
c1	sendapprovePlate_2
d1	receiveapprovePlate_2
e1	sendqueryFine_3
f1	receivequeryFine_3
g1	sendconfirmPlate_4
h1	receiveconfirmPlate_4
i1	sendfetchPlate_5
j1	receivefetchPlate_5
k1	sendreservePermit_6
k2	checkloop_queryFine_3_loop1
l1	receivereservePermit_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1
    ├── k1 → l1
    └── k2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 ↺ e1
```

model_150 RailFareGate · pass

รหัส event

a1	sendqueryBalance_1
b1	receivequeryBalance_1
c1	sendassignBalance_2
d1	receiveassignBalance_2
e1	sendcheckFare_3_opt1
f1	receivecheckFare_3_opt1
g1	sendvalidateCard_4_opt1
h1	receivevalidateCard_4_opt1
i1	sendcheckCard_5
j1	receivecheckCard_5
k1	sendqueryFare_6
l1	receivequeryFare_6
m1	sendvalidateFare_7_opt2
n1	receivevalidateFare_7_opt2
o1	sendrequestCard_8_opt2
p1	receiverequestCard_8_opt2
q1	sendreportBalance_9
r1	receivereportBalance_9
s1	sendreleaseFare_10
t1	receivereleaseFare_10
u1	sendissueFare_11
v1	receiveissueFare_11
w1	sendlogBalance_12
x1	receivelogBalance_12
y1	sendvalidateBalance_13
z1	receivevalidateBalance_13
aa1	sendassignFare_14
ab1	receiveassignFare_14
ac1	sendcancelFare_15
ad1	receivecancelFare_15

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1 →
      q1 → r1 → s1 → t1 → u1 → v1 → w1 → x1 →
      y1 → z1 → aa1 → ab1 → ac1 → ad1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w1 -> x1 -> y1 -> z1 -> aa1 ->
ab1 -> ac1 -> ad1
```

model_154 RentalScooter · pass

รหัส event

a1	sendfetchBattery_1
b1	receivefetchBattery_1
c1	sendrequestBattery_2
d1	receiverequestBattery_2
e1	sendupdateUnlock_3_opt1
f1	receiveupdateUnlock_3_opt1
g1	sendissueTrip_4
h1	receiveissueTrip_4
i1	sendscheduleTrip_5
j1	receivescheduleTrip_5
k1	sendfetchTrip_6
l1	receivefetchTrip_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_156 RideHailingSurge · fail

รหัส event

a1	sendnotifyFare_1
b1	receivenotifyFare_1
c1	sendcancelSurge_2
d1	receivecancelSurge_2
e1	sendreleaseTrip_3
f1	receivereleaseTrip_3
g1	sendrequestTrip_4
h1	receiverequestTrip_4
i1	sendlogSurge_5
j1	receivelogSurge_5
k1	sendfetchFare_6
l1	receivefetchFare_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_160 SchoolBusTracking · pass

รหัส event

a1	sendupdateArrival_1
b1	receiveupdateArrival_1
c1	sendconfirmStop_2
d1	receiveconfirmStop_2
e1	sendreportBus_3
e2	sendsyncBus_5
f1	receivereportBus_3
f2	receivesyncBus_5
g1	sendcancelStop_4
h1	receivecancelStop_4
i1	sendcheckBus_6
j1	receivecheckBus_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1
    └── e2 → f2 → i1 → j1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> i1 -> j1
```

model_163 ShipLockOperation · pass

รหัส event

a1	sendqueryLock_1
b1	receivequeryLock_1
c1	sendscheduleLock_2
d1	receivescheduleLock_2
e1	sendreleaseLevel_3
f1	receivereleaseLevel_3
g1	sendapproveLevel_4
h1	receiveapproveLevel_4
i1	sendconfirmLock_5
j1	receiveconfirmLock_5
k1	sendassignLevel_6
l1	receiveassignLevel_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_183 StreetParkingMeter · pass

รหัส event

a1	sendreserveFee_1
b1	receivereserveFee_1
c1	sendlogFee_2
d1	receivelogFee_2
e1	sendreportFee_3
f1	receivereportFee_3
g1	sendreserveSession_4
h1	receivereserveSession_4
i1	sendqueryFine_5
j1	receivequeryFine_5
k1	sendissueSession_6
l1	receiveissueSession_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_188 TollPlazaETC · pass

รหัส event

a1	sendrequestPlate_1
b1	receiverequestPlate_1
c1	sendschedulePlate_2
d1	receiveschedulePlate_2
e1	sendvalidatePlate_3_opt1
f1	receivevalidatePlate_3_opt1
g1	sendvalidateToll_4_opt1
h1	receivevalidateToll_4_opt1
i1	sendqueryAccount_5
j1	receivequeryAccount_5
k1	sendreservePlate_6
l1	receivereservePlate_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_190 TrafficSignalPriority · pass

รหัส event

a1	sendqueryPriority_1
b1	receivequeryPriority_1
c1	sendassignGreen_2
d1	receiveassignGreen_2
e1	sendupdateGreen_3
f1	receiveupdateGreen_3
g1	sendqueryLane_4
h1	receivequeryLane_4
i1	sendconfirmPriority_5
j1	receiveconfirmPriority_5
k1	sendreserveLane_6
l1	receivereserveLane_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_191 TrainSeatReservation · fail

รหัส event

a1	sendqueryTicket_1
b1	receivequeryTicket_1
c1	sendassignCoach_2
d1	receiveassignCoach_2
e1	sendscheduleCoach_3
f1	receivescheduleCoach_3
g1	sendconfirmSeat_4
g2	sendapproveTicket_8
h1	receiveconfirmSeat_4
h2	receiveapproveTicket_8
i1	sendreserveTicket_5
j1	receivereserveTicket_5
k1	sendissueTicket_6
l1	receiveissueTicket_6
m1	sendrequestCoach_7
n1	receiverequestCoach_7
o1	sendcheckTicket_9
p1	receivecheckTicket_9
q1	sendcancelTicket_10
r1	receivecancelTicket_10
s1	sendreportCoach_11
t1	receivereportCoach_11
u1	sendissueCoach_12
u2	checkloop_scheduleCoach_3_loop1
v1	receiveissueCoach_12

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1 → m1 → n1 →
    │     o1 → p1 → q1 → r1 → s1 → t1
    │   ├── u1 → v1
    │   └── u2 ↺ e1
    └── g2 → h2 → o1 → p1 → q1 → r1 → s1 → t1
        ├── u1 → v1
        └── u2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> o1 ->
p1 -> q1 -> r1 -> s1 -> t1 -> u1 -> v1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> o1 ->
p1 -> q1 -> r1 -> s1 -> t1 -> u2 ↺ e1
```

โลจิสติกส์และคลังสินค้า · Logistics & Supply Chain (14)

model_011 ColdChainMonitor · fail

รหัส event

a1	sendlogTemperature_1
b1	receivelogTemperature_1
c1	senduploadLog_2
d1	receiveuploadLog_2
e1	senduploadAck_3
f1	receiveuploadAck_3
g1	sendraiseAlert_4
g2	senddailySummary_6
h1	receiveraiseAlert_4
h2	receivedailySummary_6
i1	sendalertAck_5
j1	receivealertAck_5
k1	sendcloseTrip_7
l1	receivecloseTrip_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1
    └── g2 → h2 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1
```

model_014 DroneDelivery · pass

รหัส event

a1	sendplaceOrder_1
b1	receiveplaceOrder_1
c1	sendprepareParcel_2
d1	receiveprepareParcel_2
e1	sendassignDrone_3
f1	receiveassignDrone_3
g1	sendpickupParcel_4
h1	receivepickupParcel_4
i1	senddeliverParcel_5
j1	receivedeliverParcel_5
k1	sendconfirmDelivery_6
k2	sendlateCompensation_7
l1	receiveconfirmDelivery_6
l2	receivelateCompensation_7
m1	sendreturnToBase_8
n1	receivereturnToBase_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1
    ├── k1 → l1 → m1 → n1
    └── k2 → l2 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 -> l2 -> m1 -> n1
```

model_032 PackageTracking · pass

รหัส event

a1	sendcreateShipment_1
b1	receivecreateShipment_1
c1	sendpickupConfirm_2
d1	receivepickupConfirm_2
e1	sendarriveHub_3
f1	receivearriveHub_3
g1	sendscanIn_4
h1	receivescanIn_4
i1	sendcustomsHold_5_opt1
j1	receivecustomsHold_5_opt1
k1	senddispatchOut_6
l1	receivedispatchOut_6
m1	senddeliver_7
m2	sendleaveNotice_9
n1	receivedeliver_7
n2	receiveleaveNotice_9
o1	sendsignReceipt_8
p1	receivesignReceipt_8
q1	sendcloseShipment_10
r1	receivecloseShipment_10
s1	sendrateService_11
t1	receiverateService_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
    ├── m1 → n1 → o1 → p1 → q1 → r1 → s1 → t1
    └── m2 → n2 → q1 → r1 → s1 → t1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 -> n2 -> q1 -> r1 -> s1 -> t1
```

model_033 ParcelLocker · fail

รหัส event

a1	senddepositParcel_1
b1	receivedepositParcel_1
c1	sendlockerReceipt_2
d1	receivelockerReceipt_2
e1	sendsendPickupCode_3
f1	receivesendPickupCode_3
g1	sendenterCode_4
h1	receiveenterCode_4
i1	sendopenSlot_5_opt1
j1	receiveopenSlot_5_opt1
k1	sendslotClosed_6_opt1
l1	receiveslotClosed_6_opt1
m1	sendnotifyCourier_7
n1	receivenotifyCourier_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
```

model_048 WarehouseRobotFleet · pass

รหัส event

a1	sendstartShift_1
b1	receivestartShift_1
c1	sendassignTaskA_2
d1	receiveassignTaskA_2
e1	sendassignTaskB_3
f1	receiveassignTaskB_3
g1	sendtaskDone_4
h1	receivetaskDone_4
i1	sendreserveDock_5_opt1
j1	receivereserveDock_5_opt1
k1	senddockReady_6_opt1
l1	receivedockReady_6_opt1
m1	sendendShift_7
m2	checkloop_assignTaskA_2_loop1
n1	receiveendShift_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
    ├── m1 → n1
    └── m2 ↺ c1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 ↺ c1
```

model_067 CargoShipTracking · fail

รหัส event

a1	sendsyncManifest_1
b1	receivesyncManifest_1
c1	sendassignContainer_2
d1	receiveassignContainer_2
e1	sendackContainer_3
f1	receiveackContainer_3
g1	sendupdateManifest_4_opt1
h1	receiveupdateManifest_4_opt1
i1	sendupdateBerth_5
j1	receiveupdateBerth_5
k1	sendreleaseContainer_6
k2	checkloop_ackContainer_3_loop1
l1	receivereleaseContainer_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1
    ├── k1 → l1
    └── k2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 ↺ e1
```

model_081 CustomsClearance · pass

รหัส event

a1	sendsendRelease_1
b1	receivesendRelease_1
c1	sendrequestDuty_2
d1	receiverequestDuty_2
e1	sendcancelDuty_3_opt1
f1	receivecancelDuty_3_opt1
g1	sendapproveDeclaration_4
h1	receiveapproveDeclaration_4
i1	sendsyncDeclaration_5
j1	receivesyncDeclaration_5
k1	sendfetchRelease_6
l1	receivefetchRelease_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_114 InventoryReorder · fail

รหัส event

a1	sendcheckInvoice_1
b1	receivecheckInvoice_1
c1	sendreportInvoice_2
d1	receivereportInvoice_2
e1	sendsendInvoice_3
f1	receivesendInvoice_3
g1	sendackInvoice_4_opt1
h1	receiveackInvoice_4_opt1
i1	sendlogStock_5_opt1
j1	receivelogStock_5_opt1
k1	sendrequestInvoice_6
l1	receiverequestInvoice_6
m1	sendscheduleStock_7_opt2
n1	receivescheduleStock_7_opt2
o1	sendscheduleOrder_8_opt2
p1	receivescheduleOrder_8_opt2
q1	sendupdateInvoice_9
r1	receiveupdateInvoice_9
s1	sendissueOrder_10
t1	receiveissueOrder_10
u1	sendfetchOrder_11
u2	checkloop_sendInvoice_3_loop1
v1	receivefetchOrder_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1 →
      q1 → r1 → s1 → t1
    ├── u1 → v1
    └── u2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u2 ↺ e1
```

model_122 MailroomSorting · pass

รหัส event

a1	sendassignSlot_1
b1	receiveassignSlot_1
c1	sendackNotice_2
d1	receiveackNotice_2
e1	sendcancelNotice_3
f1	receivecancelNotice_3
g1	sendissueNotice_4
h1	receiveissueNotice_4
i1	sendfetchSlot_5
j1	receivefetchSlot_5
k1	sendcheckParcel_6
l1	receivecheckParcel_6
m1	sendapproveNotice_7_opt1
n1	receiveapproveNotice_7_opt1
o1	sendlogParcel_8_opt1
p1	receivelogParcel_8_opt1
q1	sendcancelParcel_9_opt1
r1	receivecancelParcel_9_opt1
s1	sendreserveParcel_10_opt1
t1	receivereserveParcel_10_opt1
u1	sendreportParcel_11_opt1
u2	checkloop_logParcel_8_loop1
v1	receivereportParcel_11_opt1
w1	sendvalidateSlot_12
x1	receivevalidateSlot_12

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1 →
      q1 → r1 → s1 → t1
    ├── u1 → v1 → w1 → x1
    └── u2 ↺ o1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w1 -> x1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u2 ↺ o1
```

model_135 ParcelReturnDropoff · fail

รหัส event

a1	sendsyncReturn_1
b1	receivesyncReturn_1
c1	sendsendRefund_2
d1	receivesendRefund_2
e1	sendnotifyReturn_3_opt1
f1	receivenotifyReturn_3_opt1
g1	sendscheduleReturn_4
h1	receivescheduleReturn_4
i1	sendackReturn_5
j1	receiveackReturn_5
k1	sendreportReturn_6
l1	receivereportReturn_6
m1	sendlogRefund_7
n1	receivelogRefund_7
o1	sendapproveRefund_8
p1	receiveapproveRefund_8
q1	sendassignLabel_9
r1	receiveassignLabel_9
s1	sendvalidateRefund_10
t1	receivevalidateRefund_10

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1 →
      q1 → r1 → s1 → t1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1
```

model_146 PortCraneControl · pass

รหัส event

a1	sendreportContainer_1
b1	receivereportContainer_1
c1	sendcheckSlot_2
d1	receivecheckSlot_2
e1	sendrequestLift_3_opt1
f1	receiverequestLift_3_opt1
g1	sendackContainer_4_opt1
h1	receiveackContainer_4_opt1
i1	sendassignLift_5
j1	receiveassignLift_5
k1	sendupdateSlot_6
l1	receiveupdateSlot_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_161 SeaportPilotBooking · pass

รหัส event

a1	sendnotifyArrival_1
b1	receivenotifyArrival_1
c1	sendreserveArrival_2
d1	receivereserveArrival_2
e1	sendsendBerth_3_opt1
f1	receivesendBerth_3_opt1
g1	sendlogPilot_4
h1	receivelogPilot_4
i1	sendrequestBerth_5
j1	receiverequestBerth_5
k1	sendcheckArrival_6
l1	receivecheckArrival_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_195 WarehouseForklift · pass

รหัส event

a1	sendscheduleAisle_1
b1	receivescheduleAisle_1
c1	sendcancelAisle_2
d1	receivecancelAisle_2
e1	sendvalidatePallet_3
f1	receivevalidatePallet_3
g1	sendapprovePallet_4
h1	receiveapprovePallet_4
i1	sendfetchAisle_5
j1	receivefetchAisle_5
k1	sendapproveAisle_6
l1	receiveapproveAisle_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_196 WarehousePicking · pass

รหัส event

a1	sendreportTote_1
b1	receivereportTote_1
c1	sendsendOrder_2
d1	receivesendOrder_2
e1	sendlogTote_3
f1	receivelogTote_3
g1	sendlogBin_4
h1	receivelogBin_4
i1	sendassignBin_5
j1	receiveassignBin_5
k1	sendreserveTote_6
l1	receivereserveTote_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

บ้านและอาคารอัจฉริยะ · Smart Home & Building (21)

model_015 ElevatorControl · pass

รหัส event

a1	sendcallElevator_1
b1	receivecallElevator_1
c1	sendmoveCar_2
d1	receivemoveCar_2
e1	sendarrived_3
f1	receivearrived_3
g1	sendopenDoor_4
g2	sendcloseDoor_6
h1	receiveopenDoor_4
h2	receivecloseDoor_6
i1	senddoorOpened_5
i2	senddoorSensor_7
j1	receivedoorOpened_5
j2	receivedoorSensor_7
k1	sendnotifyPassenger_8
k2	checkloop_closeDoor_6_loop1
l1	receivenotifyPassenger_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1
    └── g2 → h2 → i2 → j2
        ├── k1 → l1
        └── k2 ↺ g2
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> i2 ->
j2 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> i2 ->
j2 -> k2 ↺ g2
```

model_037 SmartDoorLock · pass

รหัส event

a1	sendunlockRequest_1
b1	receiveunlockRequest_1
c1	sendchallenge_2
d1	receivechallenge_2
e1	sendrespond_3
f1	receiverespond_3
g1	senddoorUnlocked_4
g2	sendaccessDenied_6
h1	receivedoorUnlocked_4
h2	receiveaccessDenied_6
i1	sendscheduleRelock_5_opt1
j1	receivescheduleRelock_5_opt1
k1	sendstatusUpdate_7
l1	receivestatusUpdate_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1
    └── g2 → h2 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1
```

model_041 SmartPlugControl · fail

รหัส event

a1	sendqueryState_1
b1	receivequeryState_1
c1	sendplugState_2
d1	receiveplugState_2
e1	sendturnOff_3
e2	sendturnOn_5
f1	receiveturnOff_3
f2	receiveturnOn_5
g1	sendoffAck_4
h1	receiveoffAck_4
i1	sendenergyReport_6
j1	receiveenergyReport_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1
    └── e2 → f2 → i1 → j1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> i1 -> j1
```

model_043 ThermostatControl · pass

รหัส event

a1	sendstartHeating_1
b1	receivestartHeating_1
c1	sendheatingAck_2
d1	receiveheatingAck_2
e1	sendqueryTemp_3
f1	receivequeryTemp_3
g1	sendtempReport_4
h1	receivetempReport_4
i1	sendreducePower_5
i2	sendkeepPower_6
j1	receivereducePower_5
j2	receivekeepPower_6
k1	sendstopHeating_7
k2	checkloop_queryTemp_3_loop1
l1	receivestopHeating_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1
    ├── i1 → j1
    │   ├── k1 → l1
    │   └── k2 ↺ e1
    └── i2 → j2
        ├── k1 → l1
        └── k2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i2 ->
j2 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i2 ->
j2 -> k2 ↺ e1
```

model_047 VoiceAssistant · pass

รหัส event

a1	sendwakeWord_1
b1	receivewakeWord_1
c1	sendstreamAudio_2
d1	receivestreamAudio_2
e1	sendintentResult_3
f1	receiveintentResult_3
g1	sendplaySong_4
g2	sendfetchWeather_5
g3	sendaskRepeat_8
h1	receiveplaySong_4
h2	receivefetchWeather_5
h3	receiveaskRepeat_8
i1	sendsleepMode_9
j1	receivesleepMode_9
k1	sendweatherInfo_6
l1	receiveweatherInfo_6
m1	sendspeakWeather_7
n1	receivespeakWeather_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1
    ├── g2 → h2 → k1 → l1 → m1 → n1 → i1 → j1
    └── g3 → h3 → i1 → j1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1 -> m1 -> n1 -> i1 -> j1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g3 -> h3 -> i1 ->
j1
```

model_053 ApartmentIntercom · pass

รหัส event

a1	sendsyncCall_1
b1	receivesyncCall_1
c1	sendreserveCall_2
d1	receivereserveCall_2
e1	sendreserveDoor_3
f1	receivereserveDoor_3
g1	sendcheckDoor_4
h1	receivecheckDoor_4
i1	sendqueryDoor_5
j1	receivequeryDoor_5
k1	sendcancelCall_6
l1	receivecancelCall_6
m1	sendlogCode_7
n1	receivelogCode_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
```

model_060 BuildingVisitorPass · pass

รหัส event

a1	sendsendBadge_1
b1	receivesendBadge_1
c1	sendcheckBadge_2
d1	receivecheckBadge_2
e1	sendqueryVisit_3
e2	sendnotifyPass_5
f1	receivequeryVisit_3
f2	receivenotifyPass_5
g1	sendreleasePass_4
g2	sendvalidateVisit_6
h1	receivereleasePass_4
h2	receivevalidateVisit_6
i1	sendsendPass_7
j1	receivesendPass_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1
    └── e2 → f2 → g2 → h2 → i1 → j1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g2 -> h2 -> i1 ->
j1
```

model_086 DormLaundry · pass

รหัส event

a1	sendackCredit_1
b1	receiveackCredit_1
c1	sendconfirmCredit_2
d1	receiveconfirmCredit_2
e1	sendreserveMachine_3
f1	receivereserveMachine_3
g1	sendnotifyCredit_4
h1	receivenotifyCredit_4
i1	sendreleaseCycle_5
i2	checkloop_reserveMachine_3_loop1
j1	receivereleaseCycle_5
k1	sendfetchCredit_6
l1	receivefetchCredit_6
m1	sendsendCredit_7
n1	receivesendCredit_7
o1	sendfetchCycle_8
p1	receivefetchCycle_8
q1	sendcancelCycle_9
r1	receivecancelCycle_9
s1	sendqueryCredit_10
t1	receivequeryCredit_10

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1
    ├── i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1 →
    │     q1 → r1 → s1 → t1
    └── i2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i2 ↺ e1
```

model_093 FireSprinklerSystem · pass

รหัส event

a1	sendcheckValve_1
b1	receivecheckValve_1
c1	sendlogValve_2
d1	receivelogValve_2
e1	sendsendAlarm_3_opt1
f1	receivesendAlarm_3_opt1
g1	sendupdateFire_4_opt1
h1	receiveupdateFire_4_opt1
i1	sendnotifyFire_5
j1	receivenotifyFire_5
k1	sendconfirmFire_6
l1	receiveconfirmFire_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_107 HomeSecurityAlarm · fail

รหัส event

a1	sendlogCode_1
b1	receivelogCode_1
c1	sendreportAlert_2
d1	receivereportAlert_2
e1	sendcheckAlert_3_opt1
f1	receivecheckAlert_3_opt1
g1	sendnotifyZone_4_opt1
h1	receivenotifyZone_4_opt1
i1	sendsyncZone_5
j1	receivesyncZone_5
k1	sendqueryCode_6
l1	receivequeryCode_6
m1	sendassignAlert_7
n1	receiveassignAlert_7
o1	sendqueryZone_8
p1	receivequeryZone_8
q1	sendscheduleZone_9
r1	receivescheduleZone_9

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1 →
      q1 → r1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1
```

model_115 IoTDoorbell · pass

รหัส event

a1	sendapproveMessage_1
b1	receiveapproveMessage_1
c1	sendackVideo_2
d1	receiveackVideo_2
e1	sendassignVideo_3_opt1
f1	receiveassignVideo_3_opt1
g1	sendnotifyRing_4
h1	receivenotifyRing_4
i1	sendreserveMessage_5
j1	receivereserveMessage_5
k1	sendrequestRing_6_opt2
l1	receiverequestRing_6_opt2
m1	sendcheckVideo_7
n1	receivecheckVideo_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
```

model_119 LiftEmergencyCall · fail

รหัส event

a1	sendreleaseCall_1
b1	receivereleaseCall_1
c1	sendqueryCall_2
d1	receivequeryCall_2
e1	sendsyncFault_3_opt1
f1	receivesyncFault_3_opt1
g1	sendlogCall_4
h1	receivelogCall_4
i1	sendnotifyFault_5
j1	receivenotifyFault_5
k1	sendreportFault_6
k2	sendcancelFault_7
l1	receivereportFault_6
l2	receivecancelFault_7
m1	sendsendFault_8
n1	receivesendFault_8
o1	sendsyncCall_9
p1	receivesyncCall_9
q1	sendackFault_10
r1	receiveackFault_10
s1	sendnotifyDispatch_11
t1	receivenotifyDispatch_11
u1	sendconfirmDispatch_12
v1	receiveconfirmDispatch_12
w1	sendvalidateFault_13
x1	receivevalidateFault_13

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1
    ├── k1 → l1 → m1 → n1 → o1 → p1 → q1 → r1 →
    │     s1 → t1 → u1 → v1 → w1 → x1
    └── k2 → l2 → m1 → n1 → o1 → p1 → q1 → r1 →
          s1 → t1 → u1 → v1 → w1 → x1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w1 -> x1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 -> l2 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w1 -> x1
```

model_120 LiftMaintenance · fail

รหัส event

a1	sendlogJob_1
b1	receivelogJob_1
c1	sendvalidateJob_2
d1	receivevalidateJob_2
e1	sendrequestJob_3
f1	receiverequestJob_3
g1	sendcheckJob_4
h1	receivecheckJob_4
i1	sendsyncLock_5
j1	receivesyncLock_5
k1	sendcancelFault_6
k2	checkloop_requestJob_3_loop1
l1	receivecancelFault_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1
    ├── k1 → l1
    └── k2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 ↺ e1
```

model_130 OfficeLightingControl · fail

รหัส event

a1	sendlogDim_1
b1	receivelogDim_1
c1	sendsyncSchedule_2
d1	receivesyncSchedule_2
e1	sendreleaseOccupancy_3_opt1
f1	receivereleaseOccupancy_3_opt1
g1	sendapproveOccupancy_4
h1	receiveapproveOccupancy_4
i1	sendlogSchedule_5
j1	receivelogSchedule_5
k1	sendqueryDim_6_opt2
l1	receivequeryDim_6_opt2
m1	sendfetchSchedule_7
n1	receivefetchSchedule_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
```

model_140 PetDoorController · pass

รหัส event

a1	sendrequestLog_1
b1	receiverequestLog_1
c1	sendscheduleEntry_2
d1	receivescheduleEntry_2
e1	sendcheckLog_3
f1	receivecheckLog_3
g1	sendcancelCurfew_4
h1	receivecancelCurfew_4
i1	sendreportCurfew_5
j1	receivereportCurfew_5
k1	sendqueryEntry_6
l1	receivequeryEntry_6
m1	sendrequestCurfew_7
n1	receiverequestCurfew_7
o1	sendapproveLog_8
o2	sendupdateEntry_10
p1	receiveapproveLog_8
p2	receiveupdateEntry_10
q1	sendsendCurfew_9
q2	sendsyncCurfew_11
r1	receivesendCurfew_9
r2	receivesyncCurfew_11
s1	sendsendEntry_12
t1	receivesendEntry_12

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
    ├── o1 → p1 → q1 → r1 → s1 → t1
    └── o2 → p2 → q2 → r2 → s1 → t1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 -> p2 -> q2 -> r2 ->
s1 -> t1
```

model_157 RoboticLawnMower · fail

รหัส event

a1	sendsendDock_1
b1	receivesendDock_1
c1	sendrequestBlade_2
d1	receiverequestBlade_2
e1	sendcancelBlade_3_opt1
f1	receivecancelBlade_3_opt1
g1	sendapproveZone_4
h1	receiveapproveZone_4
i1	sendsyncZone_5
j1	receivesyncZone_5
k1	sendfetchDock_6
l1	receivefetchDock_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_164 SmartAquarium · fail

รหัส event

a1	sendvalidatePh_1
b1	receivevalidatePh_1
c1	sendupdateFeed_2
d1	receiveupdateFeed_2
e1	sendreportFeed_3
f1	receivereportFeed_3
g1	sendapproveLight_4
g2	sendnotifyFeed_6
h1	receiveapproveLight_4
h2	receivenotifyFeed_6
i1	sendqueryFeed_5
j1	receivequeryFeed_5
k1	sendsendLight_7
l1	receivesendLight_7
m1	sendsyncLight_8
m2	checkloop_reportFeed_3_loop1
n1	receivesyncLight_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1
    │   ├── m1 → n1
    │   └── m2 ↺ e1
    └── g2 → h2 → k1 → l1
        ├── m1 → n1
        └── m2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1 -> m2 ↺ e1
```

model_165 SmartBabyMonitor · pass

รหัส event

a1	sendqueryClimate_1
b1	receivequeryClimate_1
c1	sendconfirmCry_2
d1	receiveconfirmCry_2
e1	sendreserveCry_3_opt1
f1	receivereserveCry_3_opt1
g1	sendcheckAlert_4_opt1
g2	sendscheduleAlert_9_opt1
h1	receivecheckAlert_4_opt1
h2	receivescheduleAlert_9_opt1
i1	sendapproveCry_5_opt1
j1	receiveapproveCry_5_opt1
k1	sendreserveAlert_6_opt1
l1	receivereserveAlert_6_opt1
m1	sendvalidateAlert_7_opt1
n1	receivevalidateAlert_7_opt1
o1	sendupdateClimate_8_opt1
p1	receiveupdateClimate_8_opt1
q1	sendsyncCry_10_opt1
r1	receivesyncCry_10_opt1
s1	sendcancelCry_11
t1	receivecancelCry_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1 → m1 → n1 →
    │     o1 → p1 → q1 → r1 → s1 → t1
    └── g2 → h2 → q1 → r1 → s1 → t1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> q1 ->
r1 -> s1 -> t1
```

model_167 SmartCurtainControl · fail

รหัส event

a1	sendapprovePosition_1
b1	receiveapprovePosition_1
c1	sendupdateScene_2
d1	receiveupdateScene_2
e1	sendconfirmLux_3
f1	receiveconfirmLux_3
g1	sendfetchScene_4
h1	receivefetchScene_4
i1	sendreleaseLux_5
j1	receivereleaseLux_5
k1	sendcheckScene_6
l1	receivecheckScene_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_168 SmartFridgeInventory · fail

รหัส event

a1	sendapproveOrder_1
b1	receiveapproveOrder_1
c1	sendassignExpiry_2
d1	receiveassignExpiry_2
e1	sendsendOrder_3
f1	receivesendOrder_3
g1	sendassignItem_4
g2	sendlogOrder_6
h1	receiveassignItem_4
h2	receivelogOrder_6
i1	sendscheduleOrder_5
j1	receivescheduleOrder_5
k1	sendapproveExpiry_7
l1	receiveapproveExpiry_7
m1	sendqueryItem_8
m2	checkloop_sendOrder_3_loop1
n1	receivequeryItem_8
o1	sendcheckOrder_9
p1	receivecheckOrder_9
q1	sendissueExpiry_10
r1	receiveissueExpiry_10
s1	sendsyncOrder_11
s2	checkloop_issueExpiry_10_loop2
t1	receivesyncOrder_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1
    │   ├── m1 → n1 → o1 → p1 → q1 → r1
    │   │   ├── s1 → t1
    │   │   └── s2 ↺ q1
    │   └── m2 ↺ e1
    └── g2 → h2 → k1 → l1
        ├── m1 → n1 → o1 → p1 → q1 → r1
        │   ├── s1 → t1
        │   └── s2 ↺ q1
        └── m2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s2 ↺ q1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 -> s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 -> s2 ↺ q1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1 -> m2 ↺ e1
```

model_197 WaterLeakDetection · fail

รหัส event

a1	sendfetchTicket_1
b1	receivefetchTicket_1
c1	sendupdateLeak_2
d1	receiveupdateLeak_2
e1	sendreserveValve_3
f1	receivereserveValve_3
g1	sendreleaseLeak_4_opt1
h1	receivereleaseLeak_4_opt1
i1	sendreleaseTicket_5
j1	receivereleaseTicket_5
k1	sendreportValve_6
l1	receivereportValve_6
m1	sendsyncTicket_7
n1	receivesyncTicket_7
o1	sendissueTicket_8
p1	receiveissueTicket_8
q1	sendcancelLeak_9
r1	receivecancelLeak_9
s1	sendackLeak_10
t1	receiveackLeak_10
u1	sendreportLeak_11
u2	checkloop_reserveValve_3_loop1
v1	receivereportLeak_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1 →
      q1 → r1 → s1 → t1
    ├── u1 → v1
    └── u2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u2 ↺ e1
```

อุตสาหกรรม พลังงาน และโครงสร้างพื้นฐาน · Industrial, Energy & Infrastructure (13)

model_005 BatteryChargeCycle · fail

รหัส event

a1	sendstartCharge_1
b1	receivestartCharge_1
c1	sendchargeAck_2
d1	receivechargeAck_2
e1	sendchargePulse_3
f1	receivechargePulse_3
g1	sendcellVoltage_4
h1	receivecellVoltage_4
i1	sendstopCharge_5
i2	checkloop_chargePulse_3_loop1
j1	receivestopCharge_5
k1	sendfullReport_6
l1	receivefullReport_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1
    ├── i1 → j1 → k1 → l1
    └── i2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i2 ↺ e1
```

model_018 FactoryRobotArm · pass

รหัส event

a1	sendstartBatch_1
b1	receivestartBatch_1
c1	sendinitArm_2
d1	receiveinitArm_2
e1	sendcalibrateCamera_3
f1	receivecalibrateCamera_3
g1	sendlogStart_4
h1	receivelogStart_4
i1	sendpickItem_5
j1	receivepickItem_5
k1	sendinspectItem_6
l1	receiveinspectItem_6
m1	sendinspectionResult_7
n1	receiveinspectionResult_7
o1	senddiscardItem_8_opt1
p1	receivediscardItem_8_opt1
q1	sendreportSummary_9
q2	checkloop_pickItem_5_loop1
r1	receivereportSummary_9

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1
    ├── q1 → r1
    └── q2 ↺ i1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q2 ↺ i1
```

model_039 SmartMeterBilling · fail

รหัส event

a1	sendsendUsage_1
b1	receivesendUsage_1
c1	sendusageAck_2
d1	receiveusageAck_2
e1	sendgenerateBill_3
f1	receivegenerateBill_3
g1	sendpayBill_4
h1	receivepayBill_4
i1	sendsetAutoPay_5_opt1
j1	receivesetAutoPay_5_opt1
k1	sendautoPayOK_6_opt1
l1	receiveautoPayOK_6_opt1
m1	sendreceiptIssued_7
n1	receivereceiptIssued_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
```

model_079 CraneLoadMonitor · fail

รหัส event

a1	sendcancelLimit_1
b1	receivecancelLimit_1
c1	sendvalidateAlarm_2
d1	receivevalidateAlarm_2
e1	sendackLimit_3
f1	receiveackLimit_3
g1	sendissueLimit_4
h1	receiveissueLimit_4
i1	sendcancelLoad_5
j1	receivecancelLoad_5
k1	sendscheduleLoad_6
l1	receivescheduleLoad_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_088 EVBatterySwap · pass

รหัส event

a1	sendreportCredit_1
b1	receivereportCredit_1
c1	sendissueCredit_2
d1	receiveissueCredit_2
e1	sendreserveSwap_3_opt1
f1	receivereserveSwap_3_opt1
g1	sendnotifyCredit_4
h1	receivenotifyCredit_4
i1	sendreportBattery_5
j1	receivereportBattery_5
k1	sendissueSwap_6_opt2
l1	receiveissueSwap_6_opt2
m1	sendcheckCredit_7
n1	receivecheckCredit_7
o1	sendscheduleSwap_8
p1	receivescheduleSwap_8
q1	sendlogBattery_9
r1	receivelogBattery_9
s1	sendfetchSwap_10
t1	receivefetchSwap_10
u1	sendconfirmBattery_11
u2	checkloop_logBattery_9_loop1
v1	receiveconfirmBattery_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1 →
      q1 → r1 → s1 → t1
    ├── u1 → v1
    └── u2 ↺ q1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u2 ↺ q1
```

model_089 EVChargingSession · pass

รหัส event

a1	sendcancelTariff_1
b1	receivecancelTariff_1
c1	sendnotifySession_2
d1	receivenotifySession_2
e1	sendupdateTariff_3
f1	receiveupdateTariff_3
g1	sendrequestEnergy_4
h1	receiverequestEnergy_4
i1	sendvalidateSession_5
j1	receivevalidateSession_5
k1	sendackSession_6
l1	receiveackSession_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_091 FactoryQualityGate · pass

รหัส event

a1	sendcancelPart_1
b1	receivecancelPart_1
c1	sendfetchDefect_2
d1	receivefetchDefect_2
e1	sendlogDefect_3
f1	receivelogDefect_3
g1	sendnotifyPart_4
h1	receivenotifyPart_4
i1	sendreportPart_5
i2	checkloop_logDefect_3_loop1
j1	receivereportPart_5
k1	sendreleaseBatch_6
l1	receivereleaseBatch_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1
    ├── i1 → j1 → k1 → l1
    └── i2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i2 ↺ e1
```

model_105 HomeEnergyBattery · pass

รหัส event

a1	sendnotifyExport_1
b1	receivenotifyExport_1
c1	sendvalidateExport_2
d1	receivevalidateExport_2
e1	sendlogCharge_3_opt1
f1	receivelogCharge_3_opt1
g1	sendreserveTariff_4
h1	receivereserveTariff_4
i1	sendassignCharge_5
j1	receiveassignCharge_5
k1	sendreleaseTariff_6
l1	receivereleaseTariff_6
m1	sendfetchCharge_7
n1	receivefetchCharge_7
o1	sendrequestCharge_8
o2	checkloop_releaseTariff_6_loop1
p1	receiverequestCharge_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
    ├── o1 → p1
    └── o2 ↺ k1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 ↺ k1
```

model_144 PipelineLeakSCADA · pass

รหัส event

a1	sendscheduleWork_1
b1	receivescheduleWork_1
c1	sendcancelWork_2
d1	receivecancelWork_2
e1	sendvalidatePressure_3
f1	receivevalidatePressure_3
g1	sendapprovePressure_4
h1	receiveapprovePressure_4
i1	sendfetchWork_5
j1	receivefetchWork_5
k1	sendapproveWork_6
l1	receiveapproveWork_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_170 SmartHelmetMining · pass

รหัส event

a1	sendsyncAlarm_1
b1	receivesyncAlarm_1
c1	sendackGas_2
d1	receiveackGas_2
e1	sendscheduleGas_3
e2	sendcheckAlarm_4
f1	receivescheduleGas_3
f2	receivecheckAlarm_4
g1	sendupdateAlarm_6
h1	receiveupdateAlarm_6
i1	sendreserveLocation_5
j1	receivereserveLocation_5

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1
    └── e2 → f2 → i1 → j1 → g1 → h1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> i1 -> j1 -> g1 ->
h1
```

model_176 SmartStreetLight · fail

รหัส event

a1	sendcancelDim_1
b1	receivecancelDim_1
c1	sendqueryDim_2
d1	receivequeryDim_2
e1	sendrequestFault_3
f1	receiverequestFault_3
g1	sendreleaseLamp_4
h1	receivereleaseLamp_4
i1	sendsendDim_5
j1	receivesendDim_5
k1	sendlogLamp_6
l1	receivelogLamp_6
m1	sendconfirmDim_7
n1	receiveconfirmDim_7
o1	sendconfirmFault_8
o2	sendapproveDim_10
p1	receiveconfirmFault_8
p2	receiveapproveDim_10
q1	sendnotifyDim_9
r1	receivenotifyDim_9
s1	sendackFault_11
t1	receiveackFault_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
    ├── o1 → p1 → q1 → r1 → s1 → t1
    └── o2 → p2 → s1 → t1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 -> p2 -> s1 -> t1
```

model_181 SolarPanelMonitor · fail

รหัส event

a1	sendackPower_1
b1	receiveackPower_1
c1	sendapproveExport_2
d1	receiveapproveExport_2
e1	sendissuePower_3
f1	receiveissuePower_3
g1	sendconfirmFault_4
g2	sendcheckPower_6
h1	receiveconfirmFault_4
h2	receivecheckPower_6
i1	sendreportFault_5
j1	receivereportFault_5
k1	sendreportExport_7
l1	receivereportExport_7
m1	sendreserveExport_8
m2	checkloop_issuePower_3_loop1
n1	receivereserveExport_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1
    │   ├── m1 → n1
    │   └── m2 ↺ e1
    └── g2 → h2 → k1 → l1
        ├── m1 → n1
        └── m2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1 -> m2 ↺ e1
```

model_198 WindTurbineMonitor · pass

รหัส event

a1	sendreserveRpm_1
b1	receivereserveRpm_1
c1	sendupdatePower_2
d1	receiveupdatePower_2
e1	sendreservePower_3_opt1
f1	receivereservePower_3_opt1
g1	sendnotifyPower_4
h1	receivenotifyPower_4
i1	sendsyncPower_5
j1	receivesyncPower_5
k1	sendrequestRpm_6_opt2
l1	receiverequestRpm_6_opt2
m1	sendlogRpm_7_opt2
n1	receivelogRpm_7_opt2
o1	sendscheduleFault_8
p1	receivescheduleFault_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
```

ค้าปลีก อาหาร และ e-commerce · Retail, Food & E-commerce (14)

model_010 CoffeeOrderKiosk · pass

รหัส event

a1	sendchooseDrink_1
b1	receivechooseDrink_1
c1	sendshowPrice_2
d1	receiveshowPrice_2
e1	sendaddExtraShot_3_opt1
f1	receiveaddExtraShot_3_opt1
g1	sendpayCash_4
h1	receivepayCash_4
i1	sendserveDrink_5
j1	receiveserveDrink_5

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1
```

model_021 FoodOrderApp · pass

รหัส event

a1	sendbrowseMenu_1
b1	receivebrowseMenu_1
c1	sendmenuList_2
d1	receivemenuList_2
e1	sendapplyCoupon_3_opt1
f1	receiveapplyCoupon_3_opt1
g1	senddiscountApplied_4_opt1
h1	receivediscountApplied_4_opt1
i1	sendsubmitOrder_5
j1	receivesubmitOrder_5
k1	sendforwardOrder_6
l1	receiveforwardOrder_6
m1	sendorderReady_7
n1	receiveorderReady_7
o1	sendnotifyCustomer_8
p1	receivenotifyCustomer_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
```

model_030 OnlineAuction · fail

รหัส event

a1	sendplaceBid_1
b1	receiveplaceBid_1
c1	sendbidAccepted_2
d1	receivebidAccepted_2
e1	sendoutbidNotice_3
f1	receiveoutbidNotice_3
g1	sendraiseBid_4
h1	receiveraiseBid_4
i1	sendcloseAuction_5
i2	checkloop_outbidNotice_3_loop1
j1	receivecloseAuction_5
k1	sendsaleConfirm_6
l1	receivesaleConfirm_6
m1	sendwinnerNotice_7
n1	receivewinnerNotice_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1
    ├── i1 → j1 → k1 → l1 → m1 → n1
    └── i2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i2 ↺ e1
```

model_044 ToolRentalLocker · fail

รหัส event

a1	sendreserveTool_1
b1	receivereserveTool_1
c1	sendreservationCode_2
d1	receivereservationCode_2
e1	sendunlockLocker_3
f1	receiveunlockLocker_3
g1	sendverifyCode_4
h1	receiveverifyCode_4
i1	sendcodeValid_5
j1	receivecodeValid_5
k1	sendreleaseTool_6
l1	receivereleaseTool_6
m1	sendchargeLateFee_7_opt1
n1	receivechargeLateFee_7_opt1

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
```

model_046 VendingMachine · pass

รหัส event

a1	sendinsertCoin_1
b1	receiveinsertCoin_1
c1	sendselectItem_2
d1	receiveselectItem_2
e1	senddispenseItem_3
e2	sendrequestMoreCoins_5
e3	sendrejectCoin_6
f1	receivedispenseItem_3
f2	receiverequestMoreCoins_5
f3	receiverejectCoin_6
g1	sendreturnChange_4
h1	receivereturnChange_4
i1	sendshowIdle_7
j1	receiveshowIdle_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1
    ├── e2 → f2 → i1 → j1
    └── e3 → f3 → i1 → j1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> i1 -> j1
a1 -> b1 -> c1 -> d1 -> e3 -> f3 -> i1 -> j1
```

model_063 CafeLoyaltyPoints · fail

รหัส event

a1	sendapproveVisit_1
b1	receiveapproveVisit_1
c1	sendfetchPoint_2
d1	receivefetchPoint_2
e1	sendcheckPoint_3
f1	receivecheckPoint_3
g1	sendissueVisit_4_opt1
h1	receiveissueVisit_4_opt1
i1	sendupdateVisit_5
j1	receiveupdateVisit_5
k1	sendreleaseVisit_6_opt2
l1	receivereleaseVisit_6_opt2
m1	sendsendPoint_7
n1	receivesendPoint_7
o1	sendsyncReward_8
p1	receivesyncReward_8
q1	sendfetchReward_9
q2	checkloop_checkPoint_3_loop1
r1	receivefetchReward_9

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1
    ├── q1 → r1
    └── q2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q2 ↺ e1
```

model_075 ConcessionStandOrder · pass

รหัส event

a1	sendsyncPickup_1
b1	receivesyncPickup_1
c1	sendreportPickup_2
d1	receivereportPickup_2
e1	sendconfirmOrder_3
f1	receiveconfirmOrder_3
g1	sendapproveSnack_4
g2	checkloop_confirmOrder_3_loop1
h1	receiveapproveSnack_4
i1	sendassignOrder_5
j1	receiveassignOrder_5
k1	sendscheduleSnack_6
l1	receivescheduleSnack_6
m1	sendnotifySnack_7
n1	receivenotifySnack_7
o1	sendnotifyPickup_8
p1	receivenotifyPickup_8
q1	sendschedulePickup_9
q2	checkloop_notifySnack_7_loop3
r1	receiveschedulePickup_9
s1	sendupdatePickup_10
s2	checkloop_scheduleSnack_6_loop2
t1	receiveupdatePickup_10

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1 → m1 → n1 →
    │     o1 → p1
    │   ├── q1 → r1
    │   │   ├── s1 → t1
    │   │   └── s2 ↺ k1
    │   └── q2 ↺ m1
    └── g2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s2 ↺ k1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q2 ↺ m1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 ↺ e1
```

model_097 FoodTruckOrdering · pass

รหัส event

a1	sendvalidateOrder_1
b1	receivevalidateOrder_1
c1	sendcheckPickup_2
d1	receivecheckPickup_2
e1	sendreleasePickup_3
f1	receivereleasePickup_3
g1	sendissueDish_4_opt1
h1	receiveissueDish_4_opt1
i1	sendcheckDish_5
j1	receivecheckDish_5
k1	sendcancelDish_6_opt2
l1	receivecancelDish_6_opt2
m1	sendcancelPickup_7_opt2
m2	sendassignPickup_8_opt2
n1	receivecancelPickup_7_opt2
n2	receiveassignPickup_8_opt2
o1	sendapprovePickup_9_opt2
p1	receiveapprovePickup_9_opt2
q1	sendackOrder_10
r1	receiveackOrder_10
s1	sendcheckOrder_11
s2	checkloop_releasePickup_3_loop1
t1	receivecheckOrder_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
    ├── m1 → n1 → o1 → p1 → q1 → r1
    │   ├── s1 → t1
    │   └── s2 ↺ e1
    └── m2 → n2 → o1 → p1 → q1 → r1
        ├── s1 → t1
        └── s2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 -> n2 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 -> n2 -> o1 -> p1 -> q1 -> r1 ->
s2 ↺ e1
```

model_104 GroceryDeliverySlot · fail

รหัส event

a1	sendapproveOrder_1
b1	receiveapproveOrder_1
c1	sendfetchSlot_2
d1	receivefetchSlot_2
e1	sendreleaseOrder_3
f1	receivereleaseOrder_3
g1	sendqueryOrder_4
g2	sendreportSlot_5
h1	receivequeryOrder_4
h2	receivereportSlot_5
i1	sendnotifySlot_12
j1	receivenotifySlot_12
k1	sendcancelSlot_13
k2	checkloop_releaseOrder_3_loop1
l1	receivecancelSlot_13
m1	sendsyncSlot_6
n1	receivesyncSlot_6
o1	sendnotifyOrder_7
p1	receivenotifyOrder_7
q1	sendreportDelivery_8
r1	receivereportDelivery_8
s1	sendreserveOrder_9
t1	receivereserveOrder_9
u1	sendassignDelivery_10
v1	receiveassignDelivery_10
w1	sendfetchDelivery_11
x1	receivefetchDelivery_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1
    │   ├── k1 → l1
    │   └── k2 ↺ e1
    └── g2 → h2 → m1 → n1 → o1 → p1 → q1 → r1 →
          s1 → t1 → u1 → v1 → w1 → x1 → i1 → j1
        ├── k1 → l1
        └── k2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> m1 ->
n1 -> o1 -> p1 -> q1 -> r1 -> s1 -> t1 -> u1 -> v1 ->
w1 -> x1 -> i1 -> j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> m1 ->
n1 -> o1 -> p1 -> q1 -> r1 -> s1 -> t1 -> u1 -> v1 ->
w1 -> x1 -> i1 -> j1 -> k2 ↺ e1
```

model_133 OnlineGroceryPicking · pass

รหัส event

a1	sendlogOrder_1
b1	receivelogOrder_1
c1	sendassignOrder_2
d1	receiveassignOrder_2
e1	sendcancelOrder_3
f1	receivecancelOrder_3
g1	sendfetchOrder_4
h1	receivefetchOrder_4
i1	sendfetchItem_5
j1	receivefetchItem_5
k1	sendcancelItem_6
l1	receivecancelItem_6
m1	sendconfirmBag_7
n1	receiveconfirmBag_7
o1	sendapproveOrder_8
p1	receiveapproveOrder_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
```

model_143 PhotoPrintKiosk · pass

รหัส event

a1	sendcheckPrint_1
b1	receivecheckPrint_1
c1	sendassignPrint_2
d1	receiveassignPrint_2
e1	sendassignOrder_3
e2	sendupdatePhoto_5
f1	receiveassignOrder_3
f2	receiveupdatePhoto_5
g1	sendreservePhoto_4
h1	receivereservePhoto_4
i1	sendschedulePrint_6
j1	receiveschedulePrint_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1
    └── e2 → f2 → i1 → j1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> i1 -> j1
```

model_162 SelfCheckoutLane · pass

รหัส event

a1	sendreportItem_1
b1	receivereportItem_1
c1	sendassignItem_2
d1	receiveassignItem_2
e1	sendcancelItem_3
e2	sendscheduleItem_4
f1	receivecancelItem_3
f2	receivescheduleItem_4
g1	sendnotifyReceipt_5
h1	receivenotifyReceipt_5
i1	sendissueItem_6
j1	receiveissueItem_6
k1	sendissueReceipt_7
l1	receiveissueReceipt_7
m1	sendassignReceipt_8
n1	receiveassignReceipt_8
o1	sendreportReceipt_9
o2	checkloop_issueReceipt_7_loop1
p1	receivereportReceipt_9

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1 → k1 → l1 →
    │     m1 → n1
    │   ├── o1 → p1
    │   └── o2 ↺ k1
    └── e2 → f2 → g1 → h1 → i1 → j1 → k1 → l1 →
          m1 → n1
        ├── o1 → p1
        └── o2 ↺ k1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 ↺ k1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 ↺ k1
```

model_175 SmartShoppingCart · pass

รหัส event

a1	sendsyncTotal_1
b1	receivesyncTotal_1
c1	sendcancelCoupon_2
d1	receivecancelCoupon_2
e1	sendapproveCoupon_3_opt1
f1	receiveapproveCoupon_3_opt1
g1	sendqueryItem_4
h1	receivequeryItem_4
i1	sendupdateCoupon_5
j1	receiveupdateCoupon_5
k1	sendissueCoupon_6
l1	receiveissueCoupon_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_178 SmartVendingFridge · fail

รหัส event

a1	sendackItem_1
b1	receiveackItem_1
c1	sendreportCharge_2
d1	receivereportCharge_2
e1	sendassignItem_3
f1	receiveassignItem_3
g1	sendfetchItem_4_opt1
h1	receivefetchItem_4_opt1
i1	sendsendRestock_5_opt1
j1	receivesendRestock_5_opt1
k1	sendreserveCharge_6
l1	receivereserveCharge_6
m1	sendlogRestock_7
m2	checkloop_assignItem_3_loop1
n1	receivelogRestock_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
    ├── m1 → n1
    └── m2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 ↺ e1
```

การจอง ที่พัก และกิจกรรม · Booking, Hospitality & Events (19)

model_009 CinemaTicketing · pass

รหัส event

a1	sendselectMovie_1
b1	receiveselectMovie_1
c1	sendshowtimes_2
d1	receiveshowtimes_2
e1	sendpickSeat_3
f1	receivepickSeat_3
g1	sendseatStatus_4
h1	receiveseatStatus_4
i1	sendreserveSeat_5
i2	checkloop_pickSeat_3_loop1
j1	receivereserveSeat_5
k1	sendaddSnack_6_opt1
l1	receiveaddSnack_6_opt1
m1	sendissueTicket_7
n1	receiveissueTicket_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1
    ├── i1 → j1 → k1 → l1 → m1 → n1
    └── i2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i2 ↺ e1
```

model_012 ConferenceRoomBooking · fail

รหัส event

a1	sendsearchRoom_1
b1	receivesearchRoom_1
c1	sendavailability_2
d1	receiveavailability_2
e1	sendbookRoom_3
f1	receivebookRoom_3
g1	sendcreateEvent_4
h1	receivecreateEvent_4
i1	sendeventCreated_5
j1	receiveeventCreated_5
k1	sendupdatePanel_6_opt1
l1	receiveupdatePanel_6_opt1
m1	sendbookingDone_7
n1	receivebookingDone_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
```

model_022 GymCheckIn · fail

รหัส event

a1	sendscanQR_1
b1	receivescanQR_1
c1	sendaccessResult_2
d1	receiveaccessResult_2
e1	sendopenGate_3
e2	sendrenewPrompt_4
f1	receiveopenGate_3
f2	receiverenewPrompt_4
g1	sendexitScan_5
h1	receiveexitScan_5

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1
    └── e2 → f2 → g1 → h1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g1 -> h1
```

model_024 HotelCheckIn · pass

รหัส event

a1	sendarrive_1
b1	receivearrive_1
c1	sendlookupBooking_2
d1	receivelookupBooking_2
e1	sendbookingInfo_3
f1	receivebookingInfo_3
g1	sendassignRoom_4
g2	sendofferLounge_6
h1	receiveassignRoom_4
h2	receiveofferLounge_6
i1	sendissueKeycard_5
j1	receiveissueKeycard_5
k1	sendupdateOccupancy_7
l1	receiveupdateOccupancy_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1
    └── g2 → h2 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1
```

model_055 ArtGalleryTicketing · pass

รหัส event

a1	sendvalidateEntry_1
b1	receivevalidateEntry_1
c1	sendapproveEntry_2
d1	receiveapproveEntry_2
e1	sendlogEntry_3
f1	receivelogEntry_3
g1	sendrequestEntry_4
h1	receiverequestEntry_4
i1	sendfetchEntry_5
j1	receivefetchEntry_5
k1	sendnotifyEntry_6
l1	receivenotifyEntry_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_069 CarWashBooking · pass

รหัส event

a1	sendcancelSlot_1
b1	receivecancelSlot_1
c1	sendfetchWash_2
d1	receivefetchWash_2
e1	sendcancelPayment_3
f1	receivecancelPayment_3
g1	sendapproveWash_4
h1	receiveapproveWash_4
i1	sendissueWash_5_opt1
j1	receiveissueWash_5_opt1
k1	sendconfirmPayment_6
l1	receiveconfirmPayment_6
m1	sendconfirmWash_7
m2	checkloop_cancelPayment_3_loop1
n1	receiveconfirmWash_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
    ├── m1 → n1
    └── m2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 ↺ e1
```

model_074 ConcertTicketQueue · fail

รหัส event

a1	sendsyncSeat_1
b1	receivesyncSeat_1
c1	sendassignSeat_2
d1	receiveassignSeat_2
e1	sendfetchTicket_3
f1	receivefetchTicket_3
g1	sendvalidateQueue_4
h1	receivevalidateQueue_4
i1	sendquerySeat_5
j1	receivequerySeat_5
k1	sendreserveQueue_6
l1	receivereserveQueue_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_076 ConferenceBadgeScan · pass

รหัส event

a1	sendreleaseBadge_1
b1	receivereleaseBadge_1
c1	sendscheduleSession_2
d1	receivescheduleSession_2
e1	sendissueBadge_3
f1	receiveissueBadge_3
g1	sendquerySession_4
h1	receivequerySession_4
i1	sendcancelSession_5
j1	receivecancelSession_5
k1	sendvalidateSession_6
l1	receivevalidateSession_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_078 CoworkingDeskBooking · pass

รหัส event

a1	sendsendDesk_1
b1	receivesendDesk_1
c1	sendreserveBooking_2
d1	receivereserveBooking_2
e1	sendvalidateBooking_3
f1	receivevalidateBooking_3
g1	sendissuePass_4
h1	receiveissuePass_4
i1	sendconfirmPass_5
j1	receiveconfirmPass_5
k1	sendqueryPass_6
l1	receivequeryPass_6
m1	sendsyncBooking_7
n1	receivesyncBooking_7
o1	sendqueryDesk_8
p1	receivequeryDesk_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
```

model_090 EventCheckInQR · fail

รหัส event

a1	sendreleaseBadge_1
b1	receivereleaseBadge_1
c1	sendsyncBadge_2
d1	receivesyncBadge_2
e1	sendnotifyEntry_3
f1	receivenotifyEntry_3
g1	sendsendBadge_4
g2	sendupdateBadge_6
h1	receivesendBadge_4
h2	receiveupdateBadge_6
i1	sendreportEntry_5
j1	receivereportEntry_5
k1	sendsyncPass_7
l1	receivesyncPass_7
m1	sendfetchBadge_8
m2	checkloop_notifyEntry_3_loop1
n1	receivefetchBadge_8
o1	sendreportBadge_9
p1	receivereportBadge_9
q1	sendassignEntry_10_opt1
r1	receiveassignEntry_10_opt1
s1	sendlogEntry_11_opt1
t1	receivelogEntry_11_opt1
u1	sendissuePass_12
v1	receiveissuePass_12

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1
    │   ├── m1 → n1 → o1 → p1 → q1 → r1 → s1 → t1 →
    │   │     u1 → v1
    │   └── m2 ↺ e1
    └── g2 → h2 → k1 → l1
        ├── m1 → n1 → o1 → p1 → q1 → r1 → s1 → t1 →
        │     u1 → v1
        └── m2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 -> s1 -> t1 ->
u1 -> v1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1 -> m2 ↺ e1
```

model_102 GolfCartFleet · fail

รหัส event

a1	sendfetchFee_1
b1	receivefetchFee_1
c1	sendscheduleRound_2
d1	receivescheduleRound_2
e1	sendfetchCart_3
f1	receivefetchCart_3
g1	sendconfirmCart_4
h1	receiveconfirmCart_4
i1	sendapproveCart_5
j1	receiveapproveCart_5
k1	sendissueCart_6
l1	receiveissueCart_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_111 HotelKeylessEntry · pass

รหัส event

a1	sendfetchAccess_1
b1	receivefetchAccess_1
c1	sendscheduleRoom_2
d1	receivescheduleRoom_2
e1	sendfetchKey_3
f1	receivefetchKey_3
g1	sendconfirmKey_4
h1	receiveconfirmKey_4
i1	sendapproveKey_5
j1	receiveapproveKey_5
k1	sendissueKey_6
l1	receiveissueKey_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_112 HotelRoomService · pass

รหัส event

a1	sendconfirmMeal_1
b1	receiveconfirmMeal_1
c1	sendackBill_2
d1	receiveackBill_2
e1	sendvalidateMeal_3
f1	receivevalidateMeal_3
g1	sendapproveBill_4
h1	receiveapproveBill_4
i1	sendrequestBill_5
j1	receiverequestBill_5
k1	sendupdateBill_6
l1	receiveupdateBill_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_123 MarathonTiming · fail

รหัส event

a1	sendreleaseSplit_1
b1	receivereleaseSplit_1
c1	sendquerySplit_2
d1	receivequerySplit_2
e1	sendcancelBib_3
f1	receivecancelBib_3
g1	sendrequestBib_4_opt1
h1	receiverequestBib_4_opt1
i1	sendrequestFinish_5
j1	receiverequestFinish_5
k1	sendassignSplit_6
l1	receiveassignSplit_6
m1	sendcancelFinish_7
m2	checkloop_cancelBib_3_loop1
n1	receivecancelFinish_7
o1	sendsendFinish_8
p1	receivesendFinish_8
q1	sendfetchFinish_9
q2	sendreleaseFinish_13
r1	receivefetchFinish_9
r2	receivereleaseFinish_13
s1	sendreserveSplit_10
t1	receivereserveSplit_10
u1	sendreserveFinish_11
v1	receivereserveFinish_11
w1	sendvalidateFinish_12
w2	checkloop_reserveSplit_10_loop2
x1	receivevalidateFinish_12
y1	sendsendBib_14
z1	receivesendBib_14

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
    ├── m1 → n1 → o1 → p1
    │   ├── q1 → r1 → s1 → t1 → u1 → v1
    │   │   ├── w1 → x1 → y1 → z1
    │   │   └── w2 ↺ s1
    │   └── q2 → r2 → y1 → z1
    └── m2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w1 -> x1 -> y1 -> z1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w2 ↺ s1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q2 -> r2 ->
y1 -> z1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 ↺ e1
```

model_127 MeetingRoomDisplay · pass

รหัส event

a1	sendcancelMeeting_1
b1	receivecancelMeeting_1
c1	sendconfirmCheckin_2
d1	receiveconfirmCheckin_2
e1	sendconfirmMeeting_3
e2	sendrequestMeeting_5
f1	receiveconfirmMeeting_3
f2	receiverequestMeeting_5
g1	sendupdateRoom_4
h1	receiveupdateRoom_4
i1	sendconfirmRoom_6
j1	receiveconfirmRoom_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1
    └── e2 → f2 → i1 → j1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 -> j1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> i1 -> j1
```

model_129 MuseumAudioGuide · pass

รหัส event

a1	sendconfirmTour_1
b1	receiveconfirmTour_1
c1	sendnotifyTour_2
d1	receivenotifyTour_2
e1	sendreserveTour_3_opt1
f1	receivereserveTour_3_opt1
g1	sendcancelTour_4
h1	receivecancelTour_4
i1	sendvalidateTour_5
j1	receivevalidateTour_5
k1	sendcheckTour_6
l1	receivecheckTour_6
m1	sendvalidateAudio_7
m2	checkloop_checkTour_6_loop1
n1	receivevalidateAudio_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
    ├── m1 → n1
    └── m2 ↺ k1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 ↺ k1
```

model_155 RestaurantReservation · pass

รหัส event

a1	sendfetchMenu_1
b1	receivefetchMenu_1
c1	sendreserveTable_2
d1	receivereserveTable_2
e1	sendqueryBooking_3_opt1
f1	receivequeryBooking_3_opt1
g1	sendsyncMenu_4
h1	receivesyncMenu_4
i1	sendlogMenu_5
j1	receivelogMenu_5
k1	sendapproveMenu_6
l1	receiveapproveMenu_6
m1	sendackBooking_7_opt2
n1	receiveackBooking_7_opt2
o1	sendreportMenu_8
p1	receivereportMenu_8
q1	sendassignBooking_9
q2	checkloop_approveMenu_6_loop1
r1	receiveassignBooking_9

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1
    ├── q1 → r1
    └── q2 ↺ k1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q2 ↺ k1
```

model_169 SmartGymLocker · pass

รหัส event

a1	sendsendLocker_1
b1	receivesendLocker_1
c1	sendreservePin_2
d1	receivereservePin_2
e1	sendvalidatePin_3
f1	receivevalidatePin_3
g1	sendissueSession_4
h1	receiveissueSession_4
i1	sendconfirmSession_5
j1	receiveconfirmSession_5
k1	sendquerySession_6
l1	receivequerySession_6
m1	sendsyncPin_7
n1	receivesyncPin_7
o1	sendqueryLocker_8
p1	receivequeryLocker_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
```

model_182 StadiumEntryGate · pass

รหัส event

a1	sendreserveSeat_1
b1	receivereserveSeat_1
c1	sendlogSeat_2
d1	receivelogSeat_2
e1	sendconfirmEntry_3
f1	receiveconfirmEntry_3
g1	sendlogEntry_4
h1	receivelogEntry_4
i1	sendsyncTicket_5
j1	receivesyncTicket_5
k1	sendscheduleEntry_6
l1	receivescheduleEntry_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

การศึกษาและบริการภาครัฐ · Education & Public Services (17)

model_013 CourseEnrollment · fail

รหัส event

a1	sendbrowseCourses_1
b1	receivebrowseCourses_1
c1	sendcourseList_2
d1	receivecourseList_2
e1	sendenrollRequest_3
f1	receiveenrollRequest_3
g1	sendcheckPrereq_4
h1	receivecheckPrereq_4
i1	sendprereqOK_5
j1	receiveprereqOK_5
k1	sendrequestApproval_6_opt1
l1	receiverequestApproval_6_opt1
m1	sendapproved_7_opt1
n1	receiveapproved_7_opt1
o1	sendenrollConfirm_8
p1	receiveenrollConfirm_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
```

model_017 EmergencyDispatch · pass

รหัส event

a1	sendreportEmergency_1
b1	receivereportEmergency_1
c1	sendaskDetails_2
d1	receiveaskDetails_2
e1	sendprovideDetails_3
f1	receiveprovideDetails_3
g1	senddispatchAmbulance_4
g2	sendscheduleCallback_8
h1	receivedispatchAmbulance_4
h2	receivescheduleCallback_8
i1	sendsendLocation_5
j1	receivesendLocation_5
k1	sendrerouteRequest_6_opt1
l1	receivererouteRequest_6_opt1
m1	sendnotifyHospital_7
m2	checkloop_sendLocation_5_loop1
n1	receivenotifyHospital_7
o1	sendcloseCase_9
p1	receivecloseCase_9

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1
    │   ├── m1 → n1 → o1 → p1
    │   └── m2 ↺ i1
    └── g2 → h2 → o1 → p1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 ↺ i1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> o1 ->
p1
```

model_027 LibraryLoan · pass

รหัส event

a1	sendscanCard_1
b1	receivescanCard_1
c1	sendcheckMember_2
d1	receivecheckMember_2
e1	sendmemberInfo_3
f1	receivememberInfo_3
g1	sendborrowBook_4
g2	sendrejectLoan_7
h1	receiveborrowBook_4
h2	receiverejectLoan_7
i1	sendrecordLoan_5
j1	receiverecordLoan_5
k1	sendsetReminder_6_opt1
l1	receivesetReminder_6_opt1
m1	sendlogout_8
n1	receivelogout_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1 → m1 → n1
    └── g2 → h2 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> m1 ->
n1
```

model_031 OnlineExam · pass

รหัส event

a1	sendlogin_1
b1	receivelogin_1
c1	sendfetchQuestion_2
d1	receivefetchQuestion_2
e1	sendquestionData_3
f1	receivequestionData_3
g1	sendautosave_4
h1	receiveautosave_4
i1	sendsaveAck_5
j1	receivesaveAck_5
k1	sendsubmitAnswer_6
k2	checkloop_autosave_4_loop2
l1	receivesubmitAnswer_6
m1	sendflagBehavior_7
m2	checkloop_fetchQuestion_2_loop1
n1	receiveflagBehavior_7
o1	sendexamResult_8
p1	receiveexamResult_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1
    ├── k1 → l1
    │   ├── m1 → n1 → o1 → p1
    │   └── m2 ↺ c1
    └── k2 ↺ g1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 ↺ c1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 ↺ g1
```

model_059 BoardingSchoolGate · fail

รหัส event

a1	sendsendPass_1
b1	receivesendPass_1
c1	sendscheduleNotice_2
d1	receivescheduleNotice_2
e1	sendrequestExit_3
f1	receiverequestExit_3
g1	sendapproveExit_4
g2	checkloop_requestExit_3_loop1
h1	receiveapproveExit_4
i1	sendvalidateExit_5
j1	receivevalidateExit_5
k1	sendapproveNotice_6
k2	sendcancelExit_8
l1	receiveapproveNotice_6
l2	receivecancelExit_8
m1	sendnotifyNotice_7
m2	sendsyncExit_9
n1	receivenotifyNotice_7
n2	receivesyncExit_9
o1	sendupdateExit_10
p1	receiveupdateExit_10

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1
    │   ├── k1 → l1 → m1 → n1 → o1 → p1
    │   └── k2 → l2 → m2 → n2 → o1 → p1
    └── g2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 -> l2 -> m2 -> n2 -> o1 -> p1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 ↺ e1
```

model_071 ChildcareCheckin · fail

รหัส event

a1	sendissuePickup_1
b1	receiveissuePickup_1
c1	sendschedulePickup_2
d1	receiveschedulePickup_2
e1	sendqueryNote_3
e2	sendreserveNote_5
f1	receivequeryNote_3
f2	receivereserveNote_5
g1	sendackPickup_4
h1	receiveackPickup_4
i1	sendscheduleChild_6
j1	receivescheduleChild_6
k1	sendvalidateNote_7
l1	receivevalidateNote_7
m1	sendcheckChild_8
n1	receivecheckChild_8
o1	sendcancelChild_9
o2	checkloop_checkChild_8_loop1
p1	receivecancelChild_9

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1 → k1 → l1 →
    │     m1 → n1
    │   ├── o1 → p1
    │   └── o2 ↺ m1
    └── e2 → f2 → i1 → j1 → k1 → l1 → m1 → n1
        ├── o1 → p1
        └── o2 ↺ m1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 ↺ m1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> i1 -> j1 -> k1 ->
l1 -> m1 -> n1 -> o1 -> p1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> i1 -> j1 -> k1 ->
l1 -> m1 -> n1 -> o2 ↺ m1
```

model_077 CourseAutoGrading · pass

รหัส event

a1	sendissueFeedback_1
b1	receiveissueFeedback_1
c1	sendassignFeedback_2
d1	receiveassignFeedback_2
e1	sendreserveGrade_3
e2	sendlogGrade_4
f1	receivereserveGrade_3
f2	receivelogGrade_4
g1	sendackGrade_6
h1	receiveackGrade_6
i1	sendnotifyGrade_7
j1	receivenotifyGrade_7
k1	sendupdateGrade_8
k2	sendvalidateSubmission_9
l1	receiveupdateGrade_8
l2	receivevalidateSubmission_9
m1	sendreleaseSubmission_11
n1	receivereleaseSubmission_11
o1	sendackSubmission_10
p1	receiveackSubmission_10
q1	sendcheckSubmission_5
r1	receivecheckSubmission_5

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1
    │   ├── k1 → l1 → m1 → n1
    │   └── k2 → l2 → o1 → p1 → m1 → n1
    └── e2 → f2 → q1 → r1 → g1 → h1 → i1 → j1
        ├── k1 → l1 → m1 → n1
        └── k2 → l2 → o1 → p1 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 -> l2 -> o1 -> p1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> q1 -> r1 -> g1 ->
h1 -> i1 -> j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> q1 -> r1 -> g1 ->
h1 -> i1 -> j1 -> k2 -> l2 -> o1 -> p1 -> m1 -> n1
```

model_083 DigitalLibraryAccess · fail

รหัส event

a1	sendsyncLoan_1
b1	receivesyncLoan_1
c1	sendfetchLoan_2
d1	receivefetchLoan_2
e1	sendsendLicense_3
f1	receivesendLicense_3
g1	sendreportLoan_4
h1	receivereportLoan_4
i1	sendreleaseLoan_5
j1	receivereleaseLoan_5
k1	sendcheckEbook_6
l1	receivecheckEbook_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_084 DigitalVotingBooth · pass

รหัส event

a1	sendcancelBallot_1
b1	receivecancelBallot_1
c1	sendscheduleVote_2
d1	receivescheduleVote_2
e1	sendlogVote_3
f1	receivelogVote_3
g1	sendupdateReceipt_4
h1	receiveupdateReceipt_4
i1	sendvalidateReceipt_5
j1	receivevalidateReceipt_5
k1	sendsendVote_6
l1	receivesendVote_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_085 DisasterAlertBroadcast · pass

รหัส event

a1	sendassignQuake_1
b1	receiveassignQuake_1
c1	sendfetchQuake_2
d1	receivefetchQuake_2
e1	sendreportShelter_3
f1	receivereportShelter_3
g1	sendfetchShelter_4
h1	receivefetchShelter_4
i1	sendqueryAlert_5
j1	receivequeryAlert_5
k1	sendissueAlert_6
l1	receiveissueAlert_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_118 LabEquipmentBooking · pass

รหัส event

a1	sendreserveSample_1
b1	receivereserveSample_1
c1	sendreleaseSample_2
d1	receivereleaseSample_2
e1	sendsendSample_3
f1	receivesendSample_3
g1	sendcheckSample_4
h1	receivecheckSample_4
i1	sendsendSlot_5
j1	receivesendSlot_5
k1	sendissueSlot_6
l1	receiveissueSlot_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_138 PassportRenewalKiosk · pass

รหัส event

a1	sendackPhoto_1
b1	receiveackPhoto_1
c1	sendreportForm_2
d1	receivereportForm_2
e1	sendsendPassport_3
e2	sendcancelPassport_4
f1	receivesendPassport_3
f2	receivecancelPassport_4
g1	sendreserveForm_5
h1	receivereserveForm_5
i1	sendlogPassport_6
j1	receivelogPassport_6
k1	sendfetchPassport_7
l1	receivefetchPassport_7
m1	sendvalidatePhoto_8
n1	receivevalidatePhoto_8
o1	sendvalidateForm_9
p1	receivevalidateForm_9
q1	sendcheckPhoto_10
r1	receivecheckPhoto_10
s1	sendsendForm_11
t1	receivesendForm_11
u1	sendsyncPhoto_12
v1	receivesyncPhoto_12

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1 → k1 → l1 →
    │     m1 → n1 → o1 → p1 → q1 → r1 → s1 → t1 →
    │     u1 → v1
    └── e2 → f2 → g1 → h1 → i1 → j1 → k1 → l1 →
          m1 → n1 → o1 → p1 → q1 → r1 → s1 → t1 →
          u1 → v1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1
```

model_148 PrisonVisitBooking · fail

รหัส event

a1	sendackVisit_1
b1	receiveackVisit_1
c1	sendsendSlot_2
d1	receivesendSlot_2
e1	sendqueryClearance_3
f1	receivequeryClearance_3
g1	sendcancelSlot_4_opt1
h1	receivecancelSlot_4_opt1
i1	sendissueVisit_5
j1	receiveissueVisit_5
k1	sendissueClearance_6_opt2
l1	receiveissueClearance_6_opt2
m1	sendrequestClearance_7
n1	receiverequestClearance_7
o1	sendsyncVisit_8
p1	receivesyncVisit_8
q1	sendapproveClearance_9
q2	checkloop_queryClearance_3_loop1
r1	receiveapproveClearance_9

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1
    ├── q1 → r1
    └── q2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q2 ↺ e1
```

model_152 RemoteExamProctor · fail

รหัส event

a1	sendackExam_1
b1	receiveackExam_1
c1	sendapproveExam_2
d1	receiveapproveExam_2
e1	sendscheduleSession_3
f1	receivescheduleSession_3
g1	sendrequestExam_4
h1	receiverequestExam_4
i1	sendconfirmFlag_5
j1	receiveconfirmFlag_5
k1	sendnotifyFlag_6
l1	receivenotifyFlag_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_171 SmartLibraryShelf · fail

รหัส event

a1	sendsyncShelf_1
b1	receivesyncShelf_1
c1	sendreserveShelf_2
d1	receivereserveShelf_2
e1	sendnotifyHold_3
f1	receivenotifyHold_3
g1	sendrequestBook_4_opt1
h1	receiverequestBook_4_opt1
i1	sendupdateHold_5_opt1
j1	receiveupdateHold_5_opt1
k1	sendapproveBook_6
l1	receiveapproveBook_6
m1	sendreportBook_7
n1	receivereportBook_7
o1	sendsyncBook_8
o2	checkloop_notifyHold_3_loop1
p1	receivesyncBook_8
q1	sendrequestHold_9
r1	receiverequestHold_9
s1	sendcancelShelf_10
s2	sendcancelHold_12
t1	receivecancelShelf_10
t2	receivecancelHold_12
u1	sendlogBook_11
v1	receivelogBook_11
w1	sendreserveBook_13
x1	receivereserveBook_13

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
    ├── o1 → p1 → q1 → r1
    │   ├── s1 → t1 → u1 → v1 → w1 → x1
    │   └── s2 → t2 → w1 → x1
    └── o2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w1 -> x1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s2 -> t2 -> w1 -> x1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 ↺ e1
```

model_184 StudentAttendance · pass

รหัส event

a1	sendsyncReport_1
b1	receivesyncReport_1
c1	sendcancelAbsence_2
d1	receivecancelAbsence_2
e1	sendapproveAbsence_3_opt1
f1	receiveapproveAbsence_3_opt1
g1	sendqueryCheckin_4
h1	receivequeryCheckin_4
i1	sendupdateAbsence_5
j1	receiveupdateAbsence_5
k1	sendissueAbsence_6
l1	receiveissueAbsence_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_185 TaxFilingPortal · pass

รหัส event

a1	sendreportReturn_1
b1	receivereportReturn_1
c1	sendreleaseRefund_2
d1	receivereleaseRefund_2
e1	sendassignRefund_3
f1	receiveassignRefund_3
g1	sendschedulePayment_4
h1	receiveschedulePayment_4
i1	sendupdatePayment_5
j1	receiveupdatePayment_5
k1	sendissueReturn_6
l1	receiveissueReturn_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

ไอทีและบริการดิจิทัล · IT & Digital Services (19)

model_008 ChatMessaging · fail

รหัส event

a1	sendsendText_1
b1	receivesendText_1
c1	senddeliverText_2
d1	receivedeliverText_2
e1	sendreadReceipt_3
f1	receivereadReceipt_3
g1	sendforwardReceipt_4
h1	receiveforwardReceipt_4
i1	sendtypingIndicator_5_opt1
j1	receivetypingIndicator_5_opt1
k1	sendrelayTyping_6_opt1
l1	receiverelayTyping_6_opt1
m1	sendreplyText_7
n1	receivereplyText_7
o1	senddeliverReply_8
p1	receivedeliverReply_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
```

model_016 EmailVerification · pass

รหัส event

a1	sendregister_1
b1	receiveregister_1
c1	sendsendCode_2
d1	receivesendCode_2
e1	sendresendRequest_3
f1	receiveresendRequest_3
g1	sendresendCode_4
h1	receiveresendCode_4
i1	sendsubmitCode_5
i2	checkloop_resendRequest_3_loop1
j1	receivesubmitCode_5
k1	sendverifyResult_6
l1	receiveverifyResult_6
m1	sendaccountActivated_7
m2	checkloop_submitCode_5_loop2
n1	receiveaccountActivated_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1
    ├── i1 → j1 → k1 → l1
    │   ├── m1 → n1
    │   └── m2 ↺ i1
    └── i2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 ↺ i1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i2 ↺ e1
```

model_028 LoginRateLimiter · fail

รหัส event

a1	sendloginForm_1
b1	receiveloginForm_1
c1	sendsubmitLogin_2
d1	receivesubmitLogin_2
e1	sendverify_3
f1	receiveverify_3
g1	sendverifyResult_4
h1	receiveverifyResult_4
i1	sendloginPage_5
j1	receiveloginPage_5
k1	sendlockAccount_6_opt1
k2	checkloop_submitLogin_2_loop1
l1	receivelockAccount_6_opt1
m1	sendsessionToken_7
n1	receivesessionToken_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1
    ├── k1 → l1 → m1 → n1
    └── k2 ↺ c1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 ↺ c1
```

model_034 PrinterQueue · fail

รหัส event

a1	sendsubmitJob_1
b1	receivesubmitJob_1
c1	sendjobQueued_2
d1	receivejobQueued_2
e1	sendpagePrinted_3
f1	receivepagePrinted_3
g1	sendnextPage_4
h1	receivenextPage_4
i1	sendreprint_5
i2	checkloop_pagePrinted_3_loop1
j1	receivereprint_5
k1	sendreprintDone_6
l1	receivereprintDone_6
m1	sendjobComplete_7
m2	checkloop_reprint_5_loop2
n1	receivejobComplete_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1
    ├── i1 → j1 → k1 → l1
    │   ├── m1 → n1
    │   └── m2 ↺ i1
    └── i2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 ↺ i1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i2 ↺ e1
```

model_035 SensorDataPipeline · pass

รหัส event

a1	sendpublishReading_1
b1	receivepublishReading_1
c1	sendackReading_2
d1	receiveackReading_2
e1	sendaggregateBatch_3
f1	receiveaggregateBatch_3
g1	sendstoreConfirm_4
h1	receivestoreConfirm_4
i1	sendsyncClock_5
j1	receivesyncClock_5
k1	sendclockSynced_6
l1	receiveclockSynced_6
m1	sendheartbeat_7
n1	receiveheartbeat_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
```

model_036 ServerAutoScaling · pass

รหัส event

a1	sendstartMonitoring_1
b1	receivestartMonitoring_1
c1	sendreportLoad_2
d1	receivereportLoad_2
e1	sendaddVM_3
e2	sendkeepCapacity_6
f1	receiveaddVM_3
f2	receivekeepCapacity_6
g1	sendvmReady_4
h1	receivevmReady_4
i1	sendregisterVM_5
j1	receiveregisterVM_5
k1	sendstopMonitoring_7
k2	checkloop_reportLoad_2_loop1
l1	receivestopMonitoring_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1
    │   ├── k1 → l1
    │   └── k2 ↺ c1
    └── e2 → f2
        ├── k1 → l1
        └── k2 ↺ c1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 ↺ c1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> k2 ↺ c1
```

model_054 ArchiveDocumentScan · pass

รหัส event

a1	sendreserveBatch_1
b1	receivereserveBatch_1
c1	sendreleaseBatch_2
d1	receivereleaseBatch_2
e1	sendsendBatch_3
f1	receivesendBatch_3
g1	sendcheckBatch_4
h1	receivecheckBatch_4
i1	sendsendDocument_5
j1	receivesendDocument_5
k1	sendissueDocument_6
l1	receiveissueDocument_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_061 BulkSMSGateway · fail

รหัส event

a1	sendconfirmDelivery_1
b1	receiveconfirmDelivery_1
c1	sendapproveCampaign_2
d1	receiveapproveCampaign_2
e1	sendlogCampaign_3
f1	receivelogCampaign_3
g1	sendlogDelivery_4_opt1
h1	receivelogDelivery_4_opt1
i1	sendnotifyCampaign_5
j1	receivenotifyCampaign_5
k1	sendlogMessage_6
l1	receivelogMessage_6
m1	sendconfirmCampaign_7
m2	checkloop_logCampaign_3_loop1
n1	receiveconfirmCampaign_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
    ├── m1 → n1
    └── m2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 ↺ e1
```

model_065 CampusWifiAccess · pass

รหัส event

a1	sendcancelSession_1
b1	receivecancelSession_1
c1	sendvalidateToken_2
d1	receivevalidateToken_2
e1	sendsendToken_3
f1	receivesendToken_3
g1	sendissueSession_4
h1	receiveissueSession_4
i1	sendreserveToken_5
j1	receivereserveToken_5
k1	sendsendSession_6
l1	receivesendSession_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_072 CloudBackupJob · pass

รหัส event

a1	sendupdateSnapshot_1
b1	receiveupdateSnapshot_1
c1	sendconfirmSnapshot_2
d1	receiveconfirmSnapshot_2
e1	sendcheckJob_3
f1	receivecheckJob_3
g1	sendrequestChunk_4
h1	receiverequestChunk_4
i1	sendnotifyChunk_5
j1	receivenotifyChunk_5
k1	sendsyncJob_6
l1	receivesyncJob_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_073 CloudCIPipeline · pass

รหัส event

a1	sendreportImage_1
b1	receivereportImage_1
c1	sendissueImage_2
d1	receiveissueImage_2
e1	sendreserveBuild_3_opt1
f1	receivereserveBuild_3_opt1
g1	sendnotifyImage_4
h1	receivenotifyImage_4
i1	sendreportCommit_5
j1	receivereportCommit_5
k1	sendissueBuild_6_opt2
l1	receiveissueBuild_6_opt2
m1	sendcheckImage_7
n1	receivecheckImage_7
o1	sendscheduleBuild_8
p1	receivescheduleBuild_8
q1	sendlogCommit_9
r1	receivelogCommit_9
s1	sendfetchBuild_10
t1	receivefetchBuild_10
u1	sendconfirmCommit_11
u2	checkloop_logCommit_9_loop1
v1	receiveconfirmCommit_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1 →
      q1 → r1 → s1 → t1
    ├── u1 → v1
    └── u2 ↺ q1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u2 ↺ q1
```

model_117 JobApplicationPortal · pass

รหัส event

a1	sendassignInterview_1
b1	receiveassignInterview_1
c1	sendcheckResume_2
d1	receivecheckResume_2
e1	sendvalidateInterview_3
f1	receivevalidateInterview_3
g1	sendreleaseInterview_4
h1	receivereleaseInterview_4
i1	sendackOffer_5
j1	receiveackOffer_5
k1	sendrequestOffer_6
l1	receiverequestOffer_6
m1	sendrequestInterview_7
n1	receiverequestInterview_7
o1	sendupdateOffer_8
o2	sendcancelResume_9
p1	receiveupdateOffer_8
p2	receivecancelResume_9
q1	sendassignResume_10
r1	receiveassignResume_10

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
    ├── o1 → p1 → q1 → r1
    └── o2 → p2 → q1 → r1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 -> p2 -> q1 -> r1
```

model_134 OnlineQuizGame · pass

รหัส event

a1	sendcheckRound_1
b1	receivecheckRound_1
c1	sendscheduleAnswer_2
d1	receivescheduleAnswer_2
e1	sendackRound_3
f1	receiveackRound_3
g1	sendfetchAnswer_4
g2	checkloop_ackRound_3_loop1
h1	receivefetchAnswer_4
i1	sendqueryScore_5
j1	receivequeryScore_5
k1	sendissueAnswer_6
l1	receiveissueAnswer_6
m1	sendapproveAnswer_7
n1	receiveapproveAnswer_7
o1	sendassignScore_8
p1	receiveassignScore_8
q1	sendcancelScore_9
r1	receivecancelScore_9
s1	sendrequestScore_10
t1	receiverequestScore_10
u1	sendreportScore_11
v1	receivereportScore_11
w1	sendreserveRound_12
w2	checkloop_issueAnswer_6_loop2
x1	receivereserveRound_12

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1 → m1 → n1 →
    │     o1 → p1 → q1 → r1 → s1 → t1 → u1 → v1
    │   ├── w1 → x1
    │   └── w2 ↺ k1
    └── g2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w1 -> x1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w2 ↺ k1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 ↺ e1
```

model_136 ParentalControlRouter · pass

รหัส event

a1	sendreleaseRule_1
b1	receivereleaseRule_1
c1	sendreserveReport_2
d1	receivereserveReport_2
e1	sendcancelRule_3
f1	receivecancelRule_3
g1	sendupdateRule_4
h1	receiveupdateRule_4
i1	sendnotifyRule_5
j1	receivenotifyRule_5
k1	sendconfirmBlock_6
l1	receiveconfirmBlock_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_145 PodcastPublishing · fail

รหัส event

a1	sendvalidateFeed_1
b1	receivevalidateFeed_1
c1	sendassignAudio_2
d1	receiveassignAudio_2
e1	sendsendEpisode_3
f1	receivesendEpisode_3
g1	sendreserveEpisode_4
g2	sendcheckFeed_6
h1	receivereserveEpisode_4
h2	receivecheckFeed_6
i1	sendissueAudio_5
j1	receiveissueAudio_5
k1	sendsendAudio_7
l1	receivesendAudio_7
m1	sendlogAudio_8
m2	checkloop_sendEpisode_3_loop1
n1	receivelogAudio_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1
    │   ├── m1 → n1
    │   └── m2 ↺ e1
    └── g2 → h2 → k1 → l1
        ├── m1 → n1
        └── m2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1 -> m2 ↺ e1
```

model_147 PrintFleetMonitor · fail

รหัส event

a1	sendvalidateJob_1
b1	receivevalidateJob_1
c1	sendreserveAlert_2
d1	receivereserveAlert_2
e1	sendqueryToner_3
e2	sendconfirmJob_4
f1	receivequeryToner_3
f2	receiveconfirmJob_4
g1	sendfetchToner_5
h1	receivefetchToner_5
i1	sendscheduleToner_6
j1	receivescheduleToner_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1
    └── e2 → f2 → g1 → h1 → i1 → j1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g1 -> h1 -> i1 ->
j1
```

model_149 PublicWifiHotspot · fail

รหัส event

a1	sendscheduleQuota_1
b1	receivescheduleQuota_1
c1	sendscheduleVoucher_2
d1	receivescheduleVoucher_2
e1	sendvalidateQuota_3
f1	receivevalidateQuota_3
g1	sendupdateSession_4
h1	receiveupdateSession_4
i1	sendvalidateSession_5
j1	receivevalidateSession_5
k1	sendreserveVoucher_6
l1	receivereserveVoucher_6
m1	sendupdateQuota_7_opt1
n1	receiveupdateQuota_7_opt1
o1	sendapproveQuota_8_opt1
o2	sendsendSession_10_opt1
p1	receiveapproveQuota_8_opt1
p2	receivesendSession_10_opt1
q1	sendqueryVoucher_9_opt1
r1	receivequeryVoucher_9_opt1
s1	sendissueSession_11_opt1
t1	receiveissueSession_11_opt1
u1	sendissueQuota_12
v1	receiveissueQuota_12

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
    ├── o1 → p1 → q1 → r1 → s1 → t1 → u1 → v1
    └── o2 → p2 → s1 → t1 → u1 → v1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 -> p2 -> s1 -> t1 ->
u1 -> v1
```

model_159 SatelliteGroundStation · fail

รหัส event

a1	sendupdateTelemetry_1
b1	receiveupdateTelemetry_1
c1	sendlogCommand_2
d1	receivelogCommand_2
e1	sendrequestCommand_3
f1	receiverequestCommand_3
g1	sendassignTelemetry_4
h1	receiveassignTelemetry_4
i1	sendcheckCommand_5
j1	receivecheckCommand_5
k1	sendreleasePass_6
l1	receivereleasePass_6
m1	sendreportPass_7
n1	receivereportPass_7
o1	sendupdateCommand_8
p1	receiveupdateCommand_8
q1	sendschedulePass_9
r1	receiveschedulePass_9
s1	sendsendTelemetry_10
t1	receivesendTelemetry_10
u1	sendscheduleTelemetry_11
v1	receivescheduleTelemetry_11
w1	sendvalidatePass_12
x1	receivevalidatePass_12
y1	sendconfirmCommand_13
z1	receiveconfirmCommand_13

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1 →
      q1 → r1 → s1 → t1 → u1 → v1 → w1 → x1 →
      y1 → z1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w1 -> x1 -> y1 -> z1
```

model_194 VideoStreaming · fail

รหัส event

a1	sendreserveLicense_1
b1	receivereserveLicense_1
c1	sendreportChunk_2
d1	receivereportChunk_2
e1	sendreportStream_3
f1	receivereportStream_3
g1	sendvalidateStream_4
g2	sendsendChunk_5
h1	receivevalidateStream_4
h2	receivesendChunk_5
i1	sendackChunk_7
j1	receiveackChunk_7
k1	sendscheduleLicense_8
k2	checkloop_reportStream_3_loop1
l1	receivescheduleLicense_8
m1	sendfetchStream_9
n1	receivefetchStream_9
o1	sendscheduleStream_10
p1	receivescheduleStream_10
q1	sendupdateStream_11
r1	receiveupdateStream_11
s1	sendreleaseChunk_12
t1	receivereleaseChunk_12
u1	sendrequestStream_13
v1	receiverequestStream_13
w1	sendapproveStream_6
x1	receiveapproveStream_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1
    │   ├── k1 → l1 → m1 → n1 → o1 → p1 → q1 → r1 →
    │   │     s1 → t1 → u1 → v1
    │   └── k2 ↺ e1
    └── g2 → h2 → w1 → x1 → i1 → j1
        ├── k1 → l1 → m1 → n1 → o1 → p1 → q1 → r1 →
        │     s1 → t1 → u1 → v1
        └── k2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 ↺ e1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> w1 ->
x1 -> i1 -> j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 ->
q1 -> r1 -> s1 -> t1 -> u1 -> v1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> w1 ->
x1 -> i1 -> j1 -> k2 ↺ e1
```

เกษตรและสิ่งแวดล้อม · Agriculture & Environment (15)

model_038 SmartGreenhouse · pass

รหัส event

a1	sendstartCycle_1
b1	receivestartCycle_1
c1	sendreadClimate_2
d1	receivereadClimate_2
e1	sendclimateData_3
f1	receiveclimateData_3
g1	sendstartSprinkler_4
g2	sendstartFan_6
h1	receivestartSprinkler_4
h2	receivestartFan_6
i1	sendsprinklerOn_5
j1	receivesprinklerOn_5
k1	sendendCycle_7
k2	checkloop_readClimate_2_loop1
l1	receiveendCycle_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1
    │   ├── k1 → l1
    │   └── k2 ↺ c1
    └── g2 → h2
        ├── k1 → l1
        └── k2 ↺ c1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 ↺ c1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k1 ->
l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> k2 ↺ c1
```

model_051 AirQualityMonitor · pass

รหัส event

a1	sendcancelFan_1
b1	receivecancelFan_1
c1	sendreleaseAlert_2
d1	receivereleaseAlert_2
e1	sendsendAlert_3_opt1
f1	receivesendAlert_3_opt1
g1	sendfetchFan_4
h1	receivefetchFan_4
i1	sendlogFan_5
j1	receivelogFan_5
k1	sendqueryAlert_6
k2	sendcancelAlert_13
l1	receivequeryAlert_6
l2	receivecancelAlert_13
m1	sendnotifyAlert_7
n1	receivenotifyAlert_7
o1	sendreservePm_8
p1	receivereservePm_8
q1	sendapproveFan_9
r1	receiveapproveFan_9
s1	sendreportFan_10
t1	receivereportFan_10
u1	sendrequestPm_11
v1	receiverequestPm_11
w1	sendfetchPm_12
x1	receivefetchPm_12
y1	sendvalidateFan_14
z1	receivevalidateFan_14

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1
    ├── k1 → l1 → m1 → n1 → o1 → p1 → q1 → r1 →
    │     s1 → t1 → u1 → v1 → w1 → x1 → y1 → z1
    └── k2 → l2 → y1 → z1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1 -> w1 -> x1 -> y1 -> z1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 -> l2 -> y1 -> z1
```

model_070 CenterPivotIrrigation · fail

รหัส event

a1	sendcancelWater_1
b1	receivecancelWater_1
c1	sendvalidateWater_2
d1	receivevalidateWater_2
e1	sendreserveWater_3
f1	receivereserveWater_3
g1	sendreleaseSector_4_opt1
h1	receivereleaseSector_4_opt1
i1	sendupdateWater_5_opt1
j1	receiveupdateWater_5_opt1
k1	sendcancelSector_6
l1	receivecancelSector_6
m1	sendscheduleWater_7
n1	receivescheduleWater_7
o1	sendqueryRain_8
o2	checkloop_reserveWater_3_loop1
p1	receivequeryRain_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
    ├── o1 → p1
    └── o2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 ↺ e1
```

model_080 CropDroneSpraying · fail

รหัส event

a1	sendapproveArea_1
b1	receiveapproveArea_1
c1	sendcheckMission_2
d1	receivecheckMission_2
e1	sendsyncSpray_3
e2	sendassignSpray_4
f1	receivesyncSpray_3
f2	receiveassignSpray_4
g1	sendscheduleSpray_5
h1	receivescheduleSpray_5
i1	sendassignMission_6
j1	receiveassignMission_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1
    └── e2 → f2 → g1 → h1 → i1 → j1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g1 -> h1 -> i1 ->
j1
```

model_092 FarmMilkingRobot · pass

รหัส event

a1	sendreserveYield_1
b1	receivereserveYield_1
c1	sendlogYield_2
d1	receivelogYield_2
e1	sendreportYield_3
f1	receivereportYield_3
g1	sendreserveMilk_4
h1	receivereserveMilk_4
i1	sendqueryHealth_5
j1	receivequeryHealth_5
k1	sendissueMilk_6
l1	receiveissueMilk_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_098 ForestFireSensor · fail

รหัส event

a1	sendreleaseAlert_1
b1	receivereleaseAlert_1
c1	sendschedulePatrol_2
d1	receiveschedulePatrol_2
e1	sendsyncPatrol_3
e2	sendcancelAlert_4
f1	receivesyncPatrol_3
f2	receivecancelAlert_4
g1	sendissueSmoke_5
h1	receiveissueSmoke_5
i1	sendnotifyAlert_6
j1	receivenotifyAlert_6
k1	sendreserveAlert_7
k2	sendscheduleSmoke_11
l1	receivereserveAlert_7
l2	receivescheduleSmoke_11
m1	sendvalidateSmoke_8
n1	receivevalidateSmoke_8
o1	sendcheckAlert_9
p1	receivecheckAlert_9
q1	sendassignAlert_10
q2	checkloop_validateSmoke_8_loop1
r1	receiveassignAlert_10
s1	sendqueryPatrol_12
t1	receivequeryPatrol_12

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1
    │   ├── k1 → l1 → m1 → n1 → o1 → p1
    │   │   ├── q1 → r1 → s1 → t1
    │   │   └── q2 ↺ m1
    │   └── k2 → l2 → s1 → t1
    └── e2 → f2 → g1 → h1 → i1 → j1
        ├── k1 → l1 → m1 → n1 → o1 → p1
        │   ├── q1 → r1 → s1 → t1
        │   └── q2 ↺ m1
        └── k2 → l2 → s1 → t1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q2 ↺ m1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 -> l2 -> s1 -> t1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q2 ↺ m1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g1 -> h1 -> i1 ->
j1 -> k2 -> l2 -> s1 -> t1
```

model_103 GreenhouseLighting · pass

รหัส event

a1	sendapproveEnergy_1
b1	receiveapproveEnergy_1
c1	sendackLight_2
d1	receiveackLight_2
e1	sendcheckLux_3
f1	receivecheckLux_3
g1	sendreserveLux_4
h1	receivereserveLux_4
i1	sendreleaseLight_5
j1	receivereleaseLight_5
k1	sendnotifyEnergy_6
l1	receivenotifyEnergy_6
m1	sendqueryEnergy_7
n1	receivequeryEnergy_7
o1	sendrequestLight_8
p1	receiverequestLight_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1 → o1 → p1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1
```

model_116 IrrigationZoneControl · pass

รหัส event

a1	sendqueryZone_1
b1	receivequeryZone_1
c1	sendackSchedule_2
d1	receiveackSchedule_2
e1	sendrequestZone_3
f1	receiverequestZone_3
g1	sendcheckMoisture_4
h1	receivecheckMoisture_4
i1	sendqueryMoisture_5
j1	receivequeryMoisture_5
k1	sendcancelZone_6
k2	checkloop_requestZone_3_loop1
l1	receivecancelZone_6
m1	sendrequestSchedule_7
n1	receiverequestSchedule_7
o1	sendreleaseMoisture_8
p1	receivereleaseMoisture_8
q1	sendreserveMoisture_9
r1	receivereserveMoisture_9
s1	sendscheduleSchedule_10
t1	receivescheduleSchedule_10
u1	sendsendSchedule_11
v1	receivesendSchedule_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1
    ├── k1 → l1 → m1 → n1 → o1 → p1 → q1 → r1 →
    │     s1 → t1 → u1 → v1
    └── k2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1 -> u1 -> v1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 ↺ e1
```

model_121 LivestockFeeder · fail

รหัส event

a1	sendreportRation_1
b1	receivereportRation_1
c1	sendsyncFeed_2
d1	receivesyncFeed_2
e1	sendackFeed_3
e2	sendcancelRation_7
f1	receiveackFeed_3
f2	receivecancelRation_7
g1	sendupdateRation_4_opt1
h1	receiveupdateRation_4_opt1
i1	sendqueryRation_5_opt1
j1	receivequeryRation_5_opt1
k1	sendconfirmFeed_6
l1	receiveconfirmFeed_6
m1	sendconfirmRation_8
n1	receiveconfirmRation_8

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1 → k1 → l1 →
    │     m1 → n1
    └── e2 → f2 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> m1 -> n1
```

model_151 RecyclingKiosk · fail

รหัส event

a1	sendconfirmCredit_1
b1	receiveconfirmCredit_1
c1	sendfetchVoucher_2
d1	receivefetchVoucher_2
e1	sendsyncCredit_3_opt1
f1	receivesyncCredit_3_opt1
g1	sendnotifyCredit_4_opt1
h1	receivenotifyCredit_4_opt1
i1	sendconfirmBottle_5_opt1
i2	checkloop_notifyCredit_4_loop1
j1	receiveconfirmBottle_5_opt1
k1	sendconfirmVoucher_6
l1	receiveconfirmVoucher_6
m1	sendackVoucher_7
n1	receiveackVoucher_7
o1	sendassignBottle_8
o2	sendscheduleVoucher_9
p1	receiveassignBottle_8
p2	receivescheduleVoucher_9
q1	sendqueryCredit_10
r1	receivequeryCredit_10

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1
    ├── i1 → j1 → k1 → l1 → m1 → n1
    │   ├── o1 → p1 → q1 → r1
    │   └── o2 → p2 → q1 → r1
    └── i2 ↺ g1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o2 -> p2 -> q1 -> r1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i2 ↺ g1
```

model_166 SmartBeehive · fail

รหัส event

a1	sendupdateHoney_1
b1	receiveupdateHoney_1
c1	sendreleaseWeight_2
d1	receivereleaseWeight_2
e1	sendlogWeight_3
f1	receivelogWeight_3
g1	sendissueWeight_4
h1	receiveissueWeight_4
i1	sendcheckWeight_5
j1	receivecheckWeight_5
k1	sendscheduleSwarm_6
l1	receivescheduleSwarm_6
m1	sendrequestHoney_7
n1	receiverequestHoney_7

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
```

model_174 SmartRainGauge · pass

รหัส event

a1	sendqueryWarning_1
b1	receivequeryWarning_1
c1	sendconfirmRainfall_2
d1	receiveconfirmRainfall_2
e1	sendreserveRainfall_3_opt1
f1	receivereserveRainfall_3_opt1
g1	sendcheckLevel_4_opt1
g2	sendscheduleLevel_9_opt1
h1	receivecheckLevel_4_opt1
h2	receivescheduleLevel_9_opt1
i1	sendapproveRainfall_5_opt1
j1	receiveapproveRainfall_5_opt1
k1	sendreserveLevel_6_opt1
l1	receivereserveLevel_6_opt1
m1	sendvalidateLevel_7_opt1
n1	receivevalidateLevel_7_opt1
o1	sendupdateWarning_8_opt1
p1	receiveupdateWarning_8_opt1
q1	sendsyncRainfall_10_opt1
r1	receivesyncRainfall_10_opt1
s1	sendcancelRainfall_11
t1	receivecancelRainfall_11

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1 → m1 → n1 →
    │     o1 → p1 → q1 → r1 → s1 → t1
    └── g2 → h2 → q1 → r1 → s1 → t1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1 -> o1 -> p1 -> q1 -> r1 ->
s1 -> t1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 -> h2 -> q1 ->
r1 -> s1 -> t1
```

model_177 SmartTrashCompactor · pass

รหัส event

a1	sendcheckRoute_1
b1	receivecheckRoute_1
c1	sendassignLevel_2
d1	receiveassignLevel_2
e1	sendscheduleRoute_3
f1	receivescheduleRoute_3
g1	sendscheduleLevel_4
h1	receivescheduleLevel_4
i1	sendnotifyLevel_5
j1	receivenotifyLevel_5
k1	sendackService_6
l1	receiveackService_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1 → g1 → h1 →
      i1 → j1 → k1 → l1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
```

model_179 SmartWasteBin · pass

รหัส event

a1	sendreserveRoute_1
b1	receivereserveRoute_1
c1	sendsendRoute_2
d1	receivesendRoute_2
e1	sendassignRoute_3
e2	sendreservePickup_4
f1	receiveassignRoute_3
f2	receivereservePickup_4
g1	sendscheduleFill_5
h1	receivescheduleFill_5
i1	sendupdatePickup_6
j1	receiveupdatePickup_6
k1	sendlogPickup_7
k2	sendissueRoute_8
k3	sendsyncPickup_9
l1	receivelogPickup_7
l2	receiveissueRoute_8
l3	receivesyncPickup_9
m1	sendreleaseRoute_10
n1	receivereleaseRoute_10

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1
    ├── e1 → f1 → g1 → h1 → i1 → j1
    │   ├── k1 → l1 → m1 → n1
    │   ├── k2 → l2 → m1 → n1
    │   └── k3 → l3 → m1 → n1
    └── e2 → f2 → g1 → h1 → i1 → j1
        ├── k1 → l1 → m1 → n1
        ├── k2 → l2 → m1 → n1
        └── k3 → l3 → m1 → n1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k2 -> l2 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k3 -> l3 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g1 -> h1 -> i1 ->
j1 -> k2 -> l2 -> m1 -> n1
a1 -> b1 -> c1 -> d1 -> e2 -> f2 -> g1 -> h1 -> i1 ->
j1 -> k3 -> l3 -> m1 -> n1
```

model_180 SoilTestingLab · pass

รหัส event

a1	sendassignReport_1
b1	receiveassignReport_1
c1	sendsendNutrient_2
d1	receivesendNutrient_2
e1	sendreleaseReport_3
f1	receivereleaseReport_3
g1	sendcancelNutrient_4
g2	checkloop_releaseReport_3_loop1
h1	receivecancelNutrient_4
i1	sendquerySample_5
j1	receivequerySample_5
k1	sendnotifyReport_6
l1	receivenotifyReport_6

Event tree (แบบย่อ)

```
(root) INITIALISATION
└── a1 → b1 → c1 → d1 → e1 → f1
    ├── g1 → h1 → i1 → j1 → k1 → l1
    └── g2 ↺ e1
```

เส้นทาง

```
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g1 -> h1 -> i1 ->
j1 -> k1 -> l1
a1 -> b1 -> c1 -> d1 -> e1 -> f1 -> g2 ↺ e1
```