



Backend Type Package Release Progress

Github Repos

<https://github.com/lifinance/types>

<https://github.com/lifinance/data-types>

<https://github.com/lifinance/tenderly-sim>


Introduction

lifi/types : Our base type packages, storing key types definitions (API requests, responses and other side types), public resources (dex, bridges icons), ChainId, CoinKey....

lifi/data-types : Our database-like type packages, storing chain details and coins details

lifi/tenderly-sim : It makes it easier to interact with Tenderly API for simulating transactions. It exposes functions to gather transaction information, simulate transactions and apply overrides such as faking approvals and token balances.

Internal Dependency



The key point is that **every time** when you update `lifi/types` and release a new version, you have to **update** the `lifi/types` used in `lifi/data-types` and `lifi/tenderly-sim`.

Please always ensure we are using the same version of `lifi/types`, otherwise you would have compiler errors

When to use beta version

For API level changes or breaking changes, like adding a new property to `TokenExtended/StaticToken`, returning a new property for `lifi status type`

How to release beta version

1. Create a PR. Don't merge it in main yet!
2. `pnpm release:beta` and `git push --follow-tags origin [your branch]` (don't run `npm publish --tag beta`) in `your own branch`
3. A Github Action for the release will be triggered when a new tag is pushed

4. Optionally release a beta version of lifi/data-types and lifi/tenderly-sim. Note: if the package is lifi/types and is meant to be used in the backend, updating lifi/data-types is required to avoid type conflicts.
5. Once your beta version works well with your PR and your PR is approved, consider to release an official version and replace the beta version with the official one.

Note: You can run ``pnpm link [package folder]`` to link your local packages, if you do not want to release a version

When to use official version

1. After your PR is approved by QA and before it's merged
2. We should always use official version in `main` and `develop` branch of Backend

How to release official version

1. Create a PR, pull the latest version, get it approved and merge it.
2. Once your PR is merged in main, run `pnpm release` locally in `main`. It would update the CHANGELOG automatically.
3. Run `git push --follow-tags origin main` to create a new release tag. Note: github action will automatically create a new version of the package to npm.
4. Update the package version in the package(s) and application(s) using the updated package.

Note: Once you release official version of lifi/types, please release officials of lifi/data-types, lifi/tenderly-sim

