

FREE SAMPLE

Complete Broiler Production Guide

FREE 20-Page Sample — Introduction & Planning Chapters

Kennessy Ebooks

by Kenneth Chiakwa

kennessyebooks.github.io

Complete Broiler Production Guide

From Day-Old Chicks to Profitable Harvest

A Practical, Step-by-Step Guide for African Farmers

Kenneth Chiakwa

B.Sc., M.Sc. Agricultural Economics

Enugu State University Of Science and Technology,[ESUT]

Foreword

I did not write this guide from a classroom alone. It comes out of years of teaching agricultural science, combined with running my own broiler farm — where every method in this book has been tested under real conditions, not just studied. I have watched broiler farming change lives across Nigeria, turning a backyard pen of fifty birds into school fees, rent, and sometimes the seed capital for a much bigger farm. I have also lost birds to mistakes that were completely avoidable: a brooder left unchecked overnight, a vaccine given without checking the cold chain, a pen built without a single thought for ventilation.

This guide exists to close that gap between enthusiasm and information. Every chapter in this book is built around one question: what does a Nigerian farmer actually need to know to raise a healthy, profitable batch of broilers, from the day chicks arrive to the day the last bird is sold? You will not find vague generalities here. You will find specific temperatures, specific weights, specific costs in naira, and specific warning signs to watch for.

Whether you are raising your first fifty birds on a small plot behind your house, or planning to scale into a serious commercial operation, my hope is that this guide becomes the reference you return to at every stage of every batch — not just read once and shelve.

To your success in the pen and at the market.

— **Kenneth Chiakwa**

Why Broiler Farming?

Nigeria eats a lot of chicken — and demand keeps climbing as the population grows, cities expand, and more households, restaurants, and event caterers look for a reliable source of meat. Broiler farming sits at a rare intersection in agribusiness: the production cycle is short (six to eight weeks from chick to harvest), the entry cost is low compared to most other livestock ventures, and the market is large, recurring, and spread across every state in the country.

This combination is what makes broiler farming such an attractive starting point for new agripreneurs. You do not need to wait a full year, like a layer farmer waiting for pullets to start laying, or several years, like a cattle farmer waiting for a herd to mature. You can start small, learn quickly from a six-to-eight-week cycle, correct your mistakes, and scale up within the same year — sometimes within the same season.

The opportunity is real, but so is the risk. Feed costs fluctuate. Disease can move through a flock in days. Heat stress quietly erodes growth rates in poorly ventilated housing. None of these risks are reasons to avoid broiler farming — they are simply reasons to approach it with the same seriousness you would bring to any other business. That seriousness, backed by the right information, is what separates farmers who treat broiler production as a hustle from farmers who build it into a dependable income stream, batch after batch, year after year.

Why Farmers Choose Broilers

- Short production cycle (6-8 weeks) means faster turnover of capital than almost any other livestock.

- Low entry barrier — a meaningful first batch can start with as few as 50-100 birds.
- Large, recurring local demand, with strong seasonal peaks around Christmas, Easter, and Eid.
- Flexible exit points — sell live, sell dressed, or supply restaurants and event caterers directly.

How to Use This Guide

This guide is built to be used in two ways: read once, start to finish, before your first batch — and then returned to, chapter by chapter, as a working reference throughout every batch that follows.

The fourteen chapters follow the actual timeline of a broiler operation: planning and setup (Chapters 1-5), daily management from brooding through to harvest (Chapters 6-11), and the business side of record keeping, selling, and growing (Chapters 12-14). If this is your first time raising broilers, working through the chapters in order will walk you through every decision in the same sequence you will actually face them on the farm.

If you already have some experience, feel free to jump directly to the chapter covering whatever challenge is in front of you this week — a disease outbreak, a feed decision, or a question about pricing your next batch.

Throughout the book, you will see boxes that highlight different kinds of information at a glance:

Practical Tip

- Actionable advice you can apply directly on your farm, often the kind of detail experienced farmers learn only after a costly mistake.

Warning

- A risk serious enough that ignoring it could cost you birds, money, or both.

Chapter Summary

- A short recap of the chapter's most important points, useful for quick review before you act.

The appendices at the back of the book — a quick-reference vaccination calendar, a glossary of common poultry terms, and blank record-keeping templates — are designed to be photocopied or referred to directly while you are out at the pen, not just read at a desk.

Chapter 1: Introduction to Broiler Production

Broiler farming is one of the fastest, most reliable ways to enter commercial poultry production in Nigeria today. Unlike layer birds, which are raised over many months for eggs, broilers are raised purely for meat and are ready for sale in as little as 6 to 8 weeks. This short cycle means you can turn your capital around quickly, learn from your mistakes faster, and start seeing profit sooner than almost any other livestock business.

This chapter introduces you to what broiler farming actually involves, the difference between broilers and layers, the most common breeds you will encounter in the Nigerian market, and why this business continues to attract new farmers every year — from backyard part-timers to large-scale commercial operations supplying hotels, restaurants, and supermarkets.

1.1 What Is a Broiler?

A broiler is a chicken bred and raised specifically for meat production. Broilers grow extremely fast compared to ordinary local chickens or layers. While a local chicken might take 5 to 6 months to reach a good table weight, a well-managed broiler can reach 1.8 to 2.5 kg in just 6 to 8 weeks. This rapid growth is the result of decades of genetic selection by breeding companies, combined with proper feeding and management.

Quick Fact

- Modern broiler breeds can convert as little as 1.6–1.8 kg of feed into 1 kg of body weight — this efficiency is what makes broiler farming profitable.
- Broilers are not the same bird as layers; you cannot raise a layer breed for fast meat production and expect the same results.

1.2 Broilers vs Layers: Understanding the Difference

New farmers sometimes confuse broilers with layers, but they are bred for completely different purposes and managed very differently. Knowing this difference will shape every decision you make, from the chicks you buy to the feed you give them.

Feature	Broiler	Layer
Purpose	Meat production	Egg production
Market-ready age	6–8 weeks	18–20 weeks to start laying
Growth rate	Very fast	Slow, steady
Feed type	Starter, grower, finisher (high energy/protein)	Chick mash, grower, layer mash (calcium-focused)
Production cycle	Short (weeks)	Long (12–18 months of laying)
Common breeds	Cobb 500, Ross 308, Arbor Acres	Isa Brown, Bovan Nera, Hy-Line

1.3 Common Broiler Breeds in Nigeria

Most day-old chicks sold by reputable hatcheries in Nigeria belong to one of these three internationally recognised broiler strains. They perform similarly, so your choice often comes down to what your local hatchery supplies.

Cobb 500

Known for excellent feed conversion and fast growth, the Cobb 500 is one of the most widely available broiler strains in Nigeria. It performs well under varied management conditions, making it a forgiving choice for beginners.

Ross 308

The Ross 308 is prized for its strong breast meat yield and robust growth rate. It is a favourite among commercial farmers supplying fast food outlets and supermarkets where breast meat quality matters.

Arbor Acres

Arbor Acres broilers are valued for their hardiness and adaptability, which can be an advantage in regions with less controlled housing conditions or where temperature swings are common.



Figure 1.1: The three dominant broiler breeds in Nigeria — Cobb 500, Ross 308, and Arbor Acres

Practical Tip

- Stick to one breed at a time per batch. Mixing breeds in the same pen makes it harder to predict growth and complicates feeding decisions.
- Ask your hatchery which breed they specialise in — consistency in chick quality matters more than the specific breed name.

1.4 Matching Nigerian Hatchery Brands to Breed Strains

Here is something many new farmers get wrong: "Agrited," "Chi," "Amo," and similar names are hatchery brands, not breeds. Each hatchery buys breeding stock for a specific underlying strain — usually Ross 308, Cobb 500, or Arbor Acres Plus — and sells day-old chicks under their own brand name. Two chicks bought from different hatcheries can be the exact same underlying genetic strain, while two chicks from the same hatchery bought months apart could differ slightly if the hatchery changed its breeding stock supplier.

Knowing which strain sits behind a brand name helps you set realistic growth expectations and compare quotes properly, since price differences between hatcheries often reflect more than just brand reputation.

Hatchery Brand	Underlying Strain	Notes
Agrited	Ross 308	One of the larger, more established hatcheries; widely available across the South-West
Sayed	Ross 308	Performance broadly similar to Agrited; known for hardiness and good feed efficiency
Zartech	Cobb 500	One of Nigeria's oldest and largest hatcheries; broilers noted for a taller frame

Hatchery Brand	Underlying Strain	Notes
Chi (Chi Farms)	Arbor Acres Plus	Known for a broad, meaty chest and stocky build; widely available nationwide
Amo (Amo Farm Sieberer)	Arbor Acres	Long-established hatchery (since 1987); also developed the dual-purpose Noiler breed
Nastech	Arbor Acres Plus	Similar profile to Chi; valued for feed conversion and dressing weight
Valentine, Cascada, Sunchi	Varies by batch/region	Smaller or regional hatcheries; always ask directly which parent strain (Ross, Cobb, or Arbor Acres) they are currently supplying, since this can change

Practical Tip

- When comparing prices between hatcheries, ask which strain they sell before comparing cost per chick — a slightly cheaper chick from an unclear strain is not necessarily a better deal.
- For hatcheries not listed above, or smaller regional suppliers, simply ask: "Is this Ross, Cobb, or Arbor Acres parent stock?" Any reputable hatchery should answer this without hesitation.
- Strain matters less than consistency and chick quality at the point of purchase — a well-managed Arbor Acres batch can outperform a poorly-handled Ross 308 batch from a less careful hatchery.

Warning

- Hatchery brand offerings and breeding stock sources can change over time. Always confirm directly with the hatchery which strain you are buying for your specific order, rather than relying solely on past reputation or general guides such as this one.

1.5 Why Broiler Farming? The Business Case

Nigeria's appetite for chicken meat continues to grow, driven by population growth, urbanisation, and rising demand from restaurants, event caterers, hotels, and households during festive periods like Christmas, Easter, and Eid. Broiler farming offers several advantages that make it attractive to both new and experienced farmers:

- Short production cycle (6–8 weeks) means faster return on investment compared to cattle, layers, or crop farming.
- Low entry barrier — you can start small with as few as 50–100 birds and scale up as you learn and reinvest.
- Strong and consistent local demand, especially around festive seasons when prices peak.
- Flexible business models — you can sell live birds, dressed (processed) birds, or supply directly to restaurants and event planners.
- Multiplier effect — broiler waste (litter) can be sold or used as organic manure, creating an additional income stream.

1.6 Challenges You Should Know Upfront

Broiler farming is profitable, but it is not without risk. Being honest about these challenges from the start will help you plan better and avoid common beginner losses.

- Disease outbreaks can wipe out an entire flock within days if biosecurity is poor.
- Feed costs make up 65–75% of total production cost, and feed prices in Nigeria fluctuate frequently.
- Heat stress is a major killer of broilers in Nigeria's hot climate, especially in poorly ventilated housing.

- Market price volatility — prices can crash if many farmers sell at the same time.
- Power supply issues affect brooding temperature control, especially in the first two weeks.

Chapter Summary

- Broilers are meat-type chickens bred for rapid growth, reaching table weight in 6–8 weeks — completely different from layers, which are raised for egg production.
- The three dominant broiler breeds in Nigeria are Cobb 500, Ross 308, and Arbor Acres — all suitable for beginners.
- Broiler farming is attractive because of its short cycle, low entry cost, and strong local demand, but success depends on managing disease risk, feed costs, and heat stress carefully.
- The chapters ahead will walk you through every stage — from planning your business to selling your first batch — step by step.

Chapter 2: Planning Your Broiler Business

Many beginner farmers lose money in their first batch not because broiler farming itself is difficult, but because they jumped in without proper planning. This chapter walks you through the practical groundwork — figuring out your numbers, choosing your scale, picking a location, and setting up basic records — before a single chick arrives on your farm.




Figure 2.1: The 8-Week Broiler Production Cycle — from brooding through growing, finishing, and harvest.

2.1 Doing a Simple Feasibility Check

Before committing money, answer these questions honestly. They will save you from costly surprises later.

1. Do I have a market? Identify who will buy your birds — local market women, restaurants, event caterers, or households — before you start, not after.

- 2. Do I have suitable space? You need a dry, well-ventilated space away from residential noise complaints and easily accessible for feed/chick delivery.
- 3. Can I afford the full cycle? Budget for chicks, feed, vaccines, equipment, and labour for the full 6–8 weeks, not just the starting cost.
- 4. Do I have time to monitor daily? Broilers need twice-daily attention minimum — feeding, watering, and health checks.
- 5. What is my backup plan if prices drop at sale time? Consider multiple sales channels so you are not stuck with unsold birds.

2.2 Estimating Your Capital Requirements

Your starting capital depends heavily on scale, but the cost categories remain the same whether you are raising 50 birds or 1,000. The table below breaks down typical cost categories you should budget for. Exact figures will vary by location and season, so use this as a planning framework rather than fixed pricing.

Cost Category	What It Covers	% of Total Budget (typical)
Day-old chicks	Purchase of DOCs from hatchery	15–20%
Feed	Starter, grower, finisher feed for full cycle	60–70%
Housing/equipment	Pen setup, feeders, drinkers, brooder	5–10% (one-time, reusable)
Vaccines & medication	Newcastle, Gumboro, vitamins, antibiotics if needed	3–5%
Litter material	Wood shavings or rice husk	1–2%

Cost Category	What It Covers	% of Total Budget (typical)
Labour & miscellaneous	Your time or hired help, transport, utilities	5–8%

Practical Tip

- Always budget an extra 10–15% above your estimated total as a buffer for feed price increases or unexpected vet costs.
- Feed is your single biggest cost — getting feed conversion right (covered in Chapter 7) has the largest impact on your profit margin.

**Typical Production Cost Breakdown
per Batch (% of Total Cost)**




Figure 2.2: Typical cost breakdown per batch. Feed accounts for 65–75% of total production cost.

2.3 Choosing Your Scale: Starting Small vs Starting Big

One of the most important decisions for a new farmer is how many birds to start with. There is no single right answer — it depends on your capital, experience level, and available market — but here is a practical breakdown to guide your decision.

Small / Trial (50–100 birds)

Best for: First-time farmers learning the ropes. — Lower risk, good for learning management before scaling.

Medium (200–500 birds)

Best for: Farmers with some experience or steady local demand. — Requires more disciplined record-keeping and labour.

Large / Commercial (1,000+ birds)

Best for: Established farmers with secured markets and capital. — Needs structured biosecurity, possibly hired staff, and reliable bulk buyers.

If this is your first time, starting with 50–100 birds is strongly recommended. It is large enough to be a meaningful business test, but small enough that mistakes will not be financially devastating. You can scale up on your second or third batch once you understand your local conditions, mortality patterns, and buyer behaviour.

2.4 Choosing a Location for Your Farm

Location affects everything from disease risk to logistics costs. Consider these factors when selecting or evaluating a site:

- Distance from residential areas: Reduces noise/odour complaints and lowers disease transmission risk from neighbouring poultry.

- **Drainage:** The site should not flood or hold standing water, which breeds disease and creates damp, unhealthy litter conditions.
- **Accessibility:** Trucks delivering feed and chicks, and buyers collecting birds, need reasonably good road access.
- **Water source:** Reliable, clean water supply is non-negotiable — broilers drink roughly twice as much water as feed by weight.
- **Security:** A fenced or enclosed site reduces theft risk and keeps out predators and stray animals.
- **Orientation:** Where possible, position housing to take advantage of prevailing wind direction for natural ventilation (covered further in Chapter 3).

2.5 Basic Record-Keeping From Day One

Many farmers wait until things go wrong before they start keeping records — by then it is too late to learn from the data. Start simple record-keeping from the day your chicks arrive. At minimum, track the following from day one:

- Date of chick arrival and quantity received
- Daily mortality count (even zero is worth recording)
- Feed given per day (bags or kg)
- Weekly average weight (sample-weigh a few birds)
- Vaccination and medication dates
- All expenses, as they occur, not from memory later

Chapter 12 will give you ready-to-use record templates, but the habit of writing things down daily should start now, with your very first batch.

Chapter Summary

- Before buying a single chick, confirm you have a market, suitable space, adequate capital for the full cycle, and time to monitor birds daily.
- Feed will consume 60–70% of your budget — plan your capital around this reality, with a 10–15% buffer for price fluctuations.
- First-time farmers should start with 50–100 birds to limit risk while learning; scale up on later batches once experienced.
- Choose a location with good drainage, water access, and distance from dense residential areas, and start basic daily record-keeping from day one.

Enjoying the preview?

This sample covers only the introduction. The full “Complete Broiler Production Guide” includes the complete step-by-step system, cost breakdowns, charts and templates you need.

Get the Full Book — NGN 2,500

Buy on Selar:

<https://selar.com/12787117fs>

Or order via WhatsApp: 08144811019 | kennethchiakwa@gmail.com