

FREE SAMPLE

Natural Poultry Health Guide

FREE Sample — Foundations of Natural Poultry Health

Kennessy Ebooks

by Kenneth Chiakwa

kennessyebooks.github.io

Natural Poultry Health Guide

Herbal and Traditional Remedies for Common Poultry Diseases



Kenneth Chiakwa

B.Sc., M.Sc. Agricultural Economics | Ph.D. Candidate

Enugu State University of Science and Technology, Esut.

Agricultural Science Teacher & Commercial Poultry Farmer

Complete Guide for Small-Scale and Commercial Poultry Farmers in Nigeria

Natural Poultry Health Guide

Herbal and Traditional Remedies for Common Poultry Diseases

© 2026 Kenneth Chiakwa
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means — electronic, mechanical, photocopying, recording, or otherwise — without the prior written permission of the author, except for brief quotations in reviews and certain non-commercial uses permitted by copyright law.

IMPORTANT DISCLAIMER

The information in this book is intended for general educational and informational purposes only. It is NOT a substitute for professional veterinary advice, diagnosis, or treatment.

Always consult a qualified veterinarian for serious disease outbreaks, high mortality situations, or any condition requiring professional diagnosis. The author and publisher accept no liability for losses arising from the application of information in this book.

Herbal remedies presented in this book are based on traditional knowledge and available scientific research. Results may vary depending on bird species, farm conditions, and severity of the condition.

Published in Nigeria
Available on Selar and Amazon Kindle Direct Publishing (KDP)
First Edition — 2026

Preface

I have raised poultry for many years. And like every poultry farmer in Nigeria, I have known the heartbreak of walking into the house on a quiet morning and finding birds sick, struggling, or dead — from diseases that could have been prevented or treated if only I had known what to do.

I have also taught Agricultural Science in secondary school for over fifteen years. In both the classroom and on my farm, I have seen the same problem repeat itself: farmers are quick to reach for commercial drugs — often incorrectly, often too late — while the most powerful remedies are growing right outside their door, ignored and undervalued.

Garlic. Ginger. Moringa. Neem. Pawpaw. Turmeric. These are not exotic imports. They are Nigerian plants, available in every market, every garden, every roadside. And they work.

This book is my attempt to bridge the gap between traditional knowledge and modern poultry science — to take what local farmers have always known, what university researchers are now confirming, and what my own experience has tested, and present it in a form that any farmer in Nigeria can use.

I wrote this guide for the small-scale farmer with 50 birds in the backyard and the commercial farmer managing 5,000 birds in a deep litter house. The remedies, the principles, and the management strategies in these pages apply to both. What changes is the scale — not the science.

This is not an anti-medicine book. I believe in vaccination. I believe in veterinary medicine for serious outbreaks. What I am arguing — and what the science supports — is that herbal remedies should be the daily foundation of flock health management, reducing dependence on drugs, building immunity, and keeping your birds productive throughout the year.

I hope this book saves your birds, saves your money, and builds your confidence as a farmer. Nature has provided everything you need. This book shows you how to use it.

Kenneth Chiakwa

B.Sc., M.Sc. Agricultural Economics | Ph.D. Candidate

Introduction

Poultry farming is one of the fastest-growing agricultural sectors in Nigeria. From backyard chickens kept for family consumption to large-scale commercial operations supplying eggs and meat to urban markets, millions of Nigerians depend on poultry for income, food security, and livelihoods.

Yet disease remains the single biggest threat to these livelihoods. Newcastle Disease, Coccidiosis, Salmonellosis, Chronic Respiratory Disease, worm infestations, and dozens of other conditions cost Nigerian farmers billions of naira every year in bird losses, drug expenses, and reduced production.

The conventional response to this challenge — antibiotics, commercial drugs, and synthetic vitamin premixes — is becoming increasingly expensive, increasingly problematic (due to drug resistance and withdrawal periods), and increasingly unavailable to rural farmers who cannot access veterinary stores.

There is a better way. And it has been growing in Nigerian farms, markets, and gardens all along.

What This Book Covers

This guide is organised into seven parts covering every major area of poultry health management:

- ✦ Part One builds the foundation — understanding disease, the science of herbal medicine, and setting up your natural medicine cabinet.
- ✦ Parts Two, Three, Four, and Five cover specific diseases by body system — respiratory, digestive, nutritional, and skin/external parasites — with detailed herbal treatment protocols for each.
- ✦ Part Six brings it all together into a practical daily, weekly, monthly, and seasonal prevention programme using only natural methods.
- ✦ Part Seven is your fast-access field reference — disease cards and a complete dosage master guide for when you need answers quickly.

How to Use This Book

You do not need to read this book from cover to cover before you start benefiting from it. Here are three ways to use it:

1. As a reference — when a bird is sick, go to Chapter 22 first (the disease cards), then to the relevant chapter for the full treatment protocol.
2. As a prevention programme — read Part Six and implement the weekly immunity and biosecurity programme. Your flock will thank you.
3. As a complete learning guide — read it from start to finish to build a full understanding of natural poultry health management. This is especially recommended for students, new farmers, and those building a commercial operation.

A Note on Vaccination

This book strongly advocates for herbal medicine as the foundation of daily health management. It does NOT advocate replacing vaccination with herbs. For viral diseases — Newcastle Disease, Gumboro, Fowl Pox, Infectious Bronchitis — vaccination remains the only reliable prevention. Use

herbs to strengthen the birds between vaccinations, to manage secondary infections, and to support recovery. Use vaccines to prevent the diseases that herbs cannot cure.

Together, vaccination and natural herbal management create the strongest possible foundation for a healthy, productive Nigerian poultry farm.

PART ONE

Foundations of Natural Poultry Health

Chapters 1 – 3

Understanding Poultry Health • Herbal Medicine Principles • Your Farm Medicine Cabinet

Chapter 1: Understanding Poultry Health and Disease

If you raise chickens — whether ten birds in your backyard or five thousand in a commercial farm — keeping them healthy is the most important job you have. Healthy birds grow well, lay well, and make profit. Sick birds cost money, time, and sometimes your entire flock.

But before you can prevent or treat disease, you must first understand what health means for poultry, how disease starts, and what to look for when something is wrong. This chapter gives you that foundation.

1.1 What Does a Healthy Chicken Look Like?

A healthy chicken has specific physical signs that a good farmer can identify quickly. Learning these signs will help you notice when something is wrong early, before the whole flock is affected.

Body Part / Feature	Signs of Good Health	Signs of Sickness
Eyes	Bright, clear, wide open	Dull, closed, watery, swollen
Comb & Wattles	Red or pink, firm, warm	Pale, blue, shrunken, cold, crusty
Feathers	Smooth, shiny, well-arranged	Ruffled, dull, missing patches
Droppings	Brown/green with white urate cap	Watery, bloody, yellow-green, very pale
Breathing	Quiet, normal, no noise	Wheezing, gasping, clicking sounds
Movement	Active, alert, walking normally	Slow, droopy, sitting apart from flock
Eating & Drinking	Eating and drinking regularly	Reduced or no appetite, not drinking
Weight	Feels full and firm on breast	Light, bony breast — lost weight
Nostrils	Clean and clear	Discharge, blocked, wet
Legs & Feet	Strong, clean, standing well	Swollen joints, wounds, twisted toes

Make it a daily habit to walk through your poultry house early every morning and observe your birds. The earlier you spot a sick bird, the easier it is to treat and the less likely the disease will spread.

1.2 How Do Chickens Get Sick?

Disease does not come from nowhere. There is always a cause. In poultry farming, diseases enter the flock through different routes. Understanding these routes helps you block them before they become a problem.

A. Germs and Pathogens

Pathogens are tiny living organisms that cause disease. They include bacteria, viruses, fungi, and protozoa. You cannot see them with your eyes, but they can kill your entire flock if not controlled.

- ♦ Viruses — cause Newcastle disease, Gumboro, fowl pox, infectious bronchitis

- ✦ Bacteria — cause fowl typhoid, salmonellosis, colibacillosis (E. coli)
- ✦ Fungi — cause aspergillosis (lung infection from mouldy feed or litter)
- ✦ Protozoa — cause coccidiosis, a common gut disease in young chicks

B. Environmental Stress

Poultry are sensitive animals. Poor conditions weaken their immune system and make them vulnerable to disease. Common environmental stressors include:

- ✦ Overcrowding — too many birds in one space
- ✦ Poor ventilation — hot, stuffy, or ammonia-filled air
- ✦ Extreme heat or cold — temperature stress
- ✦ Dirty litter and water — breeding ground for germs
- ✦ Sudden feed changes or poor-quality feed

C. Entry Routes of Disease

Disease can enter your farm through several common pathways:

1. New birds brought into the flock without quarantine
2. Contaminated feed, water, or equipment
3. Wild birds, rodents, and insects carrying pathogens
4. Visitors, farm workers, or vehicles
5. Contaminated soil or old litter

1.3 The Concept of Immunity in Poultry

Immunity is the ability of a bird's body to fight off disease. Just like humans, chickens have a defence system that protects them from germs. When this defence is strong, birds can resist disease. When it is weak, they fall sick easily.

There are two main types of immunity in poultry:

Natural Immunity: This is the protection a bird is born with. Some breeds are naturally more resistant to certain diseases than others.

Acquired Immunity: This develops when a bird is exposed to a disease (and survives) or when it is vaccinated. The body learns to recognise the germ and fight it faster next time.

What Weakens a Bird's Immunity?

- ✦ Poor nutrition — especially lack of vitamins A, C, D and E
- ✦ Overcrowding and stress
- ✦ Gumboro disease (IBD) — this disease specifically destroys immune organs
- ✦ Toxic feed — mouldy or contaminated feed
- ✦ Worm and parasite infestation — drains the bird's resources

This is where herbal remedies play a powerful role. Many local plants — like moringa, garlic, turmeric, and ginger — are proven to boost immunity naturally. We will cover these in detail in Part Six.

1.4 Categories of Poultry Diseases

It helps to know how diseases are grouped. This makes it easier to identify what your birds are suffering from and choose the right treatment.

Category	Examples	Main Cause
Viral Diseases	Newcastle, Gumboro, Fowl Pox, IB	Viruses — no cure; prevention by vaccination
Bacterial Diseases	Fowl Typhoid, CRD, Colibacillosis	Bacteria — treated with antibiotics or herbal antimicrobials
Parasitic Diseases	Coccidiosis, Worms, Lice, Mites	Protozoa, helminths, ectoparasites
Nutritional Diseases	Vitamin deficiencies, Rickets	Poor diet, imbalanced rations
Fungal Diseases	Aspergillosis (brooder pneumonia)	Mould in litter, feed, or environment
Metabolic Diseases	Fatty liver, Egg drop syndrome	Hormonal, nutritional, or genetic causes

1.5 The Role of Early Detection

Most poultry diseases are easier to treat — and less deadly — when caught early. The problem is that chickens hide sickness. A bird may look fine in the morning and be dead by evening. This is why daily observation is not optional. It is essential.

Here are the key signs that should make you stop and investigate immediately:

- ✦ A bird sitting alone, away from the group
- ✦ Reduced feed or water consumption — check feeders and drinkers
- ✦ Sudden drop in egg production in layers
- ✦ Unusual droppings — bloody, watery, or very pale
- ✦ Breathing sounds — wheezing, sneezing, gasping
- ✦ More deaths than usual in your daily mortality check

When you see any of these signs, isolate the affected birds immediately, observe closely, and begin diagnosis. Do not wait.



KEY POINTS — Chapter 1

✓ A healthy bird has bright eyes, red comb, smooth feathers, and firm body.

✓ Disease enters through germs, environmental stress, contaminated feed/water, and new birds.

- ✓ Immunity is the bird's natural defence — it can be strengthened with proper nutrition and herbs.
- ✓ Poultry diseases are grouped into viral, bacterial, parasitic, nutritional, fungal, and metabolic types.
- ✓ Early detection saves birds. Observe your flock every morning.
- ✓ Isolate any sick bird immediately to stop disease from spreading.



Review Questions

1. List FIVE signs that show a chicken is healthy.
2. Mention THREE ways disease can enter a poultry farm.
3. What is immunity and why is it important in poultry farming?
4. Name the six categories of poultry diseases and give one example of each.
5. Why is early detection of disease important? What should you do when you notice a sick bird?

Chapter 2: Principles of Herbal and Traditional Medicine in Poultry

For hundreds of years — long before modern drugs and vaccines were invented — farmers across Africa, Asia, and around the world used plants, roots, bark, and other natural materials to treat sick animals. These practices were not just guesswork. They were based on careful observation and experience passed down through generations.

Today, science is confirming what our grandparents already knew: many of these plants contain real, active compounds that can fight disease, reduce inflammation, boost immunity, and support animal health.

This chapter explains the principles behind herbal and traditional medicine in poultry — what it is, how it works, why it matters for Nigerian farmers, and how to use it safely and effectively.

2.1 What Is Herbal Medicine?

Herbal medicine is the use of plants — their leaves, roots, seeds, bark, fruits, or flowers — to prevent and treat disease. In poultry farming, this means using natural plant-based preparations in drinking water, feed, or as direct treatments to improve bird health.

Traditional medicine includes herbal remedies but also covers other non-chemical practices such as using fermented feeds, ash, clay, and traditional methods passed down in local communities.

Important Note: Herbal medicine does not replace all modern veterinary care. For serious outbreaks, especially those caused by viruses, vaccination and professional veterinary advice remain important. Herbs work best as prevention, immune support, and treatment of mild to moderate conditions.

2.2 A Brief History of Plant Medicine in Poultry

The use of plants in animal health care is ancient. In Nigeria and across Africa, rural farmers have traditionally used plants like garlic, neem, moringa, ginger, pawpaw, and many others to keep their animals healthy. These practices were never written down in textbooks, but they worked.

In recent decades, scientists from universities and research institutes have begun to study these plants and discovered:

- ✦ Garlic has powerful antibacterial and antiviral properties due to a compound called allicin.
- ✦ Moringa leaves are rich in vitamins, amino acids, and antioxidants that boost immunity.
- ✦ Turmeric contains curcumin — a strong anti-inflammatory compound shown to improve gut health in poultry.
- ✦ Neem (Dogoyaro) has insecticidal properties and can control external parasites.
- ✦ Pawpaw (papaya) leaves contain carpaine and papain — effective against intestinal worms and coccidiosis.

Research from Nigerian and international universities continues to confirm the effectiveness of these plants. This book draws on both traditional knowledge and current scientific evidence.

2.3 Why Use Herbal Remedies in Poultry Farming?

You may wonder: if modern drugs are available, why should I bother with herbs? There are many strong reasons:

1. Cost Savings

Many veterinary drugs are expensive and sometimes difficult to find, especially in rural areas. Common herbs like garlic, ginger, moringa, and neem grow everywhere in Nigeria and cost very little or nothing at all. Using them regularly can greatly reduce your medication costs.

2. Reducing Drug Resistance

Overuse and misuse of antibiotics in poultry farming has led to drug-resistant bacteria — a growing global problem. Herbal alternatives help reduce dependence on antibiotics, which protects both your farm and public health.

3. Withdrawal Period Concerns

Most veterinary drugs have a withdrawal period — a time after treatment when you must not sell eggs or meat. Herbal remedies generally have no withdrawal periods, making your products safe to sell at any time.

4. Availability and Accessibility

You do not need to travel to an agro-store or veterinary clinic to find garlic or neem. These plants are available in local markets, gardens, and farms. In emergencies, this can be life-saving for your flock.

5. Supporting Immunity, Not Just Fighting Disease

Unlike drugs that only fight disease after it appears, many herbs work by strengthening the immune system before disease strikes. Regular use of immune-boosting herbs means your birds are always better prepared to resist infections.

6. Safer for the Environment

Herbal preparations break down naturally and do not pollute the soil or water. This makes them environmentally friendly — an important consideration for sustainable farming.

2.4 How Herbs Work in the Body

Plants produce chemicals called phytochemicals (phyto = plant). These natural chemicals help the plant protect itself from disease and pests. When poultry consume these plants, the same chemicals work in the bird's body.

Phytochemical Type	What It Does	Example Plants
Allicin	Kills bacteria, viruses, and fungi	Garlic
Curcumin	Reduces inflammation, supports gut health	Turmeric
Tannins	Reduces diarrhoea, acts as antioxidant	Pawpaw bark, guava leaves

Flavonoids	Boosts immunity, fights free radicals	Moringa, hibiscus, ginger
Alkaloids	Antifungal and antiparasitic activity	Neem, bitter leaf (Vernonia)
Essential Oils	Antibacterial, insect-repelling	Eucalyptus, thyme, oregano
Saponins	Natural deworming action	Pawpaw seeds, pumpkin seeds
Vitamins A, C, E	Immune boosting, antioxidant protection	Moringa, sweet potato, citrus

2.5 Limitations of Herbal Medicine — Be Honest About Them

As much as this book promotes natural remedies, it is important to be honest about their limitations. Knowing these limitations will help you use herbs wisely — not blindly.

- ✦ Herbal remedies generally work slowly. They are more effective for prevention and mild cases. Severe disease outbreaks may require drugs.
- ✦ Dosages are not always standardised. The potency of a plant can vary based on age, soil, and preparation method.
- ✦ Not all traditional claims are scientifically proven. Some remedies have strong evidence; others are based only on belief.
- ✦ Viral diseases — like Newcastle — cannot be cured by herbs. Vaccination remains the only reliable prevention.
- ✦ Misidentification of plants can be dangerous. Always be certain you are using the correct plant.

The best approach is an integrated one: use herbs regularly for prevention and immune support, and use veterinary medicine when dealing with serious outbreaks.

2.6 Safety Principles for Using Herbs in Poultry

Herbs are natural, but they are not always harmless in large amounts. Follow these safety principles whenever you use herbal remedies:

1. Start with recommended doses — do not assume 'more is better'. Some herbs can be toxic in large quantities.
2. Observe your birds after starting any new herb. If birds show unusual signs, stop immediately.
3. Do not mix too many herbs at once. You will not know which one worked or which caused a problem.
4. Use fresh, clean plants whenever possible. Wash leaves, roots, and seeds before use.
5. Store dried herbs properly — in dry, cool, airtight containers away from sunlight.
6. Pregnant or laying hens — be cautious with herbs that affect hormones (e.g., excessive amounts of neem).
7. Know your plants — if you are not sure what a plant is, do not use it.



KEY POINTS — Chapter 2

- ✓ Herbal medicine uses plant parts (leaves, roots, seeds, bark) to prevent and treat disease.
- ✓ Scientific research confirms that many local plants contain active compounds effective against disease.
- ✓ Benefits of herbal medicine: low cost, widely available, no withdrawal period, reduces drug resistance, boosts immunity.
- ✓ Plants work through phytochemicals like allicin, curcumin, tannins, flavonoids, and essential oils.
- ✓ Herbal remedies have limits: viral diseases still need vaccines; severe outbreaks may still require drugs.
- ✓ Always follow safe dosage, observe your birds, and use clean, correctly identified plants.



Review Questions

1. Define herbal medicine and explain its role in poultry farming.
2. Give FOUR reasons why Nigerian poultry farmers should consider using herbal remedies.
3. What are phytochemicals? Name THREE types and explain what each one does.
4. State THREE limitations of herbal medicine in poultry farming.
5. List FIVE safety rules to follow when using herbs on your poultry farm.

Chapter 3: Setting Up a Natural Farm Medicine Cabinet

Every serious poultry farmer should have a farm medicine cabinet — a ready stock of remedies that can be used quickly when birds fall sick. Most Nigerian farmers stock antibiotics, vitamins, and electrolytes. This chapter shows you how to build a natural medicine cabinet using local herbs and traditional materials that are affordable, effective, and always within reach.

Having these herbs ready before disease strikes means you can begin treatment immediately — which makes all the difference in poultry health.

3.1 The Essential Ten — Herbs Every Poultry Farmer Should Stock

These ten plants form the core of your natural farm medicine cabinet. They are commonly found across Nigeria, easy to grow or buy, and have multiple uses in poultry health management.

Herb	Local Name(s)	Part Used	Primary Use in Poultry
Garlic	Tafarnuwa (Hausa) / Ayu (Yoruba)	Bulb (cloves)	Antibacterial, antiviral, immune booster, dewormer
Ginger	Citta (Hausa) / Atale (Yoruba)	Root (rhizome)	Respiratory support, digestion, anti-inflammatory
Turmeric	Gangamau (Hausa) / Ata ile pupa (Yoruba)	Root (rhizome)	Gut health, anti-inflammatory, liver support
Moringa	Zogale (Hausa) / Ewe ile (Yoruba)	Leaves, seeds	Nutritional supplement, immune booster, antioxidant
Neem (Dogoyaro)	Dogoyaro (Hausa) / Dongoyaro (Yoruba)	Leaves, bark, oil, seeds	External parasites (lice, mites), antifungal, disinfectant
Pawpaw (Papaya)	Gwanda (Hausa) / Ibepe (Yoruba)	Leaves, seeds, unripe fruit	Dewormer, coccidiosis support, digestive enzyme
Eucalyptus	Ewe efin (Yoruba)	Leaves (steam/oil)	Respiratory disease, disinfectant, insect repellent
Bitter Leaf	Shuwaka (Hausa) / Efo ewuro (Yoruba)	Leaves	Antibacterial, coccidiosis support, digestive health
Pumpkin	Kabewa (Hausa) / Elegede (Yoruba)	Seeds, leaves	Natural dewormer, nutritional supplement
Aloe Vera	Tinya (Hausa) / Eti erin (Yoruba)	Gel from leaves	Wound healing, gut health, skin/feather conditions

3.2 How to Prepare Herbal Remedies — Methods and Techniques

The way you prepare a herb matters. Different preparations extract different compounds and have different strengths. Here are the main preparation methods you will use throughout this book:

A. Fresh Juice / Extraction

Crush or blend fresh plant material and squeeze out the liquid. Strain through a clean cloth before use.

Best for: Garlic, ginger, aloe vera gel, bitter leaf.

Use: Add to drinking water at the recommended dose.

B. Decoction (Boiling Method)

Boil the plant material (roots, bark, hard leaves, or seeds) in water for 15–30 minutes. Allow to cool, strain, and use.

Best for: Roots (ginger, turmeric), seeds (pumpkin, neem), bark.

Use: Add to drinking water or use as a spray/wash.

C. Infusion (Soaking Method)

Pour hot or cold water over plant material (soft leaves, flowers) and allow to soak for 30–60 minutes. Strain and use.

Best for: Soft leaves (moringa, bitter leaf, eucalyptus leaves).

Use: Added to water or as a wash.

D. Powder (Dried and Ground)

Dry the plant material in the shade (not direct sunlight), then grind into a fine powder. Store in an airtight container.

Best for: Turmeric, moringa, ginger, garlic, neem leaves.

Use: Mix into feed at recommended rate.

E. Oil Infusion / Maceration

Soak plant material in vegetable oil (coconut oil, palm kernel oil) for 7–14 days. Strain and store in a dark bottle.

Best for: Neem leaves, garlic, eucalyptus.

Use: Applied to skin/feathers for external parasite control, wound care.

F. Steam Fumigation

Boil leaves (usually eucalyptus or neem) in a container. Allow the steam to fill the poultry house (with birds inside if mild, or before stocking). Covers the house with antimicrobial vapour.

Best for: Respiratory diseases, house disinfection.

Method	Preparation Time	Shelf Life	Best Used For
Fresh Juice	5–10 minutes	Use same day (refrigerate up to 2 days)	Water treatment, wound washing

Decoction	30–45 minutes	24–48 hours	Water treatment, spraying
Infusion	30–60 minutes soaking	24 hours	Water treatment, soft leaf remedies
Powder (dried)	1–3 days drying + grinding	3–6 months in sealed container	Feed additive, dusting
Oil Infusion	7–14 days	2–3 months in cool, dark place	External parasite control, wounds
Steam	20–30 minutes	Use immediately	Respiratory support, house disinfection

3.3 Dosage Guide for the Ten Essential Herbs

This table gives you a practical starting point for the most common herbs. Always begin at the lower end of the range and adjust based on what you observe.

Herb	Preparation	Dose per Litre of Water	Dose in Feed	Frequency
Garlic	Crushed juice or decoction	3–5 cloves (crushed) per litre	1–2% of feed	Daily or every 2 days
Ginger	Decoction or powder	10–15g fresh root per litre	0.5–1% of feed	3–5 days per week
Turmeric	Powder or decoction	5–10g per litre	0.5–1% of feed	Daily (immune support)
Moringa	Leaf powder or infusion	Infusion: 50g leaves per litre	2–5% of feed	Daily
Neem	Leaf decoction (external use)	100g leaves per litre (spray)	Not for feed	Spray weekly
Pawpaw Leaf	Decoction or infusion	50–100g leaves per litre	Crushed seeds: 2–3% of feed	5–7 days for treatment
Eucalyptus	Leaf decoction / steam	50g leaves per litre (steam)	Not for feed	During respiratory illness
Bitter Leaf	Fresh juice or infusion	30–50g leaves per litre	Up to 2% of feed	Alternate days
Pumpkin Seeds	Ground seeds	Not in water	3–5% of feed	Weekly as dewormer
Aloe Vera	Fresh gel	50ml gel per litre of water	Gel mixed into mash feed	3–4 times per week

3.4 Tools and Equipment for Your Herbal Medicine Cabinet

You do not need expensive equipment. A few basic tools are enough to prepare most herbal remedies on your farm:

- ✦ Large cooking pot (5–10 litres) — for making decoctions
- ✦ Mortar and pestle or kitchen blender — for crushing and grinding
- ✦ Clean cloth or muslin — for straining liquid preparations
- ✦ Measuring cups and kitchen scale — for accurate dosing
- ✦ Clean plastic or glass bottles with lids — for storing liquid preparations
- ✦ Airtight containers or ziplock bags — for storing dried powders
- ✦ Hand pump sprayer — for spraying herbal solutions in the house
- ✦ Labels and marker — always label your preparations with name, date, and dose
- ✦ Notebook/record book — write down every treatment and the results

3.5 Growing Your Own Herbal Garden

The cheapest and most reliable way to always have herbs available is to grow them yourself. Most of the herbs in this guide are easy to grow in Nigerian climate and soil. You do not need a large space — a small corner of your farm or backyard is enough.

Recommended herbs to grow on your poultry farm:

- ✦ Moringa — plant from seeds or cuttings; grows very fast; harvest leaves regularly
- ✦ Aloe vera — grow in pots or garden; little water needed; very hardy
- ✦ Bitter leaf (*Vernonia amygdalina*) — common in Nigerian compounds; easy to propagate
- ✦ Neem (Dogoyaro) — plant as a tree; provides shade and herbal material
- ✦ Ginger and turmeric — plant rhizomes in well-drained soil after the rains begin
- ✦ Garlic — plant cloves in raised beds during the dry season

A small herbal garden saves you money, ensures fresh supply, and gives you confidence that your herbs are genuine and uncontaminated.

3.6 Record Keeping for Natural Treatments

Good farmers keep records. When you use a herbal remedy, write down the following:

1. Date of treatment
2. Disease or problem being treated
3. Herb(s) used and preparation method
4. Dose given and how administered (water / feed / spray)
5. Number of birds treated
6. Observations after 24 hours, 48 hours, and 7 days
7. Whether it worked or not, and any side effects noticed

This record becomes your personal knowledge base. Over time, you will know exactly which herbs work best for which conditions on your specific farm.

KEY POINTS — Chapter 3

- ✓ Every poultry farmer should stock the 10 essential herbs: garlic, ginger, turmeric, moringa, neem, pawpaw, eucalyptus, bitter leaf, pumpkin seeds, and aloe vera.
- ✓ Six preparation methods: fresh juice, decoction, infusion, powder, oil infusion, and steam fumigation.
- ✓ Dosage matters — start low, observe birds, and adjust. Never overdose.
- ✓ Basic tools needed: cooking pot, blender/mortar, straining cloth, bottles, sprayer, and a record book.
- ✓ Growing your own herbal garden is the cheapest and most reliable way to always have remedies ready.
- ✓ Keep records of every herbal treatment — date, herb, dose, and results.

Review Questions

1. Name the ten essential herbs every poultry farmer should stock and give one use for each.
2. Explain the difference between a decoction and an infusion. When would you use each?
3. What tools do you need to prepare herbal remedies on your farm?
4. Why is it important to grow your own herbal garden? Which five herbs would you start with?
5. Design a simple record-keeping format a farmer can use to track herbal treatments on their farm.

Enjoying the preview?

This sample covers only the introduction. The full “Natural Poultry Health Guide” includes the complete step-by-step system, cost breakdowns, charts and templates you need.

Get the Full Book — NGN 3,000

Buy on Selar:

<https://selar.com/51x3529316>

Or order via WhatsApp: 08144811019 | kennethchiakwa@gmail.com