Jastip Ops: Product Requirements Document v1.0

Product manager draft, 10 Oct 2026. Status: ready for stakeholder review. Design source of truth: claude-design-taste.md (calm, structured, dense, warm, honest).

0. Standing design rule (attach to every PRD prompt)

Paste this preamble at the top of every future PRD or design prompt in this project so output always matches the design taste file:

`/design-taste attach claude-design-taste.md. Rules: tokens only (src/styles/tokens.css), Geist 13.5px body, warm paper neutrals, one indigo accent via var(--accent), hairline borders not shadows, 40px rows and 30px controls, Lucide icons via ic(), one primary action per view, one-shot motion with reduced-motion fallback, sentence-case friendly copy, everything must work in light, dark, every accent and compact density, at 1100, 900 and 640px breakpoints.`

PM checklist before any PRD section is accepted: it names which design tokens and components it uses, it has empty, loading and error states, and it states the behavior at desktop, tablet and mobile.

1. The PM journey and save commands

Each step ends with a save command. Convention: `/save-journey <step-id> --file docs/prd/journey/<file>.md --tag prd-v1.0-<step-id>`. Saving creates a versioned checkpoint so you can resume, diff or roll back any decision.

Step	Deliverable	Save command
J01	Problem framing and market context	`/save-journey J01 --file docs/prd/journey/01-problem.md --tag prd-v1.0-J01`
J02	Personas and jobs to be done	`/save-journey J02 --file docs/prd/journey/02-personas.md --tag prd-v1.0-J02`

Step	Deliverable	Save command
J03	Goals, non-goals, success metrics	`/save-journey J03 --file docs/prd/journey/03-goals-metrics.md --tag prd-v1.0-J03`
J04	Seller dashboard requirements	`/save-journey J04 --file docs/prd/journey/04-seller-dashboard.md --tag prd-v1.0-J04`
J05	Public storefront requirements	`/save-journey J05 --file docs/prd/journey/05-storefront.md --tag prd-v1.0-J05`
J06	Admin console and multi-merchant	`/save-journey J06 --file docs/prd/journey/06-admin-console.md --tag prd-v1.0-J06`
J07	Monetization and plans	`/save-journey J07 --file docs/prd/journey/07-monetization.md --tag prd-v1.0-J07`
J08	Data model and margin logic	`/save-journey J08 --file docs/prd/journey/08-data-margin.md --tag prd-v1.0-J08`
J09	Architecture: infra, front end, back end	`/save-journey J09 --file docs/prd/journey/09-architecture.md --tag prd-v1.0-J09`
J10	Security and compliance	`/save-journey J10 --file docs/prd/journey/10-security.md --tag prd-v1.0-J10`
J11	Responsive and design spec	`/save-journey J11 --file docs/prd/journey/11-responsive-design.md --tag prd-v1.0-J11`
J12	Scalability plan	`/save-journey J12 --file docs/prd/journey/12-scalability.md --tag prd-v1.0-J12`
J13	Roadmap	`/save-journey J13 --file docs/prd/journey/13-roadmap.md --tag prd-v1.0-J13`

Step	Deliverable	Save command
J14	Risks, QA, launch readiness, sign-off	`/save-journey J14 --file docs/prd/journey/14-launch-signoff.md --tag prd-v1.0-J14`

Before submitting the PRD, run `/prd-lint` (all 14 steps saved, every requirement has an ID and acceptance criteria, every screen has three-breakpoint behavior) and then `/save-journey FINAL --tag prd-v1.0-submit`.

2. J01 Problem framing

Jastip (jasa titip) sellers buy products abroad or in distant cities for customers and resell with a markup. In Indonesia most run entirely on WhatsApp, Instagram stories, Google Sheets and phone notes. The pains are consistent:

- Product photos, prices and stock live in chat history and are lost within days.
- Margin is guessed, because trip costs (hotel, rides, tickets) and exchange rates are never allocated to items.
- Customer requests arrive in many chats and get missed or double-booked.
- No sales report exists, so sellers cannot tell which trip or product actually made money.
- Customers cannot browse what is available without asking each time.

Opportunity: a calm, fast, mobile-first operations dashboard that turns a photo and a price into a sellable listing with a known margin, then carries that item through order, purchase and delivery. Monetized as SaaS per merchant.

`/save-journey J01 --file docs/prd/journey/01-problem.md --tag prd-v1.0-J01`

3. J02 Personas and jobs to be done

Persona	Context	Core jobs
Solo jastip seller (primary)	Travels monthly, sells to 20 to 300 customers, works from phone	Snap and post items fast, know margin instantly, collect requests, track money

Persona	Context	Core jobs
Jastip team owner	2 to 5 helpers, several trips per month	Assign orders, view team sales, control budgets
Customer (buyer)	Follows the seller on Instagram or WhatsApp	See what is available, order, request an item, know the status
Platform admin (us)	Runs the SaaS	Onboard merchants, manage plans, billing, abuse, support

Job statements: when I am in a store holding a product, I want to log it in under 20 seconds so I can post it before the customer moves on. When a customer asks for something, I want to see cost, markup and margin before I quote so I never sell at a loss.

```
/save-journey J02 --file docs/prd/journey/02-personas.md --tag prd-v1.0-J02
```

4. J03 Goals, non-goals, metrics

Goals for v1: (1) a seller goes from first login to first posted item in under 5 minutes, (2) every item shows estimated margin using real trip costs, (3) customers order through a public page without creating an account, (4) the platform can bill and manage many merchants safely.

Non-goals for v1: payment escrow, in-app chat, international shipping label generation, marketplace discovery across merchants, native iOS or Android apps (the PWA covers mobile).

Metric	Target at 90 days after launch
Activation: first item posted within 24h of signup	60 percent
Time to post an item (photo to published)	under 45 seconds median
Weekly active merchants / paying merchants	40 percent / 25 percent of signups
Orders placed through storefront per active merchant per week	15
Trial to paid conversion	12 percent
Storefront LCP on 4G mid-range phone	under 2.5 s
Monthly churn of paid merchants	under 6 percent

`/save-journey J03 --file docs/prd/journey/03-goals-metrics.md --tag prd-v1.0-J03`

5. J04 Seller dashboard requirements

Every requirement has an ID. Priority: P0 launch, P1 fast follow, P2 later.

5.1 Item capture and posting

ID	Requirement	Pri
SD-01	Capture a product photo with the device camera or upload from gallery; up to 6 photos per item; client-side compression before upload	P0
SD-02	Input product price in the purchase currency (for example JPY), with store name and optional note	P0
SD-03	Input markup as a percent or as a fixed amount; the system computes the selling price	P0
SD-04	Show estimated margin live while typing: per item, in percent and in base currency	P0
SD-05	Post the item to the storefront as Available, Pre-order or Draft, with quantity and optional deadline	P0

ID	Requirement	Pri
SD-06	Item belongs to a trip; trip cost allocation feeds the margin estimate	P0
SD-07	Duplicate item, bulk markup change for a trip, bulk unpublish	P1
SD-08	Optional AI assist: suggest a title and category from the photo (always editable)	P2

Acceptance for SD-04: changing product price, markup, quantity, currency or trip cost allocation updates the displayed margin within 100 ms without a network call, and negative margin is shown in red text with the label Below cost.

5.2 Customer orders and special requests

ID	Requirement	Pri
SD-10	Order inbox combining storefront orders and manual entries from WhatsApp or Instagram	P0
SD-11	Custom request order: customer asks for an item not listed; seller records reference link or photo, quotes product price, markup and sees estimated margin before sending the quote	P0
SD-12	Order status flow: Requested, Quoted, Confirmed, Paid, Purchased, Shipped, Delivered, Cancelled	P0
SD-13	Record payment proof (image) and mark paid; partial payment and down payment supported	P0
SD-14	Copy a ready WhatsApp message for quote, payment reminder and status update	P0
SD-15	Customer address book with delivery destination per order	P1
SD-16	Purchase checklist per trip: items to buy grouped by store, tick off as bought, record the actual price paid	P0

Quote versus actual: when the actual purchase price differs from the quote, the order shows Estimated margin and Actual margin side by side so sellers learn their error rate.

5.3 Trips and budget records

ID	Requirement	Pri
SD-20	Create a trip with name, destination to shop (country and city), destination to deliver (city or hub), dates, base currency and purchase currencies	P0
SD-21	Trip budget lines by category: hotel, flight or train, ride hailing, local transport, meals, baggage fee, other; each with planned and actual amounts and currency	P0
SD-22	Cost allocation rule per trip: none, split evenly per item, or split by purchase value; allocated cost is added to landed cost	P0
SD-23	Trip summary: revenue, product cost, trip cost, profit, margin percent, planned versus actual budget	P0
SD-24	Receipt photo attached to any budget line	P1
SD-25	Trip status: Planning, Open for orders, Shopping, Delivering, Closed; closed trips are read-only except for notes	P0

5.4 Sales reports

ID	Requirement	Pri
SD-30	Dashboard stat strip: revenue, profit, margin percent, open orders, unpaid amount	P0
SD-31	Reports by trip, by product, by customer, by period; filters and CSV export	P0
SD-32	Estimated versus actual margin report	P1

ID	Requirement	Pri
SD-33	Scheduled weekly email summary	P2

5.5 Multi-currency

ID	Requirement	Pri
SD-40	Merchant has one base currency (default IDR) and any number of purchase currencies (JPY, KRW, USD, SGD, MYR, THB, EUR, and more)	P0
SD-41	Daily exchange rates from a rate provider; seller can override a rate per trip	P0
SD-42	Rate snapshot is stored on each purchase record so historical reports never change when rates move	P0
SD-43	Storefront shows prices in the merchant base currency; optional second display currency	P1

`/save-journey J04 --file docs/prd/journey/04-seller-dashboard.md --tag prd-v1.0-J04`

6. J05 Public storefront requirements

Each merchant gets a page at a slug or custom domain (for example jastip.app/rina-trips). No customer account is needed.

ID	Requirement	Pri
ST-01	Item grid showing photo, title, price, availability badge, trip and delivery window	P0
ST-02	Filters by trip, category, availability; search	P0
ST-03	Item detail with photo gallery, description, quantity left, order deadline	P0

ID	Requirement	Pri
ST-04	Order form: name, WhatsApp number, quantity, delivery address, note; creates an order in the seller inbox	P0
ST-05	Request an item form: link or photo, desired budget, note	P0
ST-06	Order tracking page by short code, showing status only	P1
ST-07	Merchant branding limited to logo, name, bio and accent choice; layout and type stay fixed to protect taste and speed	P1
ST-08	SEO metadata, share previews, server rendering for fast first paint	P0
ST-09	Bot protection and rate limits on order and request forms	P0

The storefront never shows cost, markup or margin. States: skeleton grid while loading, friendly empty state (This trip has no items yet. Follow along for updates.), offline notice with Retry.

`/save-journey J05 --file docs/prd/journey/05-storefront.md --tag prd-v1.0-J05`

7. J06 Admin console and multi-merchant

The admin console is for us, the platform operator, and is separate from the merchant dashboard (separate route, separate auth policy, separate roles).

ID	Requirement	Pri
AD-01	Merchant directory: search, filter by plan and status, open a merchant profile	P0
AD-02	Merchant lifecycle: Invited, Trial, Active, Past due, Suspended, Closed; every transition is audited	P0

ID	Requirement	Pri
AD-03	Plan and entitlement management: assign plan, override limits, extend trial	P0
AD-04	Billing view: invoices, payment status, retry, refund note	P0
AD-05	Impersonate a merchant in read-only mode for support, with a visible banner and an audit entry	P0
AD-06	Platform metrics: signups, activation, MRR, churn, active storefronts, orders volume	P1
AD-07	Moderation queue: reported storefronts, prohibited item flags, suspend action	P0
AD-08	Feature flags per merchant or per plan	P1
AD-09	Admin roles: Owner, Support, Finance, Read-only	P0
AD-10	Announcement banner and in-app notice to merchants	P2

Multi-merchant rules: one login can belong to several merchants (an owner running two brands); a merchant has members with roles Owner, Manager, Helper (helpers cannot see margin or reports); data of one merchant is never visible to another, enforced at the database level (section 11).

`/save-journey J06 --file docs/prd/journey/06-admin-console.md --tag prd-v1.0-J06`

8. J07 Monetization

Plan	Price (indicative, IDR per month)	Limits	Includes
Free trial	0 for 14 days	Pro limits	Everything in Pro
Starter	49,000	1 member, 50 active items, 2 trips open, 100 orders per month	Storefront, margin, reports basic

Plan	Price (indicative, IDR per month)	Limits	Includes
Pro	149,000	3 members, 500 items, unlimited trips, 1,000 orders per month	Multi-currency, budgets, CSV export, custom slug
Business	399,000	10 members, 5,000 items, unlimited orders	Custom domain, roles, API access, priority support

Extra revenue levers after launch: payment gateway fee share, WhatsApp automation add-on, annual discount (2 months free). Subscriptions are billed through an Indonesian gateway (Xendit or Midtrans) with QRIS, virtual account and cards; dunning flow: reminder at day 0, 3 and 7, then downgrade to read-only, never data deletion. Entitlements are enforced in the back end and surfaced in the UI as calm upgrade prompts, never blocking screens.

`/save-journey J07 --file docs/prd/journey/07-monetization.md --tag prd-v1.0-J07`

9. J08 Data model and margin logic

9.1 Core entities

merchant, user, membership(role), trip, trip_budget_line, item, item_photo, customer, order, order_line, payment, purchase_record, fx_rate, plan, subscription, invoice, audit_log, storefront_settings. Every merchant-owned table carries merchant_id.

9.2 Margin formulas (single source of truth, shared by front end preview and back end)

All money is stored as integer minor units with an ISO currency code. Never floating point.

- purchase_cost_base = product_price x fx_rate (purchase currency to base currency)
- allocated_trip_cost = per the trip rule (none, per item, or proportional to purchase value)
- landed_cost = purchase_cost_base + allocated_trip_cost
- Markup by percent: selling_price = purchase_cost_base x (1 + markup_percent)
- Markup by amount: selling_price = purchase_cost_base + markup_amount

- estimated_margin = selling_price - landed_cost
- margin_percent = estimated_margin / selling_price (margin is on price)
- markup_percent = (selling_price - purchase_cost_base) / purchase_cost_base (markup is on cost)

The UI labels these distinctly (Markup and Margin) with a tooltip, because mixing them is the most common seller mistake. Selling price rounds to a merchant-set step (for example nearest 1,000 IDR) and the margin is recomputed after rounding.

Worked example: a 3,000 JPY item at 0.105 IDR per... use rate 105 IDR per JPY gives purchase cost 315,000 IDR. Allocated trip cost 20,000 IDR gives landed cost 335,000. Markup 20 percent gives selling price 378,000. Estimated margin 43,000 IDR, margin percent 11.4 percent. The seller sees Below cost only if selling price is under landed cost.

Custom request orders reuse the same functions: the quote form is the same price, markup, margin block as item posting.

`/save-journey J08 --file docs/prd/journey/08-data-margin.md --tag prd-v1.0-J08`

10. J09 Architecture

10.1 Principles

Modular monolith first, extractable services later. Tenant isolation at the database. Mobile-first and offline-tolerant. Boring, proven tools. Stateless application servers so scaling is horizontal.

10.2 Infrastructure

Layer	Choice	Reason
Hosting	Containers on a managed platform (Fly.io, AWS ECS, or GCP Cloud Run), region Singapore (closest to Indonesia)	Low latency, simple autoscale
Database	PostgreSQL with Row Level Security, daily snapshots, point-in-time recovery, one read replica from 1k merchants	Relational money data, tenant isolation

Layer	Choice	Reason
Cache and queue	Redis (cache, rate limits, sessions) and BullMQ for jobs	Fx refresh, image processing, emails
Object storage and CDN	S3-compatible bucket plus CDN, signed upload URLs	Photos served close to buyers
Image pipeline	Resize to 3 widths, WebP and AVIF, strip EXIF location	Fast storefront, privacy
Edge	CDN caching of storefront pages with tag-based purge on publish	Storefront is read-heavy
Observability	Structured logs, metrics, tracing, error tracking, uptime checks, per-tenant usage metrics	Detect noisy tenants early
Environments	Local, preview per pull request, staging, production; infrastructure as code	Repeatable and reviewable
CI/CD	Lint, unit, integration, visual regression on tokens, accessibility checks, then staged deploy with one-click rollback	Protect design taste and quality

10.3 Front end

- Seller dashboard and admin console: TypeScript single-page app that reuses the existing token system (src/styles/tokens.css), Geist fonts, Lucide icons via ic(), and the shell from the design taste file (252px sidebar, 46px topbar, .page and .ph patterns).
- Storefront: server-rendered (Next.js or Astro) using the same tokens for SEO and fast first paint; minimal JavaScript.
- Progressive Web App: installable, camera access, offline draft queue for items captured without signal; sync on reconnect with conflict-safe last-write rules and a visible Synced notice.
- Shared package: margin and currency functions used by both client preview and server, with one test suite.
- State: server state via a query cache, local UI state minimal; focus, selection and scroll restored after re-render as the taste file requires.

- Accessibility and i18n: Bahasa Indonesia and English from day one, string catalogs, no hard-coded copy.

10.4 Back end

- Modular monolith in TypeScript (NestJS or equivalent): modules for identity, merchants, catalog, trips, orders, payments, billing, reporting, admin, notifications.
- REST API with OpenAPI, versioned at /v1; webhooks outbound for Business plan.
- Background workers: fx rates (every 6 hours), image processing, invoice generation, email and WhatsApp deep-link templates, report exports.
- Idempotency keys on order creation and payment webhooks.
- Search: Postgres full text for v1; move to a dedicated search service only when needed.

`/save-journey J09 --file docs/prd/journey/09-architecture.md --tag prd-v1.0-J09`

11. J10 Security and compliance

Area	Requirement
Authentication	Email with magic link or password plus Google sign-in; optional TOTP two-factor for merchants, mandatory for admin console users; short-lived access tokens, rotating refresh tokens
Authorization	Role-based (Owner, Manager, Helper; Admin Owner, Support, Finance, Read-only) checked in the back end on every request; helpers never receive cost or margin fields (field-level filtering, not just hidden in the UI)
Tenant isolation	merchant_id on every row, Postgres Row Level Security, automated cross-tenant access tests in CI that must fail closed
Data protection	TLS everywhere, encryption at rest, secrets in a managed vault, EXIF stripped from uploads, customer phone numbers and addresses encrypted at column level

Area	Requirement
Web security	CSP, CSRF protection, strict CORS, secure cookies, input validation, rate limiting and bot challenge on public forms, upload type and size checks with malware scanning
Payments	No card data stored; gateway hosted payment pages; webhook signature verification
Audit	Immutable audit log for admin actions, impersonation, plan changes, exports
Privacy	Comply with Indonesia PDP Law (UU PDP 27/2022): consent at order form, data export and delete requests within 30 days, data retention policy, breach notification process
Abuse and legal	Prohibited items policy, report button on storefronts, suspension workflow, terms for sellers that they are responsible for customs and import rules
Resilience	Daily backups, tested restores each quarter, RPO 15 minutes, RTO 4 hours, dependency and container scanning in CI

Security review gate: no launch without a threat model (STRIDE) signed off and an external penetration test on the admin console and storefront forms.

```
/save-journey J10 --file docs/prd/journey/10-security.md --tag prd-v1.0-J10
```

12. J11 Responsive and design specification

All screens follow claude-design-taste.md. No new colors, fonts, weights, gradients, blur or pill buttons. Calm, structured, dense, warm, honest.

12.1 Breakpoint behavior

Area	Desktop (above 1100px)	Tablet or iPad (641 to 1100px)	Mobile (640px and below)
Shell	252px sidebar, 46px topbar, breadcrumb, search with kbd hint	Under 900px sidebar becomes off-canvas drawer with scrim; topbar search collapses to icon; gutter 16px	Bottom nav with 48px targets (Home, Orders, Add, Trips, More); topbar 50px; crumbs show only current page
Dashboard	4-cell stat strip, grid2 1.55fr and 1fr	Under 1100px grid2 stacks; under 900px stats 2 by 2	Stats 2 by 2, lists become stacked bordered cards
Item capture	Two-column: photos left, price and margin panel right	Same two columns at 900 and up, stacked below	Single column; camera button is the first element; sticky bottom bar with margin result and the one primary Post item button
Order inbox	Table with 40px rows, drawer detail 620px	Table with fewer columns, drawer detail	Cards, full-screen detail, status changes in a bottom sheet
Trip budget	Table with planned versus actual and progress bars	Same, horizontal scroll avoided by hiding secondary columns	Card per budget line, totals sticky at the bottom
Reports	Wide page, charts and tables	Wide page, stacked charts	Summary cards first, tables as cards, export in More menu
Storefront	4 to 5 column grid	3 columns	2 columns of cards, sticky Order button on item detail, bottom-sheet order form
Admin console	Wide tables, side drawer for merchant profile	Condensed tables	Cards; destructive actions need confirm sheet; read-only monitoring focus

Tap targets are at least 40px on mobile. Safe-area insets respected. Modals become bottom sheets with 14px top radius under 640px. Toasts span the width above the bottom nav.

12.2 Key screens and components

- Quick add item: photo, product price with currency selector, markup toggle (percent or amount), selling price, live margin block (neutral for healthy, amber for under 10 percent, red text for below cost), trip selector, availability, Post item. One primary button.
- Margin block: a single compact panel using surface-2 fill and divider lines, tabular numerals, Geist Mono only for codes.
- Status: orders and trips use badges with a 6px dot; the fill stays neutral.
- Empty states: 22px muted glyph, 14.5 semibold heading, one sentence, one action. Example: No items in this trip yet. Take a photo to add your first item.
- Copy: sentence case, past tense for confirmations (Item posted to Tokyo May trip), no exclamation marks, no emoji in the UI, Undo on reversible actions.
- Motion: one-shot only via the fx flag (route rise, posted item wash, drop land), reduced-motion fallback of a 120ms fade.
- Dark mode is hand-tuned using the dark tokens; every component is tested in light, dark, all accents and compact density.

Cleanup tracked from the taste file drift section: introduce tokens for 22px stat type, 12px and 14px radii, and move project colors to tokens before new screens ship.

`/save-journey J11 --file docs/prd/journey/11-responsive-design.md --tag prd-v1.0-J11`

13. J12 Scalability

Dimension	Today (launch)	Plan for growth
Merchants	Up to 1,000 on one database	Connection pooling, read replica at 1k, partition large tables (orders, audit_log) by merchant hash or month at 10k

Dimension	Today (launch)	Plan for growth
Storefront traffic	CDN caches pages, purge by tag on publish	Edge rendering, image CDN rules, burst protection during viral posts
Images	Resize on upload via queue	Dedicated media worker pool, lifecycle rules to cold storage for closed trips
Noisy tenants	Per-tenant rate limits and quotas	Per-tenant queues, usage-based throttling, option to move a large merchant to a dedicated schema or database
Back end	Stateless containers, autoscale on CPU and queue depth	Extract the highest-load modules (media, notifications, reporting) as separate services behind the same API
Reporting	Live queries on indexed tables	Materialized daily rollups per merchant, then an analytics store when needed
Currency	Rate refresh job and cache	Provider failover, last-known-good rate fallback with a visible stale-rate notice
Team and product	Monorepo with shared packages	Domain ownership per module, contract tests on module boundaries, feature flags for safe rollout
Cost	Single region	Cost per merchant tracked monthly; target infrastructure cost under 8 percent of revenue

Load targets before launch: 200 concurrent seller sessions, 2,000 concurrent storefront visitors, p95 API under 300 ms, p95 storefront LCP under 2.5 s on mid-range mobile over 4G. A load test is a launch gate.

`/save-journey J12 --file docs/prd/journey/12-scalability.md --tag prd-v1.0-J12`

14. J13 Product roadmap

Phase	Window	Theme	Scope	Exit criteria
0. Foundation	Weeks 1 to 3	Prepare	Token cleanup, repo structure, auth, multi-tenant database with RLS, CI, design system components for forms and tables	Cross-tenant tests green; components pass light, dark and three breakpoints
1. MVP seller core	Weeks 4 to 10	Post and know margin	Item capture, margin engine, trips with budgets, multi-currency, orders inbox, public storefront with order form	10 pilot merchants posting weekly; margin verified against spreadsheets
2. Money and ops	Weeks 11 to 16	Run the business	Custom request quotes, purchase checklist, payments and proof, reports, CSV export, WhatsApp templates, offline drafts	Activation 60 percent among pilots
3. Monetize and admin	Weeks 17 to 22	Charge for it	Plans and entitlements, subscription billing, admin console (directory, lifecycle, impersonation, moderation), audit log	First paying merchants; dunning tested
4. Public launch	Weeks 23 to 26	Launch	Pen test, load test, onboarding flow, help center, Bahasa and English copy, marketing site	All launch gates passed

Phase	Window	Theme	Scope	Exit criteria
5. Growth	Months 7 to 12	Expand	Custom domains, roles refinement, API and webhooks, payment gateway for buyers, scheduled summaries, AI photo assist, team analytics	MRR and churn targets met
6. Scale	Year 2	Harden	Dedicated tenants, analytics store, regional expansion (Malaysia, Singapore), buyer-side loyalty	Platform under cost target at 10k merchants

Prioritization method: RICE scoring each quarter, with a rule that anything touching margin accuracy or tenant isolation outranks new features.

`/save-journey J13 --file docs/prd/journey/13-roadmap.md --tag prd-v1.0-J13`

15. J14 Risks, QA, launch readiness and sign-off

Risk	Likelihood	Impact	Mitigation
Sellers keep using WhatsApp and see the tool as extra work	High	High	Copy-ready WhatsApp messages, 20 second capture, offline drafts, onboarding by import of existing price lists
Wrong margin leads to lost trust	Medium	High	One shared calculation package, integer money, snapshot rates, golden-file tests against spreadsheets
Cross-tenant data leak	Low	Critical	RLS, CI isolation tests, pen test
Exchange rate provider outage	Medium	Medium	Failover provider, last-known-good with a stale notice, manual override

Risk	Likelihood	Impact	Mitigation
Prohibited or counterfeit item listings	Medium	High	Report button, moderation queue, seller terms, suspension workflow
Customs and legal liability perception	Medium	Medium	Clear terms, seller responsibility notice, no shipping promises from the platform
Payment gateway delays billing launch	Medium	Medium	Manual invoicing fallback for first merchants
Design drift as screens multiply	High	Medium	Token-only lint, visual regression, taste checklist in every pull request

QA and launch gates

- Functional: acceptance criteria per requirement ID passed; margin golden tests passed.
- Design: the taste checklist (tokens only, one primary action, empty, loading and error states, light, dark, accents, compact density) passed on every screen.
- Responsive: verified on desktop 1440, tablet 820 and 1024, mobile 390 and 360 widths, with real devices for camera capture.
- Accessibility: keyboard reachable, visible focus, contrast, screen reader announcements for state changes.
- Security, performance and backup restore gates as in sections 11 and 13.
- Support readiness: help center, admin runbooks, on-call rota, status page.

Open questions for stakeholders

1. Final plan prices and the trial length.
2. Which payment gateway for subscriptions first, and whether buyer payments are in scope for the first public release.
3. Whether helpers may ever see margin (current default: no).
4. Launch languages beyond Bahasa Indonesia and English.
5. Whether to cap storefront items by photo storage instead of by item count.

Sign-off

Product, Design, Engineering, Security and Finance each approve in writing. Then run `/save-journey FINAL --tag prd-v1.0-submit` and `/save-journey J14 --file docs/prd/journey/14-launch-signoff.md --tag prd-v1.0-J14`.