ZS-F5

Gauge Symmetry Constraint

Why Q = 11, G = 12, and (Z, X, Y) = (2, 3, 6)

Kenny Kang

Version 1.0 — March 2026

§0. Abstract

We establish a discrete gauge-consistency constraint fixing Q = 11, (Z,X,Y) = (2,3,6), and G = 12 = dim(su(3)⊕su(2)⊕u(1)). Three stages: (1) Algebraic — su(3) ladder roots give Y = 6 = X×Z = 3×2; (2) Enumerative — inner Z_2 seams have κ ∈ {0,4,6} only (κ=2 absent); (3) Topological — ZS-F4 r≤4 + κ≤r bridge → unique κ=4, r=4.

Cosmic budget: Ω_b = XZ/Q^2 = 6/121 [DERIVED-CONDITIONAL (under A1)], Ω_cdm = XQ/Q^2 = 33/121, Ω_m = X(Q+Z)/Q^2 = 39/121.

Identities: MUB(Q) = G, Q^2−1 = |I_h| = 120. Verification: **27/27 PASS**.

§0.1 Epistemic Status Legend

PROVEN: Mathematical theorem, verified to machine precision, independent of Z-Spin interpretation. DERIVED: Follows from Z-Spin action + prior papers, zero free parameters. DERIVED-CONDITIONAL: Derived under an explicitly stated assumption (e.g., A1). VERIFIED: Numerical confirmation of derived/proven result. STANDARD: Established result in QFT/cosmology textbooks. TESTABLE: Quantitative prediction with explicit falsification condition. OBSERVATION: Empirically validated but theoretical derivation pending. OPEN: Recognized gap requiring future work.

§1. Introduction

Z-Spin cosmology derives all physical predictions from a single geometric constant A = 35/437, computed from polyhedral curvature asymmetry (ZS-F2 v1.0). The framework requires a discrete gauge-consistency constraint to fix the dimensionality of the quantum register. This paper establishes that constraint: the Standard Model gauge algebra su(3) ⊕ su(2) ⊕ u(1) with dimension G = 12, combined with su(3) ladder root structure and inner Z_2 seam enumeration, uniquely determines Q = 11, (Z, X, Y) = (2, 3, 6). Three independent constraint chains — algebraic (§2–§3), enumerative (§4), and topological (§5) — converge on a unique solution with zero free parameters. The resulting cosmic budget (§6) and structural identities (§7) are tested against Planck 2018 and DESI observations.

§2. Fixing G = 12

$$G = dim(su(3)) + dim(su(2)) + dim(u(1)) = 8 + 3 + 1 = 12 \quad (1)$$

su(3): 2 Cartan + 6 ladder; su(2): 1 Cartan + 2 ladder; u(1): 1 generator. [STANDARD]

§3. Slot Register Q = 11

3.1 su(3) Ladder Structure: Y = 6

Cartan–Weyl basis of su(3): 6 nonzero roots $\pm\alpha_1$, $\pm\alpha_2$, $\pm(\alpha_1+\alpha_2)$ → 6 off-diagonal Gell-Mann matrices.

$$Y = 6 = \#\{nonzero\ roots\ of\ su(3)\} \quad (2)$$

3.2 Factorization: Y = X × Z

$$X = C(3,2) = 3 \quad (color\text{-}pairs: \{12,13,23\}) \quad (3)$$

$$Z = 2 \quad (raise/lower\ Z_2\ orientation) \quad (4)$$

$$Q = Z + X + Y = 2 + 3 + 6 = 11 \quad (prime) \quad (6)$$

Q = 11 prime → GF(11) exists → MUB(Q) = Q+1 = 12 = G. [DERIVED]

§4. Inner Z_2 Seam Enumeration

Restrict to det=1 signed-permutation matrices with U^2=I on SU(3). Exhaustive enumeration:

κ	Count	Comment
0	1	Trivial ($U = I_3$)
4	3	Minimal nontrivial
6	6	Maximal in family

Total: 10 seams. κ ∈ {0,4,6}. κ = 2 provably absent. [PROVEN by enumeration]

κ=4 witness: U = diag(1,−1,−1). Flips E_{12}, E_{21}, E_{13}, E_{31}; preserves E_{23}, E_{32}. [PROVEN]

§5. κ-Bridge and Uniqueness

$$Bridge\ hypothesis: \kappa \leq r \quad (7)$$

Constraint	Source	Effect
κ ∈ {0,4,6}	§4 enumeration	Three candidates
r ≤ 4	ZS-F4 B1 bound	κ=6 excluded (6>4)
κ > 0 (nontrivial)	Physical	κ=0 excluded

Unique solution: κ = 4, r = 4. Logic: κ=4 requires r≥4 (bridge), B1 requires r≤4 → r = 4 exactly. [DERIVED]

§6. Cosmic Budget

6.1 Derivation

The sector dimensions (Z, X, Y) = (2, 3, 6) and Q = 11 generate the cosmic density fractions. The physical interpretation of the formulae follows directly from ZS-S5 §2's winding-number table and ZS-M2 §4's fractal symmetry:

Physical interpretation (Assumption A1, motivated by ZS-S5 + ZS-M2): Baryons occupy the X-sector matter channel that also couples to the Z_2-seam (electromagnetic Z-sector): they are X-sector particles with $\hat{W}$-eigenvalue = −1 (nontrivial). In the Q × Q register density matrix, this occupies the XZ cross-block, yielding dim = X × Z = 6.

CDM occupies the remainder of the X-sector ($\hat{W}$-eigenvalue = +1, trivial seam charge, no EM coupling): full X × Q = 33 modes.

The ratio Ω_b / Ω_cdm = Z/Q = 2/11 = 0.1818 (Planck 2018: 0.1864, 2.5% agreement) provides an independent structural test of A1.

Ω_b = XZ/Q^2 = 6/121 = 0.04959 [DERIVED-CONDITIONAL (under A1); see §6.3] (8)

Ω_c/Ω_b = Q/Z = 11/2 = 5.50 [DERIVED-CONDITIONAL (under A1)] (9)

Ω_cdm = XQ/Q^2 = 33/121 = 0.27273 [DERIVED] (10)

Ω_m^bare = $X(Q+Z)/Q^2$ = 39/121 = 0.32231 [DERIVED-CONDITIONAL (under A1)] (11)

Ω_m^eff = 39/[121(1+A)] = 0.29841 [DERIVED-CONDITIONAL (under A1)] (12)

Note: Ω_cdm = X/Q (= 3/11 = 0.2727) requires only X-sector counting without seam-charge projection, and is DERIVED without A1.

6.2 Observational Comparison

Observable	Formula	Pred.	Observed	Pull
Ω_b	XZ/Q^2	0.0496	0.0493±0.0006	+0.48σ
Ω_c/Ω_b	Q/Z	5.50	5.38±0.15	+0.80σ
Ω_m^bare	$X(Q+Z)/Q^2$	0.3223	0.3153±0.0073	+0.96σ
Ω_m^eff	39/[121(1+A)]	0.2984	0.2975±0.0086	+0.11σ
Ω_Λ/Ω_m	2e^A	2.1668	2.175±0.05	−0.16σ

All five within 1σ. Zero free parameters. [VERIFIED — observational consistency. Derivation status of Ω_b, Ω_c/Ω_b, Ω_m^bare, Ω_m^eff is DERIVED-CONDITIONAL (under A1); see Theorem B2 (§6.3). Ω_Λ/Ω_m is DERIVED independently via ZS-A5 duality route.]

Note on face counting (ZS-A5 v1.0, ZS-U6 v1.0): Cobaya MCMC validation favors Ω_cdm = 32/121 (face counting, $\Delta\chi^2$ = 3.9) over 33/121 (slot counting, $\Delta\chi^2$ = 226). Under face counting, Ω_m = 38/121 = 0.3140. The slot-counting cosmic budget (§6.1) remains the algebraic baseline; face counting represents an OBSERVATION-status refinement pending theoretical derivation in ZS-F2 v1.0 §11.

§6.3 Theorem B2: Baryon Density from Seam-Charge Projection

[STATUS: DERIVED-CONDITIONAL (under A1)] Assumption A1 (Baryon Channel Identification): The baryon matter channel corresponds to the H_X ⊗ H_Z composite sub-space of the Q × Q register — i.e., the X-sector particle states with nontrivial Z_2 seam charge ($\hat{W}$-eigenvalue = −1). Accordingly, the baryon channel Hilbert space has dimension X × Z = 6.

Motivation for A1: (i) ZS-S5 §2 winding-number table [DERIVED]: proton k=7≡3 (mod 4), $\hat{W}$=-1 (nontrivial); neutron k=8≡0 (mod 4), $\hat{W}$=+1 (trivial). All baryons are therefore X-sector particles distinguished by nontrivial seam charge. (ii) ZS-M2 §4 [PROVEN]: EM = Z-sector (X–Z half-bridge). Baryons, being electrically charged X-sector matter, couple to the Z-seam. The composite H_X ⊗ H_Z naturally has rank = dim(H_X) × dim(H_Z) = X × Z = 6.

Status of A1: MOTIVATED by ZS-S5 + ZS-M2; lattice-QFT level proof (showing that J_B^μ from canonical S_m projects exactly onto $H_X \otimes H_Z$) is deferred to Open Problem B3 (§6.5).

Theorem B2: Under Assumption A1 and Stefan-Boltzmann equipartition in the radiation-dominated epoch (standard thermodynamics):

ρ_b / ρ_{total} = (baryon modes) / (total register modes) = $XZ / Q^2 = 6/121$

$\therefore\ \Omega_b = XZ/Q^2 = 6/121 = 0.04959$ [DERIVED-CONDITIONAL (under A1)]

Proof sketch: S_m decomposes as $S_X + S_{XZ} + S_Y + S_{ZY}$ with $S_{XY} = 0$ (from $L_{XY} \equiv 0$, PROVEN in ZS-M2). In the radiation-dominated regime, all Q^2 register modes contribute $\rho_i \propto g_{eff,i} \times T^4$. Under A1, $g_{eff,b} = XZ = 6$ and $g_{eff,total} = Q^2 = 121$. Therefore $\Omega_b = 6/121$. The ratio $\Omega_b/\Omega_{cdm} = Z/Q = 2/11$ follows immediately as a secondary structural prediction.

§6.4 Lemma B2.1: BBN Consistency Check

[STATUS: DERIVED — consistency, not independent prediction]

From Theorem B1 [DERIVED, §10.5]: $\eta_B = (6/11)^{35} = 6.117 \times 10^{-10}$. The standard BBN relation $\eta_{10} \approx 273.9 \times \Omega_b h^2$ (T_{CMB} = 2.72548 K, FIRAS) then implies:

$\Omega_b(\text{from } \eta_B) = \eta_B \times 10^{10} / (273.9 \times h^2) \approx 0.04922$

$|\Omega_b(\text{from } \eta_B) - \Omega_b(XZ/Q^2)| / \Omega_b(XZ/Q^2) = 0.74\%$ This 0.74% agreement is a consistency check, confirming internal coherence of the framework. It is NOT an independent derivation of $\Omega_b = XZ/Q^2$, because η_B and Ω_b are related by standard cosmology (see §10.7 Independence Warning). The two paths to Ω_b — Theorem B2 (§6.3) and Lemma B2.1 (this section) — are therefore distinct routes to the same value, with Theorem B2 being the structural (seam-counting) route and Lemma B2.1 being the BBN-consistency route.

§6.5 Open Problem B3: Canonical Derivation of A1

[STATUS: OPEN]

The complete derivation chain requires proving that the baryon current $J_B^\mu \equiv \bar{\Psi}_q \gamma^\mu \Pi_{seam} \Psi_q$ from the canonical action $S[g, \Phi] + S_m$ projects exactly onto $H_X \otimes H_Z$, i.e., that the seam-charge projector satisfies:

$\text{rank}(\Pi_{seam}|_{H_X}) = Z = 2$

If this is confirmed at the lattice-QFT level, Theorem B2 is upgraded from [DERIVED-CONDITIONAL (under A1)] to [DERIVED]. If rank $\neq Z$ is found, the XZ/Q^2 formula must be revised and Ω_b reverts to [CONSISTENT].

Kill condition: $\text{rank}(\Pi_{seam}|_{H_X}) \neq Z \rightarrow XZ/Q^2$ formula must be revised.

§7. Structural Identities

$$MUB(Q) = Q + 1 = 12 = G \quad \textit{(Wootters-Fields, prime Q)} \quad (13)$$

$$Q^2 - 1 = 120 = |I_h| \quad \textit{(icosahedral group order)} \quad (14)$$

$$\eta_B = (Y/Q)^{35} = (6/11)^{35} = 6.117 \times 10^{-10} \quad (15)$$

Planck 2018: $(6.12 \pm 0.04) \times 10^{-10} \rightarrow$ **0.05% match**. [DERIVED]

§8. Claims

ID	Statement	Status
C1	G = 12	STANDARD
C2	Y = 6 from su(3) roots	PROVEN
C3	X = 3 from C(3,2)	DERIVED
C4	Z = 2 (raise/lower)	DERIVED
C5	Q = 11 (prime)	DERIVED
C6	$\kappa \in \{0,4,6\}$	PROVEN
C7	$\kappa = 2$ absent	PROVEN
C8	$\kappa=4$ witness: $U=\mathrm{diag}(1,-1,-1)$	PROVEN
C9	Unique: $r=4$, $\kappa=4$	DERIVED
C10	$\Omega_{cdm}=33/121$ (no A1), $\Omega_b=6/121$ (under A1), $\Omega_m=39/121$ (under A1)	DERIVED-CONDITIONAL (under A1) (see §6.3)
C11	MUB(Q) = G	PROVEN
C12	$Q^2-1 = \lvert I_h \rvert = 120$	PROVEN

§9. Falsification Conditions

ID	Claim	Falsified if	Status
F-F5.1	G = 12	New gauge boson (G>12)	TESTABLE
F-F5.2	$\kappa\in\{0,4,6\}$	Inner Z_2 with $\kappa=2$	PROVEN impossible
F-F5.3	(Z,X,Y)=(2,3,6)	Alt decomposition	TESTABLE
F-F5.4	$\kappa\leq r$ bridge	Seam violates bridge	TESTABLE
F-F5.5	$\Omega_b = 6/121$	Ω_b outside [0.046,0.054]	TESTABLE
F-F5.6	$\Omega_m = 39/121$	Ω_m outside [0.29,0.36]	TESTABLE
F-F5.7	$\eta_B=(6/11)^{35}$	η_B outside $[5.5,6.8]\times10^{-10}$	TESTABLE

§10. Verification Suite

Category	Tests	Pass	Scope
A: Gauge algebra	3	3	G=12, SM, minimality
B: Slot decomposition	4	4	Q=11, prime, Y=X×Z, $Q^2=121$
C: su(3) ladders	4	4	6 roots, C(3,2)×2, Z_2, Gell-Mann
D: Z_2 enumeration	5	5	10 seams, $\kappa\in\{0,4,6\}$, witness, $\kappa\neq2$
E: κ-bridge	4	4	$\kappa\leq4$, unique $\kappa=4$, $r=4$, chain
F: Physical consequences	4	4	Ω_m, Ω_b, Ω_{cdm}, DESI

G: Structural identities	3	3	MUB=G, $Q^2-1=\|I_h\|$, η_B
TOTAL	27	27	100% pass rate

§11. Falsification — F-BARYON

ID	Condition	What Dies	Method	Timeline
F-BARYON-1	vertex-matter identification (ZS-S1 §5) falsified at lattice-QFT level	Assumption A1 collapses → $\Omega_b = XZ/Q^2$ must be re-derived	Lattice QFT	~2028
F-BARYON-2	$\mathrm{rank}(\Pi_{seam}\|_{H_X}) \neq Z = 2$ found from canonical action	A1 is wrong; XZ/Q^2 formula is revised (Open Problem B3)	Theory	~2027
F-BARYON-3	Ω_b deviation > 3σ from 6/121 in joint Planck+DESI fit	Seam-charge sector counting for baryon channel is wrong	Planck/DESI DR3	2026+

§12. Conclusion

We have established a discrete gauge-consistency constraint that uniquely fixes the Z-Spin quantum register: Q = 11, (Z, X, Y) = (2, 3, 6), G = 12. The derivation proceeds through three independent stages: (1) algebraic — su(3) ladder roots determine Y = 6 = X × Z; (2) enumerative — inner Z_2 seams yield $\kappa \in \{0, 4, 6\}$ with $\kappa = 2$ provably absent; (3) topological — the ZS-F4 bound $r \leq 4$ combined with the κ-bridge uniquely selects $\kappa = 4$, $r = 4$. The resulting cosmic budget ($\Omega_m = 39/121$, $\Omega_b = 6/121$ under A1) and structural identities (MUB(Q) = G, $Q^2-1 = |I_h|$, $\eta_B = (6/11)^{35}$) are verified against Planck 2018 and DESI 2024 observations, with all five observational pulls within 1σ and zero free parameters.

Acknowledgements

This work was developed with the assistance of AI tools (Anthropic Claude, OpenAI ChatGPT) for mathematical verification, code generation, and manuscript drafting. The author assumes full responsibility for all scientific content, claims, and conclusions. The verification suite (Python, 27/27 PASS) is publicly available.

Code Availability

Verification script: ZS-F5_verify_v1_0.py. Dependencies: Python 3.10+, NumPy. Execution: python3 ZS-F5_verify_v1_0.py. Expected output: 27/27 PASS, exit code 0. No external data files required.

References

[ZS-F1] K. Kang, "The Z-Spin Action & U(1) Completion," ZS-F1 v1.0 (2026).

[ZS-F2] K. Kang, "Geometric Impedance: A = 35/437," ZS-F2 v1.0 (2026).

[ZS-F3] K. Kang, "Dynamical Phase Transitions," ZS-F3 v1.0 (2026).

[ZS-F4] K. Kang, “Holonomy & Topological Uniqueness,” ZS-F4 v1.0 (2026).

[ZS-S5] K. Kang, “Resonant Leptogenesis Framework,” ZS-S5 v1.0 (2026).

[ZS-M2] K. Kang, “Geometric Harmonics,” ZS-M2 v1.0 (2026).

[ZS-M3] K. Kang, “Regge-Holonomy, Immirzi & Z-Telomere,” ZS-M3 v1.0 (2026).

[ZS-A5] K. Kang, “Dark Matter & ε-Halo,” ZS-A5 v1.0 (2026).

[ZS-U6] K. Kang, “CMB Boltzmann Code Verification,” ZS-U6 v1.0 (2026).

[ZS-Q7] K. Kang, “Structural Arrow of Time,” ZS-Q7 v1.0 (2026).

[ZS-T3] K. Kang, “Z-Sim: A Zero-Free-Parameter Forward Simulator,” ZS-T3 v1.0 (2026).

[5] Wootters & Fields, Ann. Phys. 191, 363 (1989).

[6] PDG, PTEP 2024, 083C01 (2024).

[7] Planck Collaboration, A&A 641, A6 (2020).

[8] DESI Collaboration, arXiv:2404.03002 (2024).

Version History

v1.0 (March 2026): Initial public release. (Consolidated from internal Z-Spin Collaboration research notes up to v3.0.0.) Gauge symmetry constraint fixing Q = 11, (Z,X,Y) = (2,3,6), G = 12. Theorem B2: $\Omega_b = XZ/Q^2$ (DERIVED-CONDITIONAL (under A1)). F-BARYON falsification gates. 27/27 PASS. Zero free parameters.

Z-Sim cross-reference: All 8 closure parameters of the Z-Spin forward simulator are now DERIVED from A = 35/437 and (Z,X,Y) = (2,3,6). See ZS-Q7 v1.0 §5.8 (mediation rates), ZS-M3 v1.0 §12 (phase gate), ZS-T3. Zero free parameters.