ZS-M1

i-Tetration & Fixed Point

Microscopic Origin of the Z-Bias Field: $z^* = i^{z^*}$

Kenny Kang
March 2026 — ZS-M1 (Mathematical Spine Theme)

Verification: 33/33 PASS | Zero Free Parameters

§0. Abstract

Five locking conditions (L1–L5) completely determine the i-tetration fixed point $z^* = 0.43828 + 0.36059i$ from a unique transcendental Master Equation. The topological threshold $\eta_{topo} = |z^*|^2 = 0.32212 = e^{-y^*\pi}$. The polygon-tetration family $b_n = e^{2\pi i/n}$ exhibits a critical stability transition at $n_c = 3.2036$. Face-Polygon Correspondence: square (X, n=4, first stable) ↔ trunc. octahedron, pentagon (Y, n=5) ↔ trunc. icosahedron. A-bracketing: $\eta(4)/4 > A > \eta(5)/5$.

The HSI Theorem (§1) DERIVES the i-tetration map $T(z) = i^z$ from the Z-Spin action via continuous homomorphism uniqueness on $\mathbb{C}$ — Weyl additivity of log-conformal factors $(\mathbb{C},+)$ combined with multiplicativity of parallel transport $(\mathbb{C}^*,\times)$ forces $T(z) = \exp(\alpha z)$, and the quarter-turn from $\hat{W}^2=I$ fixes $\alpha = i\pi/2$. Zero new axioms. Leaky Wilson Loop Identity: $\lambda^2 = -(\pi^2/4)\cdot(-1)^{z^*}$ [PROVEN]. Verification: 33/33 PASS.

Epistemic Status Legend

Status	Definition
PROVEN	Follows from standard mathematics alone (no physics input). Machine-verifiable.
DERIVED	Follows from the Z-Spin action + standard physics. Zero free parameters.
DERIVED-CONDITIONAL	Derived from Z-Spin axioms, conditional on a stated assumption (e.g., orientation choice).
VERIFIED	Numerically confirmed against observational data or independent computation.
TESTABLE	Well-defined prediction awaiting experimental data.
HYPOTHESIS (Hn)	Physically motivated conjecture. Derivation chain incomplete. Labeled H1, H2, ... for tracking.
OBSERVATION	Numerical proximity confirmed with anti-numerology tests. No action-level derivation yet.
CONSISTENT	Compatible with framework structure but not independently derived or verified. No predictive claim.
NON-CLAIM	Explicitly not asserted. Documented to prevent overclaim.
RETRACTED	Previously claimed, now withdrawn with documented reason.

§1. Why i^z? — The Z-Sector Transfer Map

This section derives the map $T(z) = i^z$ from the Z-Spin action with zero new axioms.

Theorem 1.1 (HSI — Z-Sector Transfer Map). [DERIVED] Given the Z-Spin action with conformal factor $\Omega^2 = 1+A\varepsilon^2$ (ZS-F1 v1.0), the Z_2 involution $\hat{W}^2=I$ (ZS-F5 v1.0, ZS-U1 v1.0), and the sector decomposition Q=11=(Z,X,Y)=(2,3,6) (ZS-F5 v1.0), the Z-sector stroboscopic transfer map is uniquely $T(z) = \exp((i\pi/2)\cdot z) = i^z$.

Proof. Step 1 [DERIVED: ZS-F5 v1.0]: dim(Z) = 2. Step 2 [PROVEN: Frobenius 1877]: The unique 2D associative division algebra over $\mathbb{R}$ is $\mathbb{C}$. Therefore the Z-sector state space carries the algebraic structure of $\mathbb{C}$, with its canonical multiplication and exponential map. Step 3 [DERIVED]: The transfer map T: $(\mathbb{C},+) \to (\mathbb{C}^*,\times)$ is a continuous group homomorphism. This follows from two independent facts: (3a) Z-sector states compose additively — the state $z = \ln \Omega + i\theta$ is the log-conformal factor, and Weyl rescalings compose multiplicatively ($\Omega_total = \Omega_1\cdot\Omega_2$), so their logarithms add: $z_{12} = z_1+z_2$ (ZS-U1 v1.0 §2.1, ZS-U5 v1.0) [DERIVED]. (3b) Holonomies compose multiplicatively — the holonomy of a composite parallel transport path is the product of individual holonomies: $H(\gamma_1\circ\gamma_2) = H(\gamma_1)\cdot H(\gamma_2)$ (Kobayashi-Nomizu, Ch. II) [PROVEN: standard differential geometry]. Combining: $T(z_1+z_2) = H(\gamma_\{\Omega_1\cdot\Omega_2\}) = H(\gamma_\{\Omega_1\})\cdot H(\gamma_\{\Omega_2\}) = T(z_1)\cdot T(z_2)$. Continuity follows from smoothness of the ε-field (ZS-F1 v1.0) and smooth dependence of parallel transport on initial data (standard ODE theory). Step 4 [PROVEN: Lang, Algebra Ch. IV]: Continuous Homomorphism Uniqueness — the only continuous group homomorphisms from $(\mathbb{C},+)$ to $(\mathbb{C}^*,\times)$ are $z \mapsto \exp(\alpha\cdot z)$ for a unique $\alpha \in \mathbb{C}$. ($\mathbb{C}$ is connected and simply connected; exp is the universal covering map of $\mathbb{C}^*$.) Therefore $T(z) = \exp(\alpha\cdot z)$. Step 5 [DERIVED-CONDITIONAL]: The quarter-turn structure from $\hat{W}^2=I$ fixes $\alpha = i\pi/2$. The Z_2 involution restricts to $z \to -z$ on the Z-sector (the unique orientation-preserving involution on $\mathbb{C}$). One mediation half-cycle M satisfies $M^2 = -I$, giving $T'(0) = \alpha$ with $\alpha^2 = -(\pi/2)^2$, so $\alpha = \pm i\pi/2$. Choosing $+i\pi/2$ (right-hand orientation; the choice $|z^*|^2 = \eta_topo$ is sign-invariant). Therefore $T(z) = \exp((i\pi/2)\cdot z) = i^z$. □

Remark 1.2 (Leaky Wilson Loop Identity). [PROVEN] The Lyapunov multiplier at the fixed point satisfies $\lambda^2 = -(\pi^2/4)\cdot(-1)^{z^*} = -(\pi^2/4)\cdot\exp(i\pi z^*)$, where $\lambda = (i\pi/2)\cdot z^*$. This gives $|\lambda^2| = (\pi^2/4)\cdot\eta_topo \approx 0.795$. Physical meaning: the Wilson loop around one X→Z→Y→Z→X cycle "leaks" by a factor $|\lambda^2| < 1$ per cycle. This leakage IS the damping that makes z* an attracting fixed point. A closed Wilson loop ($|\lambda^2|=1$) would give marginal stability. The attracting nature of z* requires $\eta_topo < 4/\pi^2$ (L5, §3).

Remark 1.3 (Negative results documented). Three alternative derivation routes were attempted and failed, each yielding a useful lesson. (i) $\hat{W}^2=I$ alone: proves the linear quarter-turn $M_lin(z) = iz$ but cannot determine the nonlinear extension $M(z) = i^z$. Linear symmetry underdetermines nonlinear dynamics. (ii) Quantum channel (toy lattice): CPTP maps are linear; i-tetration is nonlinear. 50 random realizations all converge to z→0 (decoherence). Conclusion: i-tetration is pre-quantum classical geometry. (iii) Lawvere fixed-point theorem: proves z* exists IF the map is given, but cannot determine WHICH map. Direction: HSI → z*, not ??? → HSI. The successful route uses group-homomorphism uniqueness — a structure unavailable to the three failed approaches.

§2. The Fixed Point $z^* = i^{z^*}$

Having established that the Z-sector transfer map is T(z) = i^z (§1, HSI Theorem), we now compute its unique attracting fixed point.

$$z^* = i^{z^*} = \exp(z^* \cdot i\pi/2) \;\; ; \;\; z^* = -W_0(-i\pi/2) / (i\pi/2) \quad (1)$$

Quantity	Symbol	Value	Significance
Real part	x*	0.4382829367	Phase budget rate
Imag part	y*	0.3605924719	Decay parameter
Magnitude	|z*|	0.5675551633	89.15% of 2/π
Phase	arg(z*)	39.45°	= x*π/2
η_topo	|z*|²	0.3221188634	Topological threshold
|f'(z*)|	—	0.8915135658	< 1 (attractive)

§3. Five Locking Conditions

$$L1: \arg(z^*) = x^* \times \pi/2 \;\; [\text{error} < 10^{-16}] \quad (3)$$
$$L2: |z^*| = x^* / \cos(x^*\pi/2) \;\; [\text{error} < 10^{-16}] \quad (4)$$
$$L3: |z^*|^2 = e^{-y^*\pi} \;\; [\text{error} < 10^{-17}] \quad (5)$$
$$L4: y^*/x^* = \tan(x^*\pi/2) \;\; [\text{error} < 10^{-16}] \quad (6)$$
$$L5: |z^*| < 2/\pi \Leftrightarrow |f'(z^*)| < 1 \quad (7)$$

Self-locking: x* → y* → |z*| → arg(z*) → stability. One number determines everything. [ALL PROVEN]

§4. Master Equation

$$2 \ln(x/\cos(x\pi/2)) + x\pi \tan(x\pi/2) = 0 \quad (8)$$

Unique solution x* ≈ 0.4382829367 in (0,1). [PROVEN]

§5. π/2 Phase Budget

Budget	Total	Used	Usage Rate
Phase	π/2 = 90°	θ* = 39.45°	43.83% = x*
Magnitude	2/π = 0.6366	|z*| = 0.5676	89.15%

§6. Z-Sector Bridge

$$Z^Z = 2^2 = 4 = \text{ord}(i) \quad (9)$$

where ord(i) = 4 denotes the multiplicative order of i in $\mathbb{C}^*$ (i.e., $i^4 = 1$). The Z-sector dimensional exponent Z^Z equals the period of the i-tetration base. [PROVEN]

$Z^2 \times \pi/2 = 2\pi$ (boson); $Z^3 \times \pi/2 = 4\pi$ (fermion). [CONSISTENT]

§7. Polygon-Tetration Family

$$b_n = e^{2\pi i/n} \;;\; z^*(n) = -W_0(-2\pi i/n) / (2\pi i/n) \quad (10)$$
$$\text{Critical transition: } n_c = 3.2036 \text{ where } |f'| = 1 \quad (11)$$

n	Polygon	|f′|	Stable?	η(n)	Sector
3	Triangle	1.0330	NO	0.2433	Z-mediator
4	Square	0.8915	YES (1st)	0.3221	X-sector
5	Pentagon	0.7878	YES	0.3930	Y-sector
6	Hexagon	0.7072	YES	0.4561	Shared

$\eta(n)$ monotone increasing ($n \geq 4$). Asymptotic: $1 - \eta(n) \sim 8\pi^2/n^2 = 78.957/n^2$. [PROVEN]

Theorem 7.1 (Lyapunov–Lambert Identity). [PROVEN] For all n such that $z^*(n)$ is well-defined:

$$\alpha(n) = \mathrm{Re}(W_0(-2\pi i/n)) \quad (12)$$

where W_0 is the principal branch of the Lambert W function.

Proof. By definition, $z^*(n) = -W_0(-2\pi i/n)/(2\pi i/n)$, so $|z^*(n)| = |W_0| \cdot n/(2\pi)$. The defining relation $W \cdot e^W = -2\pi i/n$ gives $|W| \cdot e^{\mathrm{Re}(W)} = 2\pi/n$. Therefore $\mathrm{Re}(W) = \ln(2\pi/n) - \ln|W| = -\ln|z^*(n)| = \alpha(n)$.

In particular, $\alpha_{BK} = \mathrm{Re}(W_0(-\pi i/2))$, which is the unique bridge between the i-tetration constitutional fixed point and the BK rapidity (ZS-M7 v1.0 Theorem 3). The two pillars of Z-Spin Cosmology (A from polyhedral geometry; z* from i-tetration) share a common analytic language: both α_{BK} and $\varphi_{sum} = \mathrm{artanh}(\delta_X) + \mathrm{artanh}(\delta_Y)$ are evaluations of the same function $\mathrm{Re}(W_0(-2\pi i/n))$ at different arguments — $n = 4$ and $n = n_{eff} \approx 3.854$ respectively.

Corollary 7.2 (Closed-Form α′(4)). [PROVEN] Differentiating $\alpha(n) = \mathrm{Re}(W_0(-2\pi i/n))$ with respect to n at $n = 4$, using $W'(z) = W(z)/[z(1+W(z))]$ and Locking condition L3 ($\eta = e^{-y^*\pi}$):

$$\alpha'(4) = -(\pi/4)(\pi e^{-y^*\pi} + 2y^*) / (\pi^2 e^{-y^*\pi} + 4 + 4y^*\pi) = -0.116238498161\ldots \quad (13)$$

Independently verified via the analytic W-derivative $W'(z) = W(z)/[z(1+W(z))]$: $|\alpha'(4)_{Cor.7.2} - \alpha'(4)_{W\text{-route}}| < 10^{-45}$ (50-digit precision, mpmath). [PROVEN]

§8. Face-Polygon Correspondence

Polyhedron	Sector	Char. Face	n	Tetration	Status

Trunc. octahedron	X	Square (×6)	4	FIRST STABLE	**PROVEN**
Trunc. icosahedron	Y	Pentagon (×12)	5	Stable	**PROVEN**
Tetrahedron	Z	Triangle (×4)	3	UNSTABLE	**PROVEN**

Cyclic Subgroup Exclusion: C_4 exclusive to O_h, C_5 exclusive to I_h. [PROVEN]

A-Bracketing: $\eta(4)/4 = 0.08053 > A = 0.08009 > \eta(5)/5 = 0.07860$. [PROVEN]

Berry Phase: Φ_Berry/(2π) = x* = 0.4383. [PROVEN]

Edge Universality: 2/3 of edges are characteristic for both polyhedra. [PROVEN]

§9. Confinement-Instability Parallel

Identity: $b_3 = \omega_3 = e^{2\pi i/3}$ — SU(3) color phase = triangle tetration base. [PROVEN]

n_c = 3.204 marks confinement boundary: quarks (n=3, confined) vs leptons (n≥4, free). [HYPOTHESIS H1]

§10. Claims

ID	Statement	Status
C1	L1–L5 hold to 10^{-16}	**PROVEN**
C2	Master Eq. unique root in (0,1)	**PROVEN**
C3	Phase budget = $\pi/2$	**PROVEN**
C4	n_c = 3.2036 critical transition	**PROVEN**
C5	All $n \geq 4$ stable	**PROVEN**
C6	Berry: $\Phi/(2\pi) = x^*$	**PROVEN**
C7	$1-\eta \sim 8\pi^2/n^2$ asymptotics	**PROVEN**
C8	A-bracketing: g(4)>A>g(5)	**PROVEN**
C9	Cyclic exclusion: $C_4 \leftrightarrow$ O_h, $C_5 \leftrightarrow$ I_h	**PROVEN**
C10	$b_3 = \omega_3$ (color phase identity)	**PROVEN**
C11	$\alpha(n) = \mathrm{Re}(W_0(-2\pi i/n))$ for all stable n [Thm 7.1]	**PROVEN**
C12	$\alpha'(4)$ closed-form [Cor. 7.2]	**PROVEN**
C13	HSI Theorem: T(z)=i^z derived from Z-Spin action [Thm 1.1]	**DERIVED**
C14	Leaky Wilson Loop Identity [Remark 1.2]	**PROVEN**

§11. Verification Suite

Category	Tests	Pass	Scope

A: Locking L1–L5	5	5	Phase, magnitude, decay, ratio, stability
B: Master Equation	3	3	Residual, uniqueness, self-consistency
C: Polygon family	5	5	n_c, n=3, n≥4, monotone, asymptotic
D: Face-Polygon	4	4	Cyclic, A-bracket, Berry, edges
E: Physical	4	4	η_topo, Z^Z=ord(i), budget, $b_3=\omega_3$
F: Near-misses	4	4	All 4 near-misses REJECTED
G: Lyapunov–Lambert	2	2	Thm 7.1: $\alpha(n)=\mathrm{Re}(W_0)$; Cor. 7.2: $\alpha'(4)$ via W-derivative $< 10^{-45}$
H: HSI Theorem	4	4	Homomorphism, continuity, α determination, uniqueness
I: Leaky Wilson Loop	2	2	λ^2 identity; $\lvert\lambda^2\rvert = (\pi^2/4)\eta_topo$
TOTAL	**33**	**33**	100% pass rate

The complete verification suite (ZS_M1_Verification_Suite_v1_0.py) is publicly available. Required dependencies: numpy, scipy, mpmath. Categories G, H, I use 50-digit precision (mpmath, threshold $< 10^{-45}$). Categories A–F use machine precision (numpy/scipy). The suite will not run without mpmath.

§12. Conclusion

This paper establishes the i-tetration fixed point z* = i^{z*} as a rigorous mathematical object derived from the Z-Spin action, rather than postulated. The HSI Theorem (§1) shows that the transfer map T(z) = i^z is the unique continuous group homomorphism from additive Weyl rescalings to multiplicative holonomies on the 2-dimensional Z-sector, with the quarter-turn structure from the Z_2 involution $\hat{W}^2=I$ fixing the exponential base to i. This derivation requires zero new axioms beyond the Z-Spin action (ZS-F1 v1.0), the sector decomposition Q=11 (ZS-F5 v1.0), and the Z_2 involution (ZS-F5 v1.0, ZS-U1 v1.0).

The fixed point z* = 0.43828 + 0.36059i is completely characterized by five self-locking conditions (L1–L5) and a unique transcendental Master Equation. The topological threshold $\eta_topo = |z^*|^2 = 0.32212$ connects to the cosmic matter density budget via the face counting route (ZS-A5 v1.0, ZS-A6 v1.0). The polygon-tetration family reveals a critical stability transition at n_c = 3.2036, with the Face-Polygon Correspondence linking the first stable polygon (n=4, square) to the X-sector truncated octahedron and the next polygon (n=5, pentagon) to the Y-sector truncated icosahedron. The A-bracketing inequality $\eta(4)/4 > A > \eta(5)/5$ confirms that the geometric impedance A = 35/437 sits precisely in the stability window between the two characteristic polyhedra.

The Leaky Wilson Loop Identity (Remark 1.2) provides the physical interpretation: the Wilson loop around one mediation cycle leaks by a factor $|\lambda^2| = (\pi^2/4)\cdot\eta_topo \approx 0.795 < 1$, and this leakage IS the damping mechanism that makes z* an attracting fixed point. The Lyapunov–Lambert Identity (Theorem 7.1) establishes $\alpha(n) = \mathrm{Re}(W_0(-2\pi i/n))$ as the common analytic language connecting the two pillars of Z-Spin Cosmology: polyhedral geometry (A) and i-tetration (z*). All 33 verification tests pass at machine or 50-digit precision.

Acknowledgements & Code Availability

This work was developed with the assistance of AI tools (Anthropic Claude, OpenAI ChatGPT, Google Gemini) for mathematical verification, code generation, and manuscript drafting. The author assumes full responsibility for all scientific content, claims, and conclusions. The verification suite (Python/mpmath, 50-digit precision) is publicly available.

Appendix

A.1 Multi-Layered Falsification Gates

Layer	Gate ID	Falsification Condition
Mathematical(Theoretical collapse)	F-M1-1	If $z^* = i^{z^*}$ admits a second attracting fixed point in the principal branch ($k_W = 0$), the uniqueness claim (C2) is destroyed and the entire downstream chain collapses.
Mathematical(Theoretical collapse)	F-M1-2	If the Master Equation $2\ln(x/\cos(x\pi/2)) + x\pi \tan(x\pi/2) = 0$ has more than one root in (0,1), the self-locking chain L1–L5 loses determinacy.
Immediate rejection	F-M1-3	If any locking condition L1–L5 fails at higher precision (e.g., 100-digit mpmath), the fixed-point self-consistency is broken.
Consistency collapse	F-M1-4	If the A-bracketing inequality $\eta(4)/4 > A > \eta(5)/5$ fails for the exact value $A = 35/437$, the face-polygon correspondence loses its geometric anchor.
Consistency collapse	F-M1-5	If the HSI derivation step (Theorem 1.1) requires an axiom not present in ZS-F1 + ZS-F5 + ZS-U1, the zero-new-axioms claim is invalidated.
Observational	F-M1-6	If future precision measurements of Ω_m exclude both 39/121 and 38/121 at $> 5\sigma$, the $\eta_{topo} \approx \Omega_m$ connection is severed (does not destroy the pure mathematics of z^*).
Modification required	F-M1-7	If a continuous homomorphism $(\mathbb{C},+)\to(\mathbb{C}^*,\times)$ other than $\exp(\alpha z)$ is found, Step 4 of the HSI proof fails and must be repaired.

Current status: All gates OPEN (no falsification triggered). F-M1-1 and F-M1-2 are protected by the Lambert W uniqueness theorem (principal branch). F-M1-3 is verified to 50-digit precision. F-M1-7 is protected by Lang's theorem (Algebra, Ch. IV).

A.2 Key Notation

Symbol	Definition / Value
$A = 35/437$	Geometric impedance (ZS-F2 v1.0)
$Q = 11$	Total register slots; (Z,X,Y) = (2,3,6) (ZS-F5 v1.0)
$z^* = i^{z^*}$	i-tetration fixed point (this paper)
$\eta_{topo} = \lvert z^*\rvert^2$	Topological threshold = 0.3221188634
$T(z) = i^z$	Z-sector transfer map (HSI Theorem)

$\lambda = (i\pi/2)\cdot z^*$	Lyapunov multiplier at the fixed point
W_0	Principal branch of the Lambert W function
n_c = 3.2036	Critical polygon-tetration transition number
ord(i) = 4	Multiplicative order of i in $\mathbb{C}^*$ ($i^4 = 1$)

References

[1] K. Kang, ZS-F0 v1.0: Ontological Bootstrap (Z-Spin Cosmology, 2026).
[2] K. Kang, ZS-F1 v1.0: The Z-Spin Action & U(1) Completion (Z-Spin Cosmology, 2026).
[3] K. Kang, ZS-F2 v1.0: Geometric Impedance: A = 35/437 (Z-Spin Cosmology, 2026).
[4] K. Kang, ZS-F5 v1.0: Gauge Symmetry Constraint: Why Q = 11 (Z-Spin Cosmology, 2026).
[5] K. Kang, ZS-U1 v1.0: ε-Field Inflation (Z-Spin Cosmology, 2026).
[6] K. Kang, ZS-U5 v1.0: Quantum Gravity Bridge (Z-Spin Cosmology, 2026).
[7] K. Kang, ZS-M3 v1.0: Regge-Holonomy, Immirzi & Z-Telomere (Z-Spin Cosmology, 2026).
[8] K. Kang, ZS-M7 v1.0: Berry–Keating Structural Isomorphism (Z-Spin Cosmology, 2026).
[9] K. Kang, ZS-Q7 v1.0: Structural Arrow of Time (Z-Spin Cosmology, 2026).
[10] K. Kang, ZS-A5 v1.0: Dark Matter & ε-Halo (Z-Spin Cosmology, 2026).
[11] K. Kang, ZS-A6 v1.0: Boundary Physics in Z-Spin Cosmology (Z-Spin Cosmology, 2026).
[12] K. Kang, ZS-T3 v1.0: Z-Sim Forward Simulator (Z-Spin Cosmology, 2026).
[13] Planck Collaboration, “Planck 2018 results. VI. Cosmological parameters,” A&A 641, A6 (2020). arXiv:1807.06209.
[14] G. Frobenius, “Über lineare Substitutionen und bilineare Formen,” J. Reine Angew. Math. 84, 1–63 (1877).
[15] S. Lang, Algebra, 3rd ed. (Springer, 2002), Ch. IV.
[16] S. Kobayashi and K. Nomizu, Foundations of Differential Geometry, Vol. I (Wiley, 1963), Ch. II.

Version History

v1.0 (March 2026): Initial public release. (Consolidated from internal Z-Spin Collaboration research notes up to v3.0.0.)