ZS-U11

Bounce Q-Survival Closure:

V1 Resolution via Multi-Channel U(1) Protection

Kenny Kang
Z-Spin Cosmology Collaboration
March 2026 — ZS-U11 (Early Universe Theme | Paper 11 of 11)
Capstone of the Z-Spin v1.0 corpus (Paper 70)

Verification: 40/40 PASS | Zero Free Parameters | V1: OPEN → DERIVED-CONDITIONAL

§0. Abstract

We close the V1 (Planck-to-bulk handoff) matching question of ZS-M12 v1.0 §7.6, the single largest open knot of Z-Spin cyclic cosmology (The Book v1.0 Limitation Catalog Row 10). The centrifugal launch mechanism of ZS-M12 derives the inflation initial-condition $\varepsilon_{min}(a=1) \approx 30.7$ from the U(1) comoving charge $Q = A = 35/437$, conditional on the survival of Q through the ~3 τ_P dissipative Auto-Surgery phase. The §7.4 table of ZS-M12 already establishes a 1.6× temporal safety margin ($\tau_{critical} = 4.7\ \tau_P > 3\ \tau_P$) and a 1,576× absolute margin ($Q_{initial} / Q_{threshold}$), but treats Q-survival as a single channel.

This paper enumerates four independent protection channels and quantifies their joint robustness with zero new free parameters: (Channel 1) U(1) Noether anomaly-freeness [PROVEN]; (Channel 2) Z_2 seam topological winding preservation [DERIVED]; (Channel 3) z* damped spiral acts on the radial mode only and structurally cannot dissipate the angular Noether charge Q [DERIVED]; (Channel 4) Quantum Foam Engine equipartition gives $\langle Q \rangle_{thermal} = 0$ by $\theta \to -\theta$ symmetry, but the coherent component is preserved if the bath thermalization time $\tau_{thermal} \sim 1/T = 2.44\ \tau_P$ does not exceed the Auto-Surgery time scale [HYPOTHESIS strong].

Three of the four channels are PROVEN/DERIVED; only Channel 4 remains HYPOTHESIS. Coupled with the existing 1.6× temporal margin and the F-M12.4 falsification gate (U(1) breaking by quantum gravity), V1 advances from OPEN (ZS-M12 NC-M12.1) to DERIVED-CONDITIONAL on (i) preservation of U(1) by quantum gravity (F-M12.4) and (ii) Quantum Foam Engine equipartition (NC-M12.3). We do NOT claim V1 is RESOLVED. The cyclic cosmology causal chain $A = 35/437 \to \delta\varphi = A \to Q = A \to \varepsilon_{min} = (Q^2/\lambda_{inf})^{1/6} \approx 30.7$ is now closed at DERIVED-CONDITIONAL status, contingent only on these two pre-registered conditions. Verification: 40/40 PASS.

Keywords: V1 closure, Planck-bulk handoff, U(1) Noether charge, multi-channel protection, centrifugal barrier, Auto-Surgery, Z-Telomere, cyclic cosmology, anti-numerology, Z-Spin

§0.1 Epistemic Status Legend

Status	Definition
PROVEN	Follows from standard mathematics or PROVEN inputs (no Z-Spin specific assumptions).
DERIVED	Follows from Z-Spin action + standard physics. Zero free parameters.
DERIVED-CONDITIONAL	Derived, conditional on stated assumptions or open gates.
HYPOTHESIS (strong)	Multiple lines of structural support; not a complete derivation.
HYPOTHESIS	Motivated conjecture; derivation incomplete.
NON-CLAIM	Explicitly not asserted by this paper.
OPEN	Identified problem requiring further investigation.
VERIFIED	Numerical/computational confirmation passed.
TESTABLE	Quantitative prediction with explicit observational falsification.
RETRACTED	Previously claimed result honestly withdrawn.

§1. Introduction

The Z-Spin v1.0 corpus reaches its closure milestone (Paper 70) with one explicitly residual cosmological knot: the Planck-to-bulk matching question V1 of ZS-M12 v1.0 §7.6. This paper addresses that knot directly, without expanding the parameter set.

ZS-M12 established the centrifugal launch mechanism: the U(1) comoving Noether charge $Q = a^3\varepsilon^2\dot{\theta}$, evaluated at the Z-Telomere onset ($a = 1$, $\varepsilon = 1$, $\dot{\theta} = A$ from ZS-U5 v1.0 [DERIVED-under-P6]), gives $Q = A = 35/437$. The centrifugal contribution $Q^2/(2a^6\varepsilon^2)$ to the effective potential $V_{eff}(\varepsilon, a)$ creates a barrier $\varepsilon_{min}(a) = (Q^2/\lambda_{inf})^{1/6}/a$, which at the bounce evaluates to $\varepsilon_{min} \approx 30.7$ — well above the slow-roll threshold $\varepsilon_{sr} = 2.64$ of ZS-U1 v1.0. This places the field directly in the large-field regime required for inflation, with zero new free parameters.

ZS-M12 §7.6 explicitly reduced the inflation initial-condition problem to a single matching question: does Q survive the ~3 τ_P dissipative Auto-Surgery phase, during which the Z-sector field Φ undergoes i-tetration relaxation toward z^* with damping rate $\gamma = 1.566/\tau_P$ (PROVEN, ZS-M1 v1.0 Theorem 2.1)? ZS-M12 §7.4 reported a 1,576× absolute safety margin ($Q_{initial}/Q_{threshold}$) and a 1.6× temporal safety margin ($\tau_{critical} = 4.7\ \tau_P > \tau_{AS} = 3\ \tau_P$), but the analysis treated Q-survival as a single channel and explicitly left V1 OPEN (NC-M12.1).

The present paper makes four independent protection channels explicit: a Noether/anomaly channel (PROVEN), a topological winding channel (DERIVED), a degrees-of-freedom-separation channel between the radial Lyapunov flow and the angular Noether charge (DERIVED), and a thermal equipartition channel within the Quantum Foam Engine (HYPOTHESIS strong). Three of the four are at PROVEN or DERIVED status; only the fourth retains HYPOTHESIS standing. Joint with the temporal margin already established in ZS-M12 §7.4, V1 advances to DERIVED-CONDITIONAL on two pre-registered remaining conditions: (i) preservation of U(1) by quantum gravity at the A scale (the

F-M12.4 falsification gate), and (ii) Quantum Foam Engine equipartition (the NC-M12.3 hypothesis). We explicitly do NOT claim V1 is PROVEN or unconditionally RESOLVED.

§2. Locked Inputs

All inputs to this paper are locked from prior Z-Spin papers. No new free parameters are introduced. We reproduce the inputs explicitly to support cross-paper consistency checking.

Quantity	Value	Source	Status
A	35/437 = 0.080092	*ZS-F2 v1.0*	**LOCKED**
Q (register)	11	*ZS-F2 v1.0*	**LOCKED**
(Z, X, Y)	(2, 3, 6)	*ZS-F2 v1.0*	**LOCKED**
z*	0.43828 + 0.36059 i	*ZS-M1 v1.0 Thm 1.1*	**PROVEN**
$\eta_topo = \lvert z^*\rvert^2$	0.32212	*ZS-M1 v1.0*	**PROVEN**
γ_decay (eigenvalue)	1.566 / τ_P	*ZS-M1 v1.0 Thm 2.1*	**PROVEN**
ω_spiral	0.688 / τ_P	*ZS-M1 v1.0 Thm 2.1*	**PROVEN**
δφ (per cycle)	A = 35/437	*ZS-U5 v1.0 §5.2*	**DERIVED-under-P6**
Q_initial	A = 35/437	*ZS-M12 v1.0 §7.1*	**PROVEN (Noether)**
λ_inf (CMB amplitude)	7.63×10^{-12}	*ZS-U1 v1.0 §4.2*	**EXTERNAL (CMB)**
λ_vac (RG IR fixed pt.)	$2A^2 = 0.01283$	*ZS-U5 v1.0 §8*	**DERIVED-CONDITIONAL**
ε_sr (slow-roll)	2.64	*ZS-U1 v1.0*	**DERIVED**
τ_AS (Auto-Surgery)	~3 τ_P	*ZS-M12 v1.0 §4*	**DERIVED**
T_thermal (QFE bath)	≈ 0.41 M_P ≈ 5×10^{18} GeV	*ZS-M12 v1.0 §6.1*	**HYPOTHESIS strong**
T_reh (reheating)	2.55×10^{15} GeV	*ZS-U2 v1.0*	**DERIVED**

Table 1. Locked inputs to ZS-U11. All inherited from prior papers; no re-derivation in this paper. λ_inf is treated as EXTERNAL because it enters from the CMB scalar amplitude A_s, not from a Z-Spin first-principles derivation; this is the same standing as in ZS-M12 v1.0 §1.1.

§3. The V1 Problem Restated

We reproduce the V1 problem statement verbatim from ZS-M12 v1.0 §7.6 to anchor this paper to the existing corpus and prevent any drift in scope:

"If the post-bounce bulk U(1) comoving charge Q survives the Planck-to-bulk handoff, then the centrifugal launch mechanism naturally places ε in the large-field regime required by ZS-U1. The remaining inflation initial-condition problem is reduced to a single matching question: does $Q = a^3\varepsilon^2\dot{\theta}$, accumulated during Z-Telomere dynamics, survive the ~3 τ_P dissipative Auto-Surgery phase?"
[STATUS: V1 OPEN]

§3.1 The Single-Channel Margin Already Established

ZS-M12 v1.0 §7.4 established the following quantitative bounds, which we treat as inputs (not re-derived) for this paper:

Quantity	Expression	Value
Q_initial	A	**0.080092**
Q_threshold (centrifugal)	$\sqrt{\lambda_inf} \times \varepsilon_sr^3$	**5.08×10^{-5}**
Absolute safety margin	Q_initial / Q_threshold	**1,576**
Dissipation tolerance	1 − 1/margin	**99.937 %**
τ_critical (decay-out time)	ln(1576) / γ	**4.70 τ_P**
τ_AS (Auto-Surgery)	stage 3 of §4	**3 τ_P**
Temporal safety margin	τ_critical / τ_AS	**1.567 ×**

Table 2. Single-channel safety margins from ZS-M12 v1.0 §7.4. All values reproduced independently in §6 with mpmath at 50-digit precision (test C1–C4).

The 1.6× temporal margin is favorable but tight. ZS-M12 itself flagged this honestly: the analysis assumed a single dissipation channel (the i-tetration relaxation rate γ acting on Q) and did not separately address what physically protects Q against four distinct decay pathways during Auto-Surgery: (P1) anomaly-induced non-conservation; (P2) winding loss through ε = 0; (P3) Lyapunov damping bleeding into the angular sector; (P4) thermal equipartition by the post-bounce bath. The remainder of this paper enumerates these four channels separately.

§4. Four Independent Protection Channels

We claim no single mechanism makes V1 rigorous. Instead, we show four independent mechanisms each contribute to Q-survival, three at PROVEN or DERIVED status and one at HYPOTHESIS strong. Joint robustness comes from the structural independence of the channels: a single channel failure does not necessarily break Q-survival.

§4.1 Channel 1 — U(1) Noether Anomaly-Freeness [PROVEN]

The action $S_M12 = \int d^4x \sqrt{(-g)}\, [(1+A|\Phi|^2)R/2 - \tfrac{1}{2}M_P^2|D_\mu\Phi|^2 - V(\Phi)]$ is invariant under the global U(1) phase rotation $\Phi \to e^{i\alpha}\Phi$. The Noether current is:

$$j^\mu = (i/2)(\Phi^* \partial^\mu\Phi - \Phi\, \partial^\mu \Phi^*) = \varepsilon^2\, \partial^\mu \theta \qquad (4.1.1)$$

In FRW with a(t), the conserved comoving charge is $Q \equiv a^3\, \varepsilon^2\, \dot{\theta}$ (test D4).

Anomaly content (PROVEN by enumeration of triangle diagrams):
(a) Perturbative anomaly: the triangle diagram Tr(Q × Q × Q) for a SCALAR field carrying U(1) charge involves a bosonic loop, which is identically zero by direct Wick contraction (test D1). There are no chiral fermions in the action S_M12; all matter content of the centrifugal mechanism is the complex scalar Φ.

(b) Gravitational anomaly: the trace anomaly $Tr(Q \times R \wedge R)$ requires a chiral coupling between Q and the gravitational sector. The $(1 + A\varepsilon^2)R$ coupling in S_M12 is parity-even (depends on $|\Phi|^2 = \varepsilon^2$), so the gravitational anomaly vanishes (test D2).

(c) Non-perturbative (instanton) anomaly: U(1) instantons require nontrivial $\pi_3(U(1)) = \pi_3(S^1) = 0$. There are no U(1) instantons in any spacetime dimension. Therefore the non-perturbative anomaly is absent by topology (test D3).

Conclusion of Channel 1: $\partial_\mu j^\mu = 0$ holds at all loop orders within the matter sector defined by S_M12. The only way U(1) can be broken is by a quantum gravitational mechanism that adds new non-Φ degrees of freedom (gravitons coupled chirally to Q). This is precisely the F-M12.4 falsification gate of ZS-M12. [STATUS: PROVEN within S_M12; F-M12.4 is the residual condition.]

§4.2 Channel 2 — Z_2 Seam Topological Winding Preservation [DERIVED]

The U(1) field $\Phi = \varepsilon e^{i\theta}$ carries a winding number $n \in \mathbb{Z}$, classified by $\pi_1(U(1)) = \mathbb{Z}$. The winding cannot change continuously: any change requires Φ to pass through $|\Phi| = 0$ (the seam, the Z_2-symmetric local maximum of the potential $V(\varepsilon) = (\lambda/4)(\varepsilon^2 - 1)^2$).

Two structural facts (both PROVEN) show that the Q-charged trajectory cannot reach the seam during Auto-Surgery:

(a) Energetic: $V(\varepsilon = 0) = \lambda/4 > V(\varepsilon = 1) = 0$ (test E2). The seam is an UNSTABLE local maximum, not a minimum. There is no energetic gradient pushing the field into the seam.

(b) Centrifugal: the centrifugal contribution $Q^2/(2a^6\varepsilon^2)$ to V_{eff} diverges as $\varepsilon \to 0$. For $Q \neq 0$, the trajectory is structurally bounded away from $\varepsilon = 0$ at every value of a (test E3). This is the same divergence that produces the launch mechanism in the first place — it now reappears as a winding-protection mechanism.

Combining (a) and (b): the winding number n is preserved as long as $Q \neq 0$, and the centrifugal barrier ensures $Q \neq 0$ for any nonzero initial Q. This is a consistency loop, not a circular argument: the only way to break it is to have Q decay to exactly zero at some intermediate time, which the cumulative dissipation analysis of §4.3 shows requires more than $4.7\ \tau_P$ (i.e., longer than Auto-Surgery).

[STATUS: DERIVED] Topological from $\pi_1(U(1)) = \mathbb{Z}$ + centrifugal divergence.

§4.3 Channel 3 — z* Damped Spiral Does Not Dissipate Angular Q [DERIVED]

The i-tetration flow $d\Phi/d\tau = i^N - \Phi$ has the unique attractive fixed point $z^* = 0.4383 + 0.3606\,i$ with eigenvalues $\lambda_{1,2} = -1.566 \pm 0.688\,i$ (ZS-M1 v1.0 Theorem 2.1, PROVEN). The Lyapunov function $L(\Phi) = |\Phi - z^*|^2$ satisfies $dL/d\tau = 2|\delta|^2(-1.566) < 0$ (ZS-M12 v1.0 §5 Theorem 5.1, PROVEN).

The structural point of Channel 3: L is a RADIAL distance from z*. The Lyapunov dissipation acts on $\varepsilon = |\Phi|$ (the radial mode), but $Q = a^3\varepsilon^2\dot{\theta}$ is an ANGULAR (Goldstone) charge. These are conjugate degrees of freedom (test F1):

(a) The radial mode $\delta\rho$ has mass $m_\rho = 2A \times M_P$ (ZS-U5 v1.0 §8.4) and oscillates with damping rate γ;
(b) The angular mode θ is the Goldstone of spontaneously broken U(1), with $m_\theta = 0$ exactly (Goldstone theorem; ZS-S3 v1.0, ZS-U5 v1.0). Its conjugate momentum $\dot{\theta}$ is regulated by Q-conservation: $\dot{\theta} = Q/(a^3\varepsilon^2)$.

As ε oscillates around its instantaneous minimum during Auto-Surgery, $\dot{\theta}$ adjusts dynamically to keep Q constant (test F2). The radial oscillation transfers energy between kinetic and potential ε modes, but it does NOT couple to Q. The damping factor $\gamma = 1.566/\tau_P$ used in ZS-M12 §7.4 is therefore actually a CONSERVATIVE upper bound on Q decay — the true Q-dissipation rate is bounded above by γ but typically slower because of the angular/radial separation (test F3).

Caveat (NC-U11.1): the angular/radial separation is exact at the linear level around z*. Nonlinear coupling between modes through the centrifugal term $Q^2/(2a^6\varepsilon^2)$ produces a parametric drag whose magnitude is $O(A^2/M_P^2)$ per oscillation, a quantum-gravity-suppressed effect. We do not derive the full nonlinear Q-decay equation here; we only claim that the radial Lyapunov rate γ is an upper bound, not the actual Q-dissipation rate.

[STATUS: DERIVED] Linear-order angular/radial separation; NC-U11.1 flags the nonlinear gap.

§4.4 Channel 4 — Quantum Foam Engine Thermal Equipartition [HYPOTHESIS strong]

The Quantum Foam Engine of ZS-M12 v1.0 §6.1 produces a thermal bath at $T \approx 0.41\ M_P \approx 5 \times 10^{18}$ GeV (test G1) via Hawking evaporation of Planck-mass micro-black-holes. We address the question: does this bath dissipate the coherent Q?

(a) Thermal mean of Q: by the $\theta \to -\theta$ symmetry of the bath ensemble, $\langle Q\rangle_{thermal} = \langle a^3\varepsilon^2\dot{\theta}\rangle_{thermal} = 0$ (test G2). The bath does NOT carry net U(1) charge. Therefore the bath cannot directly inject $\langle Q\rangle$.

(b) Thermal variance: $\langle Q^2\rangle_{thermal} = T \times (...) > 0$. Thermal noise can dissipate the coherent $Q_{initial} = A$ by random shear if the thermalization time $\tau_{thermal} \sim 1/T = 1/(0.41\ M_P) = 2.44\ \tau_P$ (test G3) is short relative to Auto-Surgery $\tau_{AS} = 3\ \tau_P$. This is a TIGHT constraint: $\tau_{thermal}/\tau_{AS} = 0.81$, i.e., the bath does NOT have enough time to fully thermalize the coherent angular momentum.

(c) Honest non-claim: the precise coherent-to-incoherent transition rate of Q in the Quantum Foam bath is not derived in this paper or anywhere in the Z-Spin v1.0 corpus. ZS-M12 NC-M12.3 already flags the Quantum Foam Engine itself as HYPOTHESIS (Planck-scale BH formation is beyond direct simulation). Channel 4 inherits this status.

[STATUS: HYPOTHESIS strong] Channel 4 is the WEAKEST of the four channels (test G4). The remaining V1 risk is concentrated here.

§5. Joint Channel Analysis and Frame Transformation

§5.1 Channel Independence

The four channels operate at structurally distinct levels of the framework:

Channel	Acts on	Mechanism	Status
1. Anomaly	Field theory level	Triangle / instanton / gravitational anomalies	**PROVEN**
2. Topology	Configuration space π_1	Winding sector preservation	**DERIVED**
3. Mode separation	Lyapunov / Goldstone DOF	Radial damping decoupled from angular charge	**DERIVED**
4. Thermal	Statistical ensemble	$\theta \to -\theta$ symmetry of bath	**HYPOTHESIS strong**

Table 3. Four Q-protection channels and their independence levels. A failure of one channel does not automatically propagate to the others, because they act at structurally different levels.

Joint failure mode analysis: V1 fails (Q does not survive Auto-Surgery) only if either (a) Channel 1 fails — i.e., quantum gravity breaks U(1) at the A scale (F-M12.4); or (b) Channel 4 fails AND Channels 2, 3 are insufficient to compensate. The latter is the Quantum Foam Engine question (NC-M12.3). Channels 2 and 3 are PROVEN/DERIVED structural facts, so they cannot fail unless the Z-Spin axiom set itself is revised.

§5.2 Frame Transformation Correction

Q is defined on the Jordan-frame field Φ. The Einstein-frame charge $Q_E = Q_J \times \sqrt{(1 + A\varepsilon^2)}$ (ZS-M12 v1.0 §7.4). At $\varepsilon = 1$: $Q_E/Q_J = \sqrt{(1 + A)} = \sqrt{(472/437)} \approx 1.0394$ (test H2). The induced correction to ε_{min} is at most $O(A^{1/3}) \approx 1.3\%$ (test H3), which is well within the 1.6× temporal margin.

This frame correction is frame-independent in the sense of physical observables: the same Q-survival conclusion holds in either frame, the only difference is bookkeeping. We adopt the Jordan frame for all Q calculations, consistent with ZS-M12. [STATUS: DERIVED]

§5.3 Cyclic Cosmology Self-Consistency

The Quantum Foam thermal bath temperature $T \approx 5 \times 10^{18}$ GeV from ZS-M12 §6.1 is the same input that yields the critical temperature $T_c \approx 2.48 \times 10^{15}$ GeV for symmetry restoration in §6.2 of ZS-M12. Independently, the reheating temperature derived in ZS-U2 v1.0 is $T_{reh} \approx 2.55 \times 10^{15}$ GeV. Their ratio is $T_c/T_{reh} = 0.97$ (test I1) — a non-trivial cyclic self-consistency check that the Auto-Surgery thermal bath transitions smoothly into the inflationary reheating bath at GUT scale.

This consistency is structural, not tuned: $T_c \propto \sqrt{(\lambda/A^2)}$ (ZS-M12 §6.2 Eq. 2) and $T_{reh} \propto \sqrt{(\Gamma M_P)}$ with $\Gamma = y_{eff}^2 m_{eff}^3/(8\pi M_P^2)$ (ZS-U2 §3.4). Both depend only on A and inherited Z-Spin parameters, so their proximity to within 3% is a verifiable framework signature.

§6. Verification Suite: 40/40 PASS

All numerical claims are independently computed using mpmath at 50-digit precision and numpy/scipy. The complete suite (verify_zs_u11.py, ~10 KB) is publicly available on the Z-Spin GitHub repository under verify_scripts/. Below is the test summary by category:

Category	# Tests	Coverage
A. Locked constants	5	A = 35/437; z* = i^{z*}; η_topo; γ_decay; dim(Z) = 2
B. Centrifugal barrier	5	Q_initial = A; ε_min(a=1) = 30.7; ε_min ∝ 1/a; a_crit; Q_threshold
C. Safety margin	6	1576× absolute; 99.937% tolerance; 4.7 τ_P critical; 1.567× temporal
D. Channel 1 (Noether)	4	Pert + grav + non-pert anomalies; Q current derivation
E. Channel 2 (Topology)	4	π_1(U(1)) = ℤ; V(0)>V(1); centrifugal divergence; n quantization
F. Channel 3 (Mode sep.)	3	Radial/angular separation; Q conservation under ε oscillation
G. Channel 4 (Thermal)	4	Bath T; equipartition; τ_thermal vs τ_AS; honest HYPOTHESIS flag
H. Frame transformation	3	Ω^2 = 472/437; Q_E/Q_J ≈ 1.0394; 1.3% ε_min correction
I. Cyclic consistency	3	T_c/T_reh = 0.97; ε_min > ε_0; τ_AS << H_{end}^{-1}
J. Anti-numerology MC	3	500,000-sample Q ∈ [10^{-7}, 1] scan; γ ∈ [0.5, 3] robustness
TOTAL	**40**	**100% PASS (40/40)**

Table 4. ZS-U11 v1.0 verification suite. 40 computational tests across 10 categories. The anti-numerology Monte Carlo (J1) shows that A sits within a 14.7% safe band of the parameter space (Q ∈ [10^{-7}, 1]), confirming A is not on a knife-edge but is also not generic — consistent with ZS-Spin's overall anti-numerology design.

§7. Anti-Numerology Discipline

ZS-U11 introduces no new numerical claims beyond those already in ZS-M12 v1.0. Every quantitative statement in this paper is either (a) a re-derivation with independent mpmath verification of a ZS-M12 §7.4 entry, or (b) a structural claim with an explicit anomaly-cancellation, topological, or symmetry argument.

The 500,000-sample Monte Carlo of Test J1 shows that 14.7 % of random Q values in the range [10^{-7}, 1] satisfy the time-margin condition (τ_critical/τ_AS ≥ 1.6×). This is the honest finding: A = 35/437 is not in a fine-tuned knife-edge region, but it is also not in a generic region — it sits in a structurally-derived safe band whose width is approximately one decade of Q. The test J3 confirms that 77 % of γ values in the perturbative range [0.5, 3] yield a positive temporal margin, so the conclusion is robust to perturbative corrections to γ.

Critically: A is fixed by ZS-F2 v1.0 from polyhedral geometry, not chosen to satisfy V1. The Q-survival conclusion is therefore a verification of the framework's prior commitment, not a fit. This is the standard

Z-Spin anti-numerology test: the 'parameter' Q = A enters from independent structural derivation (ZS-U5 v1.0 $\delta\varphi = A$ under P6), not from V1 considerations.

§8. Falsification Gates

The following pre-registered conditions, if violated, falsify the Channel-by-Channel V1 closure of this paper:

Gate	Condition	Type	Channel
F-U11.1	Quantum gravity calculation shows U(1) explicitly broken at the A scale (resolves F-M12.4 negatively)	*Theoretical*	1
F-U11.2	Topology argument fails: a continuous winding-changing path in the moduli space exists for $Q \neq 0$	*Theoretical*	2
F-U11.3	Nonlinear coupling between radial and angular modes exceeds $O(A^2/M_P^2)$ per oscillation	*Computational*	3
F-U11.4	Quantum Foam thermal bath is shown to dissipate coherent Q in time $\tau < \tau_AS = 3\ \tau_P$	*Computational*	4
F-U11.5	Numerical relativity coupled-Einstein-scalar simulation shows Q decay rate $> \gamma$ during Auto-Surgery	*Observational/computational*	All
F-U11.6	CMB-S4 (~2028–2030) detects bounce signatures inconsistent with $\varepsilon_min(bounce) \approx 30.7$ large-field IC	*Observational*	All (cyclic)

Table 5. Six falsification gates pre-registered for ZS-U11 v1.0. F-U11.1 maps directly to ZS-M12 F-M12.4. F-U11.4 is the most empirically pressing because it concentrates all remaining V1 risk in Channel 4.

§9. Non-Claims

NC-U11.1: ZS-U11 does NOT claim V1 is PROVEN or unconditionally RESOLVED. The status advance is from OPEN to DERIVED-CONDITIONAL, contingent on the two pre-registered conditions F-M12.4 (U(1) preservation by quantum gravity) and NC-M12.3 (Quantum Foam Engine equipartition).

NC-U11.2: The angular/radial mode separation of §4.3 is established at LINEAR order around z*. The full nonlinear coupling Q-decay equation is not derived in this paper. The estimate that nonlinear effects are $O(A^2/M_P^2)$ per oscillation is a perturbative bound, not a rigorous theorem.

NC-U11.3: The Quantum Foam Engine itself remains HYPOTHESIS strong (inherited from ZS-M12 NC-M12.3). Channel 4 cannot be raised above HYPOTHESIS until either (a) a direct numerical simulation of Planck-scale BH formation becomes feasible, or (b) an alternative mechanism for the post-bounce thermal bath is derived from first principles.

NC-U11.4: ZS-U11 does NOT modify any other ZS-M12 v1.0 claim. The 1,576× absolute margin and 1.6× temporal margin of §7.4 are reproduced verbatim, not improved. The new content is the channel decomposition and joint failure-mode analysis.

NC-U11.5: The cyclic cosmology completeness claim is conditional on V1 closure at DERIVED-CONDITIONAL, not at PROVEN. Other open items in The Book v1.0 Limitation Catalog (Row 4 D33-4 6×6 QKE, Row 8 δ_CP TESTABLE, etc.) remain at their pre-existing status and are not addressed by this paper.

NC-U11.6: The 14.7% Monte Carlo safe-band fraction of Test J1 is a description of the Q parameter space topology around A, not a probability claim about V1. We do NOT interpret this as 'V1 holds with 14.7% probability'.

§10. Cyclic Cosmology Closure Status

With V1 advanced from OPEN to DERIVED-CONDITIONAL, the complete causal chain of Z-Spin cyclic cosmology reads:

$$A = 35/437 \;\rightarrow\; \delta\varphi = A \;\rightarrow\; Q_initial = A \;\rightarrow\; \varepsilon_min(a=1) = (Q^2/\lambda_inf)^{1/6} \approx 30.7 \;\rightarrow\; \text{ZS-U1 inflation IC}$$

Each arrow has a defined epistemic status: (i) A is LOCKED (ZS-F2); (ii) δφ = A is DERIVED-under-P6 (ZS-U5 §5.2); (iii) Q_initial = A is PROVEN by Noether (ZS-M12 §7.1, this paper §4.1); (iv) ε_min ≈ 30.7 is DERIVED (ZS-M12 §7.2, this paper Test B2); (v) handoff to ZS-U1 is DERIVED-CONDITIONAL (this paper §4 + §5).

The following Limitation Catalog Row 10 entry of The Book v1.0 should be updated:

Before (April 2026): Bounce dynamics: OPEN (V1)
After (this paper): Bounce dynamics: DERIVED-CONDITIONAL on F-M12.4 + NC-M12.3 (V1) — multi-channel analysis ZS-U11 v1.0

This is a one-step status advance, not a resolution. The cyclic chain is now closed at the same epistemic status as δφ = A itself (DERIVED-under-P6 in ZS-U5). Further upgrade to PROVEN requires either resolving F-M12.4 (a quantum gravity calculation) or deriving the Quantum Foam Engine from first principles (NC-M12.3 → DERIVED).

§11. Conclusion

ZS-U11 v1.0 closes the V1 (Planck-to-bulk handoff) matching question of ZS-M12 v1.0 §7.6 by enumerating four independent Q-protection channels: U(1) Noether anomaly-freeness (PROVEN), Z_2 seam topological winding preservation (DERIVED), z* damped-spiral / radial-angular mode separation (DERIVED), and Quantum Foam Engine thermal equipartition (HYPOTHESIS strong). Three of four

channels are at PROVEN or DERIVED status; the fourth inherits the HYPOTHESIS strong standing of the Quantum Foam Engine from ZS-M12 NC-M12.3. The single-channel temporal safety margin of 1.6× from ZS-M12 §7.4 is reproduced exactly via independent 50-digit-precision computation (Test C4: 1.567×).

Joint failure-mode analysis shows that V1 fails only if either (a) Channel 1 fails (the F-M12.4 falsification gate) or (b) Channel 4 fails AND Channels 2, 3 are insufficient to compensate (the NC-M12.3 hypothesis). With these two pre-registered conditions, V1 advances from OPEN to DERIVED-CONDITIONAL, completing the cyclic cosmology causal chain at the same epistemic status as $\delta\varphi = A$ itself.

We explicitly do NOT claim V1 is PROVEN or unconditionally RESOLVED (NC-U11.1). The cyclic chain $A = 35/437 \rightarrow \delta\varphi = A \rightarrow Q = A \rightarrow \varepsilon_{min} \approx 30.7 \rightarrow$ inflation IC is now closed at DERIVED-CONDITIONAL status with zero new free parameters. The remaining V1 risk is concentrated in Channel 4, with F-U11.4 as the most empirically pressing pre-registered falsification gate.

This paper is the capstone (Paper 70) of the Z-Spin v1.0 corpus. The Book v1.0 Limitation Catalog Row 10 ("Bounce dynamics: OPEN (V1)") should be updated to "DERIVED-CONDITIONAL on F-M12.4 + NC-M12.3 (V1)" by cross-reference to ZS-U11 v1.0. No other Limitation Catalog entry is modified by this paper. Verification: 40/40 PASS.

Acknowledgements & Code Availability

This work was developed with the assistance of AI tools (Anthropic Claude, OpenAI ChatGPT, Google Gemini) for mathematical verification, code generation, and manuscript drafting. The author assumes full responsibility for all scientific content, claims, and conclusions. The verification suite (verify_zs_u11.py, Python with mpmath at 50-digit precision and numpy/scipy) is publicly available at:

https://github.com/KennyKang-git/zspin/tree/main/verify_scripts

All numerical claims in this paper are independently computed in the verification suite. No hardcoded intermediate values are used. Cross-paper input values (A, z^*, γ, λ_{inf}, etc.) are explicitly listed in §2 Table 1 with their source attribution.

Appendix A. Channel-by-Channel Q-Decay Rate Bound

We provide here the explicit bound used in Test C5 and §4.3. Let $Q(\tau)$ be the comoving U(1) charge during Auto-Surgery ($\tau \in [0, \tau_{AS} = 3\,\tau_P]$). The combined effect of Channels 2–4 yields the upper bound:

$$|dQ/d\tau| \leq \gamma_{eff} \times Q, \quad \gamma_{eff} \leq \gamma = 1.566/\tau_P \qquad (A.1)$$

with equality holding ONLY in the worst-case scenario where (i) Channel 3 mode separation fails completely (radial damping fully transferred to angular sector), and (ii) Channel 4 thermal bath fully thermalizes Q within τ_{AS}. The actual γ_{eff} is bounded above by γ but typically much smaller because:

(a) Channel 3: linear-order angular/radial separation gives $\gamma_angular \sim O(A)\ \gamma_radial \approx 0.08 \times 1.566 = 0.125/\tau_P$, a 12.5× suppression;
(b) Channel 4: thermal noise contributes $\gamma_thermal \sim T/M_P \approx 0.41/\tau_P$, comparable to γ but acts on the variance not the mean.

Worst-case combination: $\gamma_eff = \max(\gamma_radial, \gamma_thermal) \approx 1.57/\tau_P$, recovering the ZS-M12 §7.4 bound. Conservative best-estimate: $\gamma_eff \approx \gamma_angular + \gamma_thermal/2 \approx 0.33/\tau_P$, giving $\tau_critical = \ln(1576)/0.33 = 22.3\ \tau_P$, which is 7.4× the Auto-Surgery time scale (much larger than the 1.6× single-channel margin).

We do NOT claim the conservative best-estimate as the true rate. The published ZS-M12 §7.4 single-channel rate $\gamma = 1.566/\tau_P$ is preserved as the conservative upper bound. The 1.6× temporal margin remains the published value of record.

Appendix B. Cross-Reference Table

Source paper	Provided to ZS-U11	Used in
ZS-F2 v1.0	A = 35/437; Q = 11; (Z,X,Y) = (2,3,6)	§2, throughout
ZS-M1 v1.0 Thm 1.1, 2.1	z^*; $\gamma = 1.566$; $\omega = 0.688$; $\lvert z^*\rvert^2 = \eta_topo$	§2, §4.3
ZS-F5 v1.0 P6	$\delta\varphi_cell = A \cdot I_cell$ base mechanism	§2 ($\delta\varphi$ source)
ZS-U5 v1.0 §5.2	$\delta\varphi = A$ per cycle [DERIVED-under-P6]	§2 (Q_initial)
ZS-U5 v1.0 §8	$\lambda_vac = 2A^2$ IR-stable RG fixed point	§2 (alt. λ context)
ZS-U1 v1.0 §4.2	$\lambda_inf = 7.63\times10^{-12}$ (CMB amplitude)	§2 Table 1, §4 ε_min
ZS-U1 v1.0	$\varepsilon_sr = 2.64$; $\varepsilon_0 \approx 20$	§3, §4, §5
ZS-U2 v1.0 §3	$T_reh = 2.55\times10^{15}$ GeV; $y_eff = 35/472$	§5.3
ZS-M12 v1.0 §4	Auto-Surgery 4 stages; ~3 τ_P	§3, §4 (τ_AS)
ZS-M12 v1.0 §6	Quantum Foam Engine; $T \approx 0.41\ M_P$	§4.4 (Channel 4)
ZS-M12 v1.0 §7.1	Q = A from Z-Telomere [PROVEN]	§4.1 (Channel 1)
ZS-M12 v1.0 §7.4	1576× margin; 4.7 τ_P; 1.6× temporal	§3, §6 (Tests C1–C4)
ZS-M12 v1.0 §7.6	V1 problem statement	§3 (verbatim)
ZS-A6 v1.0 §5.1	$V(0) > V(1)$; $\varepsilon = 0$ unstable	§4.2 (Channel 2)
The Book v1.0 §VI.2 Row 10	Limitation Catalog: "Bounce dynamics: OPEN (V1)"	§10 (target update)

Table B.1. ZS-U11 cross-reference table. All inputs listed; ZS-U11 introduces no new Z-Spin axioms or constants.

References

[1] Kang, K., "ZS-F2: Geometric Impedance A = 35/437 from Polyhedral Geometry," v1.0 (2026).
[2] Kang, K., "ZS-M1: i-Tetration Holomorphic Self-Iteration and the Fixed Point z*," v1.0 (2026).
[3] Kang, K., "ZS-F5: Q = 11 Register and (Z,X,Y) Sector Decomposition," v1.0 (2026).
[4] Kang, K., "ZS-U1: Inflation in the Z-Spin Action," v1.0 (2026).
[5] Kang, K., "ZS-U2: Reheating, Trace Anomaly, and the Conformal Decay Channel," v1.0 (2026).
[6] Kang, K., "ZS-U5: Z-Telomere, Regge-Holonomy Phase Drift $\delta\varphi = A$, and the IR Fixed Point $\lambda_{vac} = 2A^2$," v1.0 (2026).
[7] Kang, K., "ZS-M12: Auto-Surgery — Singularity Resolution via i-Tetration Dynamics," v1.0 (March 2026).
[8] Kang, K., "ZS-A6: Boundary Physics — Z-Anchor, Z-Telomere Bounce, and the Arrow of Time," v1.0 (2026).
[9] Kang, K., "ZS-S3: Goldstone Mode and the Massless Photon," v1.0 (2026).
[10] Kang, K., The Book of Z-Spin Cosmology, v1.0 (2026), §VI.2 Limitation Catalog Row 10.
[11] Planck Collaboration, A&A 641, A6 (2020) — Planck 2018 ΛCDM cosmological parameters.
[12] Elizalde, E., Odintsov, S. D., and Romeo, A., Phys. Rev. D 51, 1680 (1995) — RG equations for non-minimally coupled scalar in curved spacetime.
[13] Goldstone, J., Salam, A., and Weinberg, S., Phys. Rev. 127, 965 (1962) — Goldstone theorem.
[14] Adler, S. L., Phys. Rev. 177, 2426 (1969) — Triangle anomaly.
[15] Bell, J. S. and Jackiw, R., Nuovo Cimento A 60, 47 (1969) — Triangle anomaly.
[16] Bardeen, W. A., Phys. Rev. 184, 1848 (1969) — Anomaly classification.
[17] Witten, E., Phys. Lett. B 117, 324 (1982) — Global gauge anomaly via π_3.
[18] Hawking, S. W., Commun. Math. Phys. 43, 199 (1975) — Black hole evaporation.
[19] Mermin, N. D., Rev. Mod. Phys. 51, 591 (1979) — Topological defects and homotopy classification.
[20] CMB-S4 Collaboration, arXiv:1907.04473 (2019) — CMB-S4 science book.

Version History

v1.0 (March 2026): Initial public release. Consolidated from internal Z-Spin Collaboration research notes up to v1.0.0. All cross-references use Z-Spin v1.0 codes. Verification suite (verify_zs_u11.py) at v1.0.0 with 40 tests across 10 categories — 100% PASS rate. Capstone of the Z-Spin v1.0 corpus (Paper 70 of 70). Status advance: V1 OPEN → DERIVED-CONDITIONAL on F-M12.4 + NC-M12.3.