


Part A Due: 3 December 2020
Part B Due: 11 December 2020




Program Description:

This assignment is designed to test your increasing understanding of writing graphical applications in Java. The key concepts are 2D graphics, mouse events, and some new Swing components. The Oracle [Swing tutorial](#) provides explanations and examples which may be helpful while working on this assignment.


GUI Appearance:

- The window title must be "Power Paint" and the title bar must contain an icon other than the default Java icon. Be creative; choose an icon that seems appropriate to you. Use the same icon on the "About" message described later. (The screenshots do not show an icon because in Mac OS X, title bars do not have icons.)
- The window must fit the preferred size of the components in it (using `pack`) and should be resizable.
- The GUI should use the 'Metal' look and feel as shown in the second JFrame code example this quarter.
- When the window is closed, the program should terminate.
- Below are some screen shots of the window in various states:


GUI with Options menu open:




Use matching icons on the JFrame and 'About' message:



Move the toolbar:



Tool selection in the menu and toolbar should match:



The window should have a menu bar with the following items. Mnemonics are underlined:

Options

Thickness (a **submenu** containing a JSlider with the following properties:

The slider's minimum value is zero; the slider's maximum value is 20.

The slider has major tick marks (with labels) at increments of 5

The slider has minor tick marks at increments of 1

The initially selected thickness is 10. Changing the thickness affects future drawn items but not those that are already drawn. (If thickness = 0 is selected, the drawing tools should produce no output.)

— (separator)

Primary Color... A menu item which invokes a color chooser dialog

Secondary Color... A menu item which invokes a color chooser dialog

— (separator)

Clear (removes all drawn shapes)

NOTE: this menu item should be disabled when there are no shapes to 'clear'

Tools

Pencil (a radio button item; selects the pencil tool)

Line (a radio button item; selects the line tool)

Rectangle (a radio button item, selects the rectangle tool)

Ellipse (a radio button item, selects the ellipse tool)

Eraser (a radio button item, selects the eraser tool)

Help

About... (pops up an option pane with the following message:

<Your Name>

Autumn 2020

TCSS 305 Assignment 4

You may add other information to this message if you wish.

The Icon shown on this message should match the one on the JFrame.)

NOTE: The three dots shown in the Color... and About... menu items are called an ellipsis, which is a standard convention to indicate that selecting that item will open a pop up dialog.

Components and Event Handling:

The window should contain the following components:

- A **drawing panel** in the center of the window, on which the user can draw with a pencil, lines, and/or shapes. The drawing panel should listen for mouse activity and draw the appropriate item using the currently selected drawing tool. Set the drawing panel's preferred size to **500** pixels wide and **300** pixels high, and its background color to **white**. (**Note:** *the screen captures in this document MAY NOT represent a panel of 500 pixels wide and 300 pixels high.*) As the window resizes, the panel should grow to fill available space. The panel is initially empty, being entirely white when it first appears on screen.
- A **toolbar** (`JToolBar`) with four buttons in horizontal orientation in the south region of the window. The seven tool buttons are toggle buttons representing tools that can be used to draw. Exactly one tool is selected at all times. The initially selected tool when the program loads should be the **Line**. Notice that the toolbar and the "Tools" menu contain the same commands; they should behave identically when invoked from either place. For example, selecting a tool button (such as the "Line" button) should enable the tool and cause the corresponding menu option to be selected, and vice-versa. For full credit, the behavior of each tool must be defined in your code only once, and you must be able to add tools to both the toolbar and the "Tools" menu without writing redundant code (without redundantly specifying the display names, mnemonics, or event handlers for the tools).
- **Pencil tool:**
Draws a freeform curve on the drawing panel in the currently selected color. After selecting this tool, pressing any mouse button in the drawing panel begins pencil drawing. As the mouse is dragged, the pencil tool draws a solid path through where the mouse is moving. When the mouse button is released, pencil drawing stops.
- **Line tool:**
Draws a line on the drawing panel in the currently selected color. After selecting this tool, pressing any mouse button in the drawing panel begins line drawing by anchoring the line's first point. As the mouse is dragged, the line tool maintains a "hovering" line following the mouse, from the first anchored point to the mouse's current location. When the mouse button is released, the line is placed onto the panel and the "hover" stops following the mouse. *This is the initially selected tool.*
- **Rectangle tool:**
Draws a rectangle on the drawing panel in the currently selected color. After selecting this tool, pressing any mouse button in the drawing panel begins rectangle drawing by anchoring one of the rectangle's corner points. As the mouse is dragged, the rectangle tool maintains a "hovering" rectangle following the mouse, from the first anchored point to the mouse's current location. When the mouse button is released, the rectangle is placed onto the panel and the "hover" stops following the mouse.
- **Ellipse tool:**
Draws an ellipse on the drawing panel in the currently selected color. After selecting this tool, pressing any mouse button in the drawing panel begins ellipse drawing by anchoring one of the ellipse's bounding box's corner points. As the mouse is dragged, the ellipse tool maintains a "hovering" ellipse following the mouse, with its bounding box from the first anchored point to the mouse's current location. When the mouse button is released, the ellipse is placed onto the panel and the "hover" stops following the mouse.
- **Eraser tool:**
Erases anything in the mouse's path on the drawing panel. After selecting this tool, pressing any mouse button in the drawing panel begins erasing any current drawings. As the mouse is dragged, the eraser tool continues to erase any drawings in its path. When the mouse button is released, the eraser stops erasing. The eraser only erases the area where the mouse pointer is. It will not remove shapes.

About the "**Color...**" menu items:

These are standard menu items, not a radio/toggle buttons like the tools. The custom icon on these buttons should always display the currently selected color. Clicking these items causes a color chooser to pop up. The color chosen becomes the currently selected color. The custom icon on the menu items should display the new selected color.

When drawing a shape, the color is determined by the mouse button used. When the user left clicks (primary mouse button) to draw, the primary color will be used. When the user right clicks (secondary mouse button) to draw, the secondary color will be used. The behavior is undefined for clicking a 3rd (or more) mouse button. The behavior is undefined for clicking multiple mouse buttons during one action. The behavior is undefined for typing any key on the keyboard while drawing a shape. The behavior is undefined when a user clicks and releases the mouse button without dragging.

Note: It might be helpful to create a custom class which implements Icon to use as the Color item icon.

One way to coordinate the updates for the icon is to create an Action to handle color changes and to use the SMALL_ICON property of the Action to hold a reference to a custom Icon.

Of course, there are other ways to handle the Color... item icon.

Note: Changing the selected color does *not* retroactively change the color of past drawn items.

Note: The initial primary color is [UW Purple](#) and the initial secondary color is UW Gold; therefore, the buttons should appear initially with icons displaying these colors.

Tutorials on [JButtons](#) and [Icons](#) can be found on the Oracle site. You will need to put the two ideas together.

Implementation Guidelines and Hints:

Implement your main drawing area as a class that extends `JPanel`. Attach mouse listeners to this panel to detect mouse events. Remember to handle mouse button events and mouse movement events you will need to assign 2 listeners (or add the same adapter twice). Your drawing area class should use a cross hair cursor. The `setCursor()` method can be used to accomplish this.

Put your tool buttons and tool menu items into 2 button groups, so that only one of each may be selected at a time. Do *not* put the tool buttons and tool menu items into the same button group; you won't like the result.

To synchronize the tool buttons and the tool menu items, use the `Action` interface and its `SELECTED_KEY` attribute. Use a separate `Action` for each tool button / menu item pair. Do not use a single `Action` with an if/else structure (or other conditional structure) to handle all tool button / menu item pairs.

You should probably store a collection of all shapes that have ever been drawn, along with each one's paint color and stroke width (you may want to write a custom class to store shapes/colors/stroke widths together).

Implement the pencil by drawing a line between each pair of points the mouse touches. The Java2D class `java.awt.geom.Path2D.Double` works well for this or you could use `java.awt.geom.GeneralPath`.

Note that rectangles and ellipses may be drawn by dragging the mouse upward or leftward as well as downward or rightward; this will not work properly for you unless you handle it explicitly. Also note that `java.awt.geom.Ellipse2D` and `java.awt.geom.Rectangle2D` both extend the class `java.awt.geom.RectangularShape`; you should be able to use the same code, or very similar code, to draw rectangles and ellipses.

Your project implementation should not require an if/else or switch statement to determine the type of tool in use. It is better object-oriented design to implement a class hierarchy for handling the paint tools. This will eliminate the need for an if/else or switch statement to determine behavior for the current tool and make it easier to add another tool in future versions of the program. The hierarchy would probably include an interface, an abstract class, and some concrete sub-classes (as we saw in `EasyStreet` and in the `Employee` example). A typical design is to instantiate one object for each tool and use the tool buttons/menu items to determine which tool should be used for drawing at any given time by setting a `myCurrentTool` field in the class with your `JPanel`.

You can (optionally) smooth the graphics on your panel by calling the following command on your `Graphics2D` object, which "anti-aliases" the panel (blurs the pixels):

```
g2d.setRenderingHint(RenderingHints.KEY_ANTIALIASING,  
                      RenderingHints.VALUE_ANTIALIAS_ON);
```

Keep in mind that the `Easystreet` GUI included a slider control; therefore, the `Easystreet` GUI code provides an example for `JSlider` usage.

Place your code for the project into 2 or more meaningfully named packages. No code should be in the 'default' package. This will be part of the internal correctness grade for part B.

EXTRA CREDIT

TBD

Submission and Grading:

For Part A, the appearance of **all** GUI elements must be exactly as described except as noted in this paragraph. All defaults should be shown as selected when the GUI starts (Primary color = UW Purple, Secondary color = UW Gold, Thickness = 10, Tool = Line). All menu items must be shown correctly. The program must provide the ability to draw using the **Line** tool, in the color UW Purple (that is, the ability to drag the mouse, see the line in progress, and have the line remain when the user lets go of the button). The Line tool must be selectable from the toolbar. The ability to draw multiple lines is *not* required for Part A, but you are *strongly* encouraged to design it so that you can; it will save you significant time and energy on Part B. It is not necessary to coordinate the selection of tool bar and menu bar buttons. It is **not** necessary for the Color... menu items to have icons to display the selected colors. *Part A will be graded **only** on external correctness and the executive summary - if you have all GUI components in the right places, including all mnemonics, and a user can draw a UW Purple 1-pixel wide line, and your program does not produce exceptions or other console output, then you are guaranteed to get full credit on Part A.*

For Part B, all features must be finished, and you will be graded on both external and internal correctness. It is possible to lose points for the same issues on both Part A and Part B; if you have external correctness problems with Part A, and they remain in your Part B submission, you will lose points for them twice.

Create your Eclipse project by downloading the `hw4-project.zip` file from Canvas, importing it into your workspace, and using “Refactor” to change “username” to your UWNetID. Remember to make this change **before** you first commit the project to Subversion. When you have checked in the revision of your code you wish to submit, make a note of its Subversion revision number. To get the revision number, *perform an update* on the top level of your project; the revision number will then be displayed next to the project name. Your revision number will (should) pick up where you left off on Assignment 3; if you submitted revision 48 of Assignment 3, the first commit of Assignment 4 will have a number greater than 48. To submit Part A, commit your project to Subversion and submit an executive summary on Canvas as was done for previous assignments. Then, continue working *on the same Eclipse project* for Part B. When you are finished with Part B, commit your changes to Subversion and submit another executive summary on Canvas. The required filename for the Part A executive summary is “**username-powerpaint-a.txt**”, and the required filename for the Part B executive summary is “**username-powerpaint-b.txt**”, where username is your UWNetID. As on previous assignments, executive summaries will *only* be accepted in plain text format.

External correctness of Part A is based on the GUI’s appearance and on the ability to draw a single UW Purple line with the Line tool. Part A code *will not be examined* except under extraordinary circumstances (odd GUI appearance or line drawing behavior); Part A is graded *entirely* on external correctness.

The external correctness of your Part B submission will be graded on the GUI’s behavior, which is observed by running the GUI, clicking various buttons, attempting to draw various shapes, and examining the result. Your GUI should match the expected layout and should be positioned, sized, and resize identically to expectations. Exceptions should not occur under normal usage. Your program should not produce any console output.

Internal correctness of Part B will be based on following the program specification, inclusion of reasonable comments, the use of meaningful identifier names, encapsulation, and the avoidance of redundancy. In addition, the output of the plugin tools will be used for Part B.

The Part A percentage breakdown is 10% executive summary and 90% external correctness. (30% of the grade is for the ability to draw on the screen using the **Line** tool).

For Part B, the percentage breakdown is 10% executive summary, 60% external correctness, and 30% internal correctness.