

Class 9





Overview

CSS 2 Assignment (15 min)

HTML Layout + Responsive Grids, Images, Media Queries (1 hour)

Break (5 min)

Atomic Design + Responsive Patterns (25 min)

Layout/Media Query Assignment (10 min)

Media Queries Hands-On (30 min)



CSS Basics 2 Assignment

www.rwdkent.com/class/assignments/css2



HTML Layout, Flexible Grids and Media Queries



Indicate the purpose of elements

Help describe structure

Easily style without adding classes (less DIVs)



```
<body>
<div id="page">
<div id="header">
<div id="nav">
                                 <div id=
<div id="content">
                                 "sidebar">
 <div class="article">
 <div class="article">
<div id="footer">
```



```
<body>
<div id="page">
<br/>deader">
<dav>id="nav">
                                 <asivde≥d=
<div id="content">
                                 "sidebar">
 <drtvicless="article">
 <drticless="article">
<dooted>"footer">
```



header footer nav (use ul) article

aside section hgroup figure



Responsive Web Design

Percentage-Based Grids
Flexible Images
Media Queries



Percentage-Based Grids

target / context = result

http://codepen.io/challahan/professor/EVEGMv

http://codepen.io/challahan/professor/WQzPbQ/



Fluid Images

http://codepen.io/challahan/professor/yYKZbb/

```
img {
    max-width: 100%;
}
```



Media Query

```
@media screen and (min-width: 600px) {
    /* Stuff Goes Here */
}
@media screen and (max-width: 1200px) {
    /* Stuff Goes Here */
}
```



Media Query

```
@media screen and (min-width: 600px) and (max-width: 1200px) {
    /* Stuff Goes Here */
}
@media screen and (min-height: 600px) {
    /* Stuff Goes Here */
}
```




Breakpoint


Size at which the page layout or design "breaks"

Can have multiple breakpoints per layout

Let design (not device) dictate breakpoints







Breakpoint: 1000px wide



Media Query

width
height
device-width
device-height
orientation
aspect-ratio

device-aspect ratio color color-index monochrome resolution scan



Magic Meta Tag

<meta name="viewport" content="initial-scale=1.0, width=device-width" />

Example: http://codepen.io/challahan/professor/yYKZbb/



Break




Atomic Design + Responsive Patterns



"We're not designing pages, we're designing systems of components."

Stephen Hay





What Does This Mean?



SEARCH THE SITE

LABEL

Atoms

ENTER KEYWORD

INPUT

SEARCH

BUTTON



Molecules


SEARCH THE SITE

ENTER KEYWORD

SEARCH




Organisms






Templates






Pages











Responsive Deliverables

Dave Rupert



"Tiny Bootstraps, for Every Client"

Dave Rupert







Responsive Design Patterns

https://bradfrost.github.io/this-is-responsive/patterns.html



CSS Media Queries/ Layout Assignment

www.rwdkent.com/class/assignments/layout



CSS Media Queries/ Layout Hands-On

www.rwdkent.com/class/assignments/layout

