



# RWD

## Class 11

# Overview

**Layout/Media Query 2 Assignment  
Review (30 min)**

**Becoming Responsive & JavaScript  
(10 min)**

**Performance and Progressive  
Enhancement (10 min)**

**Common Responsive Patterns (25 min)**

**Break (5 min)**

**Performance and Usability Testing  
Assignment (10 min)**

**HTML/CSS Prototype/Templates (10 min)**

**Wireframes Hands-On (45 min)**



# Layout/Media Queries 2

## Review



# Becoming Responsive

Responsive Process



Can we determine a user's  
website goals once we know  
a user is on mobile vs.  
desktop?



How can design and development become more collaborative in a responsive design project?



# Performance & Progressive Enhancement

Fast Enough, Loading RWD Fast as Heck, Progressive Enhancement




How can we organize our  
CSS for both better mobile  
performance and  
maintainability?





# What is Progressive Enhancement and why is it important?





A Progressively Enhanced website should still provide the core content with CSS and JavaScript disabled.



# JavaScript



JavaScript is a programming language for adding interactivity and state changes to your web site.



Dynamically loading new content or content from other sources (AJAX, web fonts)

Animation/Movement of page elements

Change an element in some way based on some condition

Validating input values of forms

Transmitting information about browsing activity (analytics, ad tracking, personalization)



JavaScript can be disabled in browsers. Usually unavailable to screen readers.



JavaScript can significantly increase  
page load time and CPU usage  
when not used efficiently.





# Inline JavaScript

```
<script>  
JavaScript Goes Here  
</script>
```



# External JavaScript

```
<script src="scripts.js">  
</script>
```



# Simple JavaScript Example

[http://codepen.io/challahan/  
pen/JYmqLX](http://codepen.io/challahan/pen/JYmqLX)



jQuery is an open source library of JavaScript files that makes implementing JavaScript easier. jQuery is not part of browser by default - must be loaded.



Many third-party JavaScript plugins  
(galleries, etc) require jQuery in  
order to work.




# Performance



# How Can We Make Sure Pages Load Quickly?



 A BOOK APART

13

Scott Jehl

---

# RESPONSIBLE RESPONSIVE DESIGN

---





# Preprocessors

Using Tools to Speed Up Development



A CSS preprocessor is a tool that provides shortcuts for writing CSS.



You write in the preprocessor language  
and a command converts your rules to  
a regular CSS file.



# Popular CSS Preprocessors:

SASS (SCSS)

LESS

Stylus



# Features:

Nesting  
Variables

Partials

Extends / Mixins

Logic

Output Styles



# SASS Demo

<http://codepen.io/challahan/pen/YyRXWG?editors=110>



# Common RWD Patterns Examples

<http://www.rwdkent.com/common-patterns>



# Performance & Usability Testing Assignment

[www.rwdkent.com/class/assignments/testing](http://www.rwdkent.com/class/assignments/testing)





# HTML/CSS Templates/ Prototypes

[www.rwdkent.com/class/assignments/templates](http://www.rwdkent.com/class/assignments/templates)

