

FORENSICS

A. Secret File

1. Download secret_file.zip
2. Change Directory ke Downloads

```
(kentangantartika@YOGA-SLIM-7X)-[~]  
$ cd ~/Downloads  
  
(kentangantartika@YOGA-SLIM-7X)-[~/Downloads]  
$ |
```

3. ketik ls untuk mencari secret_file.zip
4. Unzip secret_file.zip dan menghasilkan output seperti ini

```
(kentangantartika@YOGA-SLIM-7X)-[~/Downloads]  
$ unzip secret_file.zip  
Archive:  secret_file.zip  
extracting: secret_file_1000.zip
```

5. Jika di Unzip sekali lagi output akan menghasilkan secret_file_999.zip dan itu akan melelahkan untuk melakukan manual
6. Buat Text Editor (disini saya pakai nano) nano solve.sh dengan isi script
#!/bin/bash

```
echo "Starting the unzipping process..."  
# 1. Unzip the first file you downloaded  
unzip -o secret_file.zip
```

```
# 2. Loop from 1000 down to 1  
for i in $(seq 1000 -1 1)  
do  
    # This line is the fix! It formats numbers like 99 to be "099"  
    current_file=$(printf "secret_file_%03d.zip" $i)  
  
    if [ -f "$current_file" ]; then  
        echo "Unzipping $current_file..."  
        unzip -o "$current_file"  
        rm "$current_file"  
    else
```

```

# This check is just in case the padding is different
# (e.g., if it stops at 1000 and the next is 999)
current_file_no_pad="secret_file_${i}.zip"
if [ -f "$current_file_no_pad" ]; then
    echo "Unzipping $current_file_no_pad..."
    unzip -o "$current_file_no_pad"
    rm "$current_file_no_pad"
else
    echo "Error: Expected file $current_file not found. Stopping."
    break
fi
fi
done

echo "Script finished! Check for the flag:"
ls -l

```

7. Eksekusi dengan bash solve.sh dan menghasilkan output seperti ini

```

inflating: secret_file_002.zip
Unzipping secret_file_002.zip...
Archive: secret_file_002.zip
  inflating: secret_file_001.zip
Unzipping secret_file_001.zip...
Archive: secret_file_001.zip
  inflating: flag.txt
Script finished! Check for the flag:
total 17688

```

8. cat flag.txt dan menghasilkan output ini

```

(kentangantartika@YOGA-SLIM-7X)~[~/Downloads]
$ cat flag.txt
FORESTY{kamu_gak_solve_challenge_ini_dengan_manual_kan_???}
flagCTF : FORESTY{kamu_gak_solve_challenge_ini_dengan_manual_kan_???}

```

B. Sound

1. Download file suara_apa_tuh.wav

2. Setelah di download, pergi ke website

<https://morsecode.world/international/decoder/audio-decoder-adaptive.html>

untuk mengubah file.wav yang berisi kode morse menjadi **KODE-KODE-RAHASIA-CYRUS**

3. Flag CTF : FORESTY{KODE-KODE-RAHASIA-CYRUS}

C. Tutut

1. Download file chall.mp4

2. Setelah di download, pergi ke website

<https://morsecode.world/international/decoder/audio-decoder-adaptive.html>

untuk mengubah file.wav yang berisi kode morse menjadi [HTTPS://BIT.LY/4OFZ3EM](https://bit.ly/4OFZ3EM)

3. Hubungi bang Paul, setelah itu kirim link yang tadi ke bang Paul dan bang Paul akan mengirim link yang benar.

4. Dari link yang benar, Download flag.png

5. Masuk ke terminal, Change Directory ke Downloads dan ketik ls untuk melihat filenya

6. Gunakan tools exiftool dan perintah exiftool flag.png, output akan menghasilkan

```
(kentangantartika@YOGA-SLIM-7X) - [~/Downloads]
$ exiftool flag.png
ExifTool Version Number      : 13.25
File Name                    : flag.png
Directory                    : .
File Size                    : 7.2 kB
File Modification Date/Time   : 2025:11:12 23:26:22+07:00
File Access Date/Time        : 2025:11:12 23:27:18+07:00
File Inode Change Date/Time   : 2025:11:12 23:27:18+07:00
File Permissions              : -rw-r--r--
File Type                    : PNG
File Type Extension          : png
MIME Type                    : image/png
Warning                      : PNG image did not start with IHDR [x5]
Palette                      : (Binary data 660 bytes, use -b option to extract)
Artist                      : FORESTY{m0rs3333_4nDD_m3t4d44t44_4r3_b451c5} this is real flag btw :v
```

flag CTF : FORESTY{m0rs3333_4nDD_m3t4d44t44_4r3_b451c5}

D. Meta

1. Download File meta.docx
2. Buka terminal, change directory menjadi download dan ketik ls

```
(kentangantartika@YOGA-SLIM-7X)~[~]
$ cd ~/Downloads

(kentangantartika@YOGA-SLIM-7X)~[~/Downloads]
$ ls
0.pcap                                flag2of2-final.pdf                  _rels
3.pcap                                flag2of2-final.pdf:Zone.Identifier run
attachment.jpeg                      flag2of2-final.png                 run_0.gpr
baby-reveng                          flag.png                           run_0.rep
c0628529-cd9e-41ab-945a-17399fcce66d.jpeg Flag.png                           'run(1)'.pyc
cat.jpg                              flag.png:Zone.Identifier          script.cpython-313.pyc
cat.jpg:Zone.Identifier              flag.txt                          secret_file.zip
chall                                linpeas.sh                       solve.py
'chall(1).wav'                       logs.png                          solve.sh
challl.jpeg                          logs.txt                          src
chall.pdf                           logs.txt:Zone.Identifier          steg-flag3.jpg
chall.wav                           meta.docx                         suara_apa_tuh.wav
chall.zip                            -o                                ukn_reality.jpg
'[Content_Types].xml'               output.txt                       'unknown (3).zip'
Cyrus.png                           PwnKit                          'unknown (3).zip:Zone.Identifier'
Dockerfile                          PwnKit.c                        word
docProps                             pycdc
```

3. Unzip meta.docx, dan menghasilkan output seperti ini

```
(kentangantartika@YOGA-SLIM-7X)~[~/Downloads]
$ unzip meta.docx
Archive:  meta.docx
replace [Content_Types].xml? [y]es, [n]o, [A]ll, [N]one, [r]ename: A
  inflating: [Content_Types].xml
  inflating: docProps/core.xml
  inflating: docProps/flag.7z
  inflating: docProps/flag.txt
  inflating: docProps/app.xml
  inflating: _rels/.rels
  inflating: word/fontTable.xml
  inflating: word/endnotes.xml
  inflating: word/theme/theme1.xml
  inflating: word/webSettings.xml
  inflating: word/document.xml
  inflating: word/settings.xml
  inflating: word/styles.xml
  inflating: word/_rels/document.xml.rels
  inflating: word/_rels/footnotes.xml.rels
  inflating: word/_rels/comments.xml.rels
  inflating: word/_rels/endnotes.xml.rels
  inflating: word/footnotes.xml
```

```
(kentangantartika@YOGA-SLIM-7X) [~/Downloads/word]
$ ls
document.xml  endnotes.xml  fontTable.xml  footnotes.xml  _rels  settings.xml  styles.xml  theme  webSettings.xml

(kentangantartika@YOGA-SLIM-7X) [~/Downloads/word]
$ cd ~/Downloads/word

(kentangantartika@YOGA-SLIM-7X) [~/Downloads/word]
$ ls
document.xml  endnotes.xml  fontTable.xml  footnotes.xml  _rels  settings.xml  styles.xml  theme  webSettings.xml

(kentangantartika@YOGA-SLIM-7X) [~/Downloads/word]
$ |
```

[illegible]

7. Sekarang, Change Directory ke ~/Downloads/docProps, menghasilkan output seperti ini

```
(kentangantartika@YOGA-SLIM-7X)~$ cd ~/Downloads/docProps
(kentangantartika@YOGA-SLIM-7X)~/Downloads/docProps$ ls
app.xml  core.xml  flag.7z  flag.txt  hash.txt
(kentangantartika@YOGA-SLIM-7X)~/Downloads/docProps$
```

8. Gunakan Command “7z e flag.7z” dan akan meminta password, Passwordnya yang tadi (link whatsapp)

```
(kentangantartika@YOGA-SLIM-7X)-[~/Downloads/docProps]  
$ 7z e flag.7z
```

```
7-Zip 25.01 (arm64) : Copyright (c) 1999-2025 Igor Pavlov : 2025-08-03  
64-bit arm_v:8-A locale=en_US.UTF-8 Threads:12 OPEN_MAX:10240, ASM
```

```
Scanning the drive for archives:  
1 file, 186 bytes (1 KiB)
```

```
Extracting archive: flag.7z
```

```
--
```

```
Path = flag.7z
```

```
Type = 7z
```

```
Physical Size = 186
```

```
Headers Size = 138
```

```
Method = LZMA2:12 7zAES
```

```
Solid = -
```

```
Blocks = 1
```

```
Enter password (will not be echoed):|
```

9. Setelah memasukkan Password, menghasilkan output seperti ini

```
Would you like to replace the existing file:
  Path:      ./flag.txt
  Size:      17 bytes (1 KiB)
  Modified:  2025-11-11 13:12:56
with the file from archive:
  Path:      flag.txt
  Size:      36 bytes (1 KiB)
  Modified:  2025-11-11 13:10:07
? (Y)es / (N)o / (A)lways / (S)kip all / A(u)to rename all / (Q)uit? y

Everything is Ok

Size:      36
Compressed: 186

(kentangantartika@YOGA-SLIM-7X)~[~/Downloads/docProps]
$ ls
app.xml  core.xml  flag.7z  flag.txt  hash.txt

(kentangantartika@YOGA-SLIM-7X)~[~/Downloads/docProps]
$ cat flag.txt
FORESTY{3@5y??_r1Ght?_lm0aa00a0a00}
```

Flag CTF : FORESTY{3@5y??_r1Ght?_lm0aa00a0a00}

Web Exploit

A. Restricted Area

1. Buka Website <https://baby-web-challenge.ctf.forestylab.com/>
2. Masuk ke Inspect Element dengan cara CTRL + U, output nya akan seperti ini

```
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <title>Restricted Area.</title>
7 <style>
8 * {
9   margin: 0;
10  padding: 0;
11  box-sizing: border-box;
12 }
13
14 body {
15   font-family: 'Courier New', monospace;
16   background: linear-gradient(135deg, #0a0e27 0%, #16213e 100%);
17   min-height: 100vh;
18   display: flex;
19   justify-content: center;
20   align-items: center;
21   color: #0f0;
22   overflow: hidden;
23 }
24
25 /* Animated background grid */
26 body::before {
27   content: '';
28   position: fixed;
29   top: 0;
30   left: 0;
31   width: 100%;
32   height: 100%;
33   background-image:
34     linear-gradient(0deg, transparent 24%, rgba(15, 255, 0, 0.05) 25%, rgba(15, 255, 0, 0.05) 26%, transparent 27%, transparent 74%, rgba(15, 255, 0, 0.05) 75%, rgba(15, 255, 0, 0.05) 76%, transparent 77%, transparent 78%, rgba(15, 255, 0, 0.05) 79%, rgba(15, 255, 0, 0.05) 80%, transparent 81%, transparent 82%, rgba(15, 255, 0, 0.05) 83%, rgba(15, 255, 0, 0.05) 84%, transparent 86%, transparent 87%, rgba(15, 255, 0, 0.05) 88%, rgba(15, 255, 0, 0.05) 89%, transparent 90%, transparent 91%, rgba(15, 255, 0, 0.05) 92%, rgba(15, 255, 0, 0.05) 93%, transparent 94%, transparent 95%, rgba(15, 255, 0, 0.05) 96%, rgba(15, 255, 0, 0.05) 97%, transparent 98%, transparent 99%, rgba(15, 255, 0, 0.05) 100%);
35   linear-gradient(90deg, transparent 24%, rgba(15, 255, 0, 0.05) 25%, rgba(15, 255, 0, 0.05) 26%, transparent 27%, transparent 74%, rgba(15, 255, 0, 0.05) 75%, rgba(15, 255, 0, 0.05) 76%, transparent 77%, transparent 78%, rgba(15, 255, 0, 0.05) 79%, rgba(15, 255, 0, 0.05) 80%, transparent 81%, transparent 82%, rgba(15, 255, 0, 0.05) 83%, rgba(15, 255, 0, 0.05) 84%, transparent 86%, transparent 87%, rgba(15, 255, 0, 0.05) 88%, rgba(15, 255, 0, 0.05) 89%, transparent 90%, transparent 91%, rgba(15, 255, 0, 0.05) 92%, rgba(15, 255, 0, 0.05) 93%, transparent 94%, transparent 95%, rgba(15, 255, 0, 0.05) 96%, rgba(15, 255, 0, 0.05) 97%, transparent 98%, transparent 99%, rgba(15, 255, 0, 0.05) 100%);
36   background-size: 50px 50px;
37   pointer-events: none;
38   z-index: 1;
39 }
40
41 .container {
42   position: relative;
43   z-index: 2;
44   text-align: center;
45   backdrop-filter: blur(10px);
46   padding: 60px 40px;
47   border: 2px solid rgba(15, 255, 0, 0.3);
48   border-radius: 8px;
49   box-shadow: 0 0 20px rgba(15, 255, 0, 0.2);
50   max-width: 500px;
51   width: 100%;
52 }
53
54 h1 {
55   font-size: 28px;
56   margin-bottom: 10px;
57   text-shadow: 0 0 10px rgba(15, 255, 0, 0.5);
58 }
```

3. Scroll ke paling bawah dan flag CTF ada di paling bawah

```
140 </style>
141 </head>
142 <body>
143   <div class="container">
144     <h1>[ FORESTY CTF ]</h1>
145     <p class="subtitle">Basic Web Exploit</p>
146
147     <div class="challenge-box">
148       <label class="label">Protected Resource</label>
149       <input type="password" value="FORESTY{easy_web_exploit_lmao_next_challenge_please_cyrus}" placeholder="Enter credentials...">
150     </div>
151     <div class="hint">
152       <div class="hint-title">[ SYSTEM MESSAGE ]</div>
153       <div class="hint-text">
154         Access denied. The credentials are secured with standard protocols.<br>
155       </div>
156     </div>
157
158     <div class="scanner glow">
159       [SCANNING...] Flag is hidden somewhere.
160     </div>
161   </div>
162 </body>
```

flag CTF : FORESTY{easy_web_exploit_lmao_next_challenge_please_cyrus}

B. IHGracias

1. Buka Website <https://igracias-telkomuniversity-ac-id.ctf.forestylab.com/>
2. Ketik <https://igracias-telkomuniversity-ac-id.ctf.forestylab.com/dashboard.php>
3. Masuk ke Inspect Element dengan cara CTRL + U dan masuk ke console dengan cara CTRL + Shift + I dan masuk ke mode console
4. Ketik `document.cookie = "role=admin";`
5. Balik lagi ke Website <https://igracias-telkomuniversity-ac-id.ctf.forestylab.com/dashboard.php> lalu refresh web nya dengan cara CTRL + R dan sekarang rolenya berubah dari guest menjadi admin
6. Buka Admin panel dan ketik 1003, menghasilkan output

Admin Dashboard

Anda adalah admin (berdasarkan cookie).

Masukkan user ID

[View Profile](#)

Profile for ID 1003

Username: citra

Bio: Penyuka kopi dan penggemar UI/UX.


FLAG: **FORESTY{R1ll_c4Se_iNi_Wok_eIIll_ctrl+u_tampering_idor}**

[Back to dashboard](#)

7. Flag CTF : **FORESTY{R1ll_c4Se_iNi_Wok_eIIll_ctrl+u_tampering_idor}**


C. Injection

1. Buka Website <https://government-ping-service.ctf.forestylab.com/>
2. Ada Halaman Login yang berisikan Username dan Password seperti berikut


A screenshot of a web application's login page. The page has a dark background. In the center, there is a dark gray rectangular box containing the login form. The form has a title "Admin Login" in red and white text. Below the title, there are two input fields: "Username" and "Password". The "Username" field is a dark gray rectangle. The "Password" field is a dark gray rectangle. Below the "Password" field, there is a red rectangular button with the text "Login" in white.

3. Isi Username dengan payload admin' OR '1=1 dan isi Password dengan 123 agar bisa ke halaman berikutnya

4. Kita akan di kirim ke Halaman Admin.php, dimana disini kita akan mencari password (Tool Password)




5. Untuk mencari Password, Bisa melakukan Inspect Element dengan cara Klik kanan di bagian Tool Password



6. Buka "Application" > "LocalStorage" dan akan terpampang jelas Passwordnya


Key	Value
AMP_unsent_8f1ede8e9c	[]
toolPassword	fd5b93e0aab605c9f3bbc471beea154a

7. Balik ke admin.php dan masukkan passwordnya ke Tool Password dan untuk Ping Host masukkan payload ini




Dan menghasilkan output seperti yang ada diatas


8. Masuk ke db



9. masuk ke database.sqlite



10. Terakhir, eksekusi dengan cara seperti ini




flag CTF : FORESTY{sql_i_xss(just_see_net-traffic&localStorage)_command_injection_is_EASY}


OSINT

A. Atmin

1. Download file attachment.jpeg
2. Lalu buka filenya dan analisa gambarnya
3. Terlihat bahwa lokasi seperti di Bandara Soekarno Hatta dan ada Restoran Solaria



5. Telusuri lewat Google Maps dan coba cari dimana lokasi terdekat dengan foto tersebut diambil




6. Lokasi terdekat dengan diambilnya foto tersebut adalah Shelter Kalayang Terminal 2 dengan titik koordinat VMG3+Q5 Pajang, Kota Tangerang, Banten sebagai flagnya
flag CTF : FORESTY{VMG3+Q5 Pajang, Kota Tangerang, Banten}

B. Atmin Lagi

1. Download file c0628529-cd9e-41ab-945a-17399fcce66d.jpeg
2. Buka gambarnya dan analisa dimana posisi fotografer



3. Terlihat seperti bandara disuatu tempat, untuk mengetahui lokasi tepatnya, lihat plat nomor mobil hitam itu. Bertuliskan BH ----- (artinya lokasi lagi di Jambi)



4. Lokasi terdekat dengan fotografer adalah Masjid Al-Munawaroh yang memiliki titik koordinat 9J9V+F2M, Talang Bakung, Kec. Jambi Sel., Kota Jambi, Jambi 36127 sebagai flag nya
flag CTF : FORESTY{9J9V+F2M, Talang Bakung, Kec. Jambi Sel., Kota Jambi, Jambi 36127}

C. Serlok

1. Download Gambarnya dengan cara Klik kanan pada gambarnya dan Save Image as...
2. Setelah di Download, Analisa Gambarnya



3. terlihat ada sedikit petunjuk di meja kasir/resepsionis dimana menunjukkan Stigma
 4. Buka Google Maps dan cari Stigma, dan pencarian menunjukkan Stigma Billiard
- flag CTF : FORESTY{stigma_billiard}

MISC

A. Tes Kejiwaan Lagi

1. Analisa Gambarnya dengan cara di balik
- flag CTF : FORESTY{Semangat_gaiss!!}

B. Soal UTBK

1. menunjukkan sebagai petunjuk Flag 1 2 3 4 5 6 7 { 1 2 3 4 5 6 7_7 6 5 4 3 2 1_1 2 3 6 }
 2. Ubah (1234567) = (FORESTY)
 3. Artinya FORESTY{FORESTY_YTSEROF_FORT}
- flag CTF : FORESTY{FORESTY_YTSEROF_FORT}

REVERSE ENGINEERING

A. Ini challenge reverse?

1. Download file chall
2. Change Directory ke Downloads
3. Gunakan command Strings dan grep agar rapi tersusun dan cepat dapat
4. Gunakan command "strings chall | grep -i "FORESTY"

```
(kentangantartika@YOGA-SLIM-7X) - [~/Downloads]
$ strings chall | grep -i "FORESTY"
This indicates a bug in the program. This Undefined Behavior check is optional, and cannot be relied on for safety. FORESTY{4l@h_c0k_b1s4_di_str1n9s!!!!>:[]Hello, world!
```

Flag CTF : FORESTY{4l@h_c0k_b1s4_di_str1n9s!!!!>:[]}

B. byte-circus

1. Download file script.cpython-313.pyc
2. Change Directory ke Downloads
3. Gunakan command "python3.13" dan masukkan script seperti berikut

```
(kentangantartika@YOGA-SLIM-7X) - [~/Downloads]
$ python3.13
Python 3.13.7 (main, Aug 20 2025, 22:17:40) [GCC 14.3.0] on linux
Type "help", "copyright", "credits" or "license" for more information.
>>> import dis
... import marshal
...
... f = open('script.cpython-313.pyc', 'rb')
... f.read(16) # Skip the 16-byte .pyc header
... code_obj = marshal.load(f)
... f.close()
... dis.dis(code_obj)|
```

4. Tekan "ENTER" dua kali, menghasilkan output seperti ini

```

... f.read(16) # Skip the 16-byte .pyc header
... code_obj = marshal.load(f)
... f.close()
... dis.dis(code_obj)
...
0      RESUME                0

3      BUILD_LIST            0
      LOAD_CONST            0 ((1423, 1432, 1403, 1422, 1404, 1405, 1410, 1444, 1436, 1437, 1450, 1437,
1416, 1458, 1452, 1416, 1450, 1463, 1450, 1461, 1442, 1436, 1458, 1436, 1416,
      LIST_EXTEND            1
      STORE_NAME            0 (the_flag)

10     LOAD_CONST            1 (<code object enc at 0xf50a21473ab0, file "./script.py", line 10>)
      MAKE_FUNCTION
      STORE_NAME            1 (enc)

13     LOAD_CONST            2 (<code object main at 0xf50a21593050, file "./script.py", line 13>)
      MAKE_FUNCTION
      STORE_NAME            2 (main)

23     LOAD_NAME             3 (__name__)
      LOAD_CONST            3 ('__main__')
      COMPARE_OP            88 (bool(==))
      POP_JUMP_IF_FALSE     8 (to L1)

24     LOAD_NAME             2 (main)
      PUSH_NULL
      CALL                  0
      POP_TOP
      RETURN_CONST          4 (None)

23 L1: RETURN_CONST          4 (None)

Disassembly of <code object enc at 0xf50a21473ab0, file "./script.py", line 10>:
10     RESUME                0

11     LOAD_FAST             0 (string)
      GET_ITER
      LOAD_FAST_AND_CLEAR   1 (x)
      SWAP                  2
      BUILD_LIST            0
      SWAP                  2
      GET_ITER
      FOR_ITER              20 (to L3)
      STORE_FAST            1 (x)
      LOAD_GLOBAL           1 (ord + NULL)
      LOAD_FAST             1 (x)
      CALL                  1
      LOAD_CONST            1 (16)
      BINARY_OP             12 (*)
      LOAD_CONST            2 (1337)
      BINARY_OP             0 (+)

```

5. Buat Text Editor menggunakan command vim file.py dan isi dengan script ini

```

# 1. The full, correct list from the disassembly
the_flag_nums = (
    1423, 1432, 1403, 1422, 1404, 1405, 1410, 1444, 1436, 1437, 1450, 1437,
    1458, 1452, 1416, 1450, 1463, 1450, 1461, 1442, 1436, 1458, 1436, 1416,
    1458, 1437, 1416, 1458, 1436, 1416, 1450, 1455, 1372, 1369, 1452, 1453,
    1446
)

flag = ""

# 2. The correct reversed operation
# Encryption was: (ord(char) ^ 16) + 1337
# Decryption is: chr((num - 1337) ^ 16)

for num in the_flag_nums:
    step_1 = num - 1337
    step_2 = step_1 ^ 16
    flag += chr(step_2)

print(flag)

```

6. Jangan lupa untuk di save dan quit dengan cara "SHIFT + :" > wq

7. Eksekusi dengan command "python3 nama_file.py"

8. Jika terdapat Permission Denied maka harus menggunakan command "bash nama_file.py"

```

(kentangantartika@YOGA-SLIM-7X)-[~/Downloads]
$ python3 solve.py
FORESTY{static_analysis_it_is_af30cd}

```

flag CTF : FORESTY{static_analysis_it_is_af30cd}

