

DELIVERABLE PDF FOR PART 3 FINAL PROJECT

Link to video:

https://upedu-my.sharepoint.com/:v:/g/personal/han24_up_edu/EX0rbEdQO9dGpQ7T10AM3d4B4mbr60UexwqlgQk5di4blg

I don't have queries for P2 to alter the table. I did them all in the terminal like using ALTER TABLE. Most of the constraints i had were already in the table when I created the table in the first part of this project

QUERIES

CREATE TRIGGER QUERY

CREATE TRIGGER updateTotalBids AFTER INSERT ON tblBids
FOR EACH ROW

```
    UPDATE tblItems
    SET NumBids = 1 + NumBids
    WHERE ItemID = new.ItemID;
```

CREATE TRIGGER updateBidPrice AFTER INSERT ON tblBids
FOR EACH ROW

```
    UPDATE tblItems
    SET CurrentBid = new.Amount
    WHERE ItemID = new.ItemID;
```

CREATE TRIGGER updateSellerList AFTER INSERT ON tblItems
FOR EACH ROW

```
    INSERT IGNORE INTO tblSellers (UserID, Rating) VALUES (new.SellerID, 0);
```

CREATE TRIGGER updateBuyerList AFTER INSERT ON tblBids
FOR EACH ROW

```
    INSERT IGNORE INTO tblBuyers (UserID, Rating) VALUES (new.UserID, 0);
```

CREATE TRIGGER updateBuyerRating AFTER UPDATE ON tblSellers
FOR EACH ROW

```
    UPDATE tblBuyers
    SET Rating = new.Rating
    WHERE BuyerID = new.UserID;
```

CREATE INDEX

CREATE INDEX CategoryIndex ON tblCategories (ItemID, Category);

CREATE INDEX BidsIndex ON tblBids (ItemID, Time);

CREATE INDEX ItemsIndex ON tblItems (Description, SellerID, ItemID, StartTime, EndTime);

CREATE TABLE THEN INSERT DATA

Create Table Query

START TRANSACTION;

```
CREATE TABLE tblItems(  
    ItemID INTEGER PRIMARY KEY AUTO_INCREMENT NOT NULL,  
    Name TEXT NOT NULL,  
    FirstBid Decimal NOT NULL CHECK(FirstBid >= 0),  
    CurrentBid Decimal NOT NULL CHECK(CurrentBid >= 0),  
    BuyPrice varChar(40),  
    NumBids Integer NOT NULL CHECK(NumBids >= 0),  
    StartTime DATETIME NOT NULL,  
    EndTime DATETIME NOT NULL,  
    SellerID varChar(400) NOT NULL,  
    Description LONGTEXT NOT NULL
```

);

```
CREATE TABLE tblCategories(  
    ItemID INTEGER NOT NULL,  
    Category varChar(300) NOT NULL
```

);

```
CREATE TABLE tblBids(  
    ItemID INTEGER NOT NULL,  
    UserID varChar(400) NOT NULL,  
    Time DATETIME NOT NULL,  
    Amount Decimal NOT NULL CHECK(Amount >= 0)
```

);

```
CREATE TABLE tblSellers(  
    UserID varChar(400) PRIMARY KEY NOT NULL,  
    Rating Integer NOT NULL CHECK(Rating >= 0),  
    Location varChar(250),  
    Country varChar(250)
```

);

```
CREATE TABLE tblBuyers(  
    UserID varChar(400) PRIMARY KEY NOT NULL,  
    Rating Integer NOT NULL CHECK(Rating >= 0),  
    Location varChar(250),  
    Country varChar(250)
```

);

```
CREATE TABLE login(  
    username varChar(200) NOT NULL,  
    password varChar(200) NOT NULL
```

);

COMMIT;

