

Version
3.6Revision Date:
2026/01/28Print Date:
2026/06/24Date of last issue: 2024/06/14
Date of first issue: 2018/08/24**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : HANSA CARE HTC BASE

Recommended use of the chemical and restrictions on use

Recommended use : Additive for aqueous resin systems
Coatings
Industrial use
Surface modifiers
Pigment for the construction finishing
Intermediate
Construction auxiliary

Restrictions on use : No uses advised against have been identified at this time.

Manufacturer or supplier's details**Manufacturer/Supplier**

CHT Germany GmbH
Bismarckstraße 102
72072 Tübingen
Germany
Tel.: +49 7071 154 0
info@cht.com

CHT Switzerland AG
Kriessernstrasse 20
9462 Montlingen
Switzerland
Tel.: +41 71 763 88 11
info.switzerland@cht.com

Importer : -
-
-
-
-
-

Responsible Department : CHT Germany GmbH
CHT Switzerland AG
Product Safety
sds.germany@cht.com
sds.switzerland@cht.com

Emergency telephone number

Emergency telephone number : +1 703 527 3887 CHEMTREC (International, 24 hours)

Version
3.6Revision Date:
2026/01/28Print Date:
2026/06/24Date of last issue: 2024/06/14
Date of first issue: 2018/08/24

2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Substance name : Polysiloxane, alkylmodified

Components

Chemical name	CAS-No.	Concentration (% w/w)
ethanol	64-17-5	$\geq 1 - < 10$
methanol	67-56-1	$\geq 1 - < 10$

4. FIRST AID MEASURES

- General advice : Take off all contaminated clothing immediately.
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : In case of skin contact remove mechanically with cloth or paper.
Wash off immediately with soap and plenty of water.
If skin irritation persists, call a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
If symptoms persist, call a physician.
- If swallowed : Rinse mouth with water.
Do NOT induce vomiting.
Call a physician immediately.
- Most important symptoms and effects, both acute and : None known.

Version
3.6Revision Date:
2026/01/28Print Date:
2026/06/24Date of last issue: 2024/06/14
Date of first issue: 2018/08/24

delayed

Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO₂)
Water spray
Dry powder
Alcohol-resistant foam
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Hazardous decomposition products formed under fire conditions.
Can be released in case of fire:
Carbon oxides
Silica
- Specific extinguishing methods : In case of fire do not inhale smoke, conflagration gases and steams.
Use water spray to cool unopened containers.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Contaminated surfaces will be extremely slippery.
- Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.
Pay attention to local or official regulations.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Clean contaminated surface thoroughly.
Treat recovered material as described in the section "Disposal considerations".
Dispose of in accordance with local regulations.

7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Traces of flammable substances may collect in the voids of enclosed systems. Keep ignition sources clear.

Version	Revision Date:	Print Date:	Date of last issue: 2024/06/14
3.6	2026/01/28	2026/06/24	Date of first issue: 2018/08/24

The product is flammable but not readily ignited.
 Take measures to prevent the build up of electrostatic charge.
 Use water spray to cool unopened containers.

- Advice on safe handling : Avoid formation of aerosol.
 Provide sufficient air exchange and/or exhaust in work rooms.
 During processing in contact with atmospheric moisture or
 with water small quantities of are formed:
 Methanol
 Ethanol
- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-
 ventilated place.
 Store in original container.
 Keep away from heat and sources of ignition.
- Further information on stor- : Protect from frost.
 age conditions : Protect from temperatures over + 40 °C.
 : Protect from humidity and keep away from water.
- Materials to avoid : Incompatible with acids and bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Please check whether national workplace exposure limits exist for the dangerous ingredients listed in Section 3.

- Engineering measures** : Solids with occupational exposure limits in liquid preparations do not cause an exposure in the workplace, because they are not present in a respirable form. Exposure can occur in the form of aerosols or after drying of the liquid the solids remain, possibly in a finely dispersed form.
 Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
 Recommended Filter type:
 Combination filter A/P (EN 141)

- Hand protection
- | | |
|--------------------|------------------|
| Material | : Nitrile rubber |
| Break through time | : > 480 min |
| Glove thickness | : > 0.35 mm |
| Protective index | : Class 6 |

- Remarks : Wear chemical resistant impervious gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific

Version
3.6Revision Date:
2026/01/28Print Date:
2026/06/24Date of last issue: 2024/06/14
Date of first issue: 2018/08/24

to place of work. Gloves should be discarded and replaced if there is any indication of degradation or chemical break-through. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Eye protection : Goggles (EN 166)

Skin and body protection : Wear suitable protective clothing (EN 14605).

Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not breathe vapours, aerosols.
Take off all contaminated clothing immediately.
Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : clear, cloudy, yellowish

Odour : characteristic

pH : Not applicable

Melting point/ range : No data available

Boiling point/boiling range : No data available

Flash point : 35 - 85 °C

No flash point was obtained, but the product may release flammable vapour. Not classified as supporting combustion according to the transport regulations.

Evaporation rate : Not applicable

Flammability (liquids) : Not classified as supporting combustion according to the transport regulations.

Self-ignition : not auto-flammable

Version	Revision Date:	Print Date:	Date of last issue: 2024/06/14
3.6	2026/01/28	2026/06/24	Date of first issue: 2018/08/24

Upper explosion limit / Upper flammability limit	:	Product is not explosive, but the product may release flammable vapour.
Lower explosion limit / Lower flammability limit	:	Product is not explosive, but the product may release flammable vapour.
Vapour pressure	:	No data available
Relative vapour density	:	Not applicable
Density	:	1.052 g/cm ³ (20 °C)
Solubility(ies)	:	
Water solubility	:	insoluble, hydrolyses
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	not determined
Decomposition temperature	:	The substance or mixture is not classified self-reactive.
Viscosity	:	
Viscosity, dynamic	:	15 - 35 mPa.s Brookfield LVT spindle 1 100 rpm
Viscosity, kinematic	:	not determined
Oxidizing properties	:	Not applicable
Conductivity	:	Not determined
Particle characteristics	:	
Particle Size Distribution	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions known if stored and handled properly.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Protect from moisture.
Incompatible materials	:	Water Bases Acids

Version
3.6Revision Date:
2026/01/28Print Date:
2026/06/24Date of last issue: 2024/06/14
Date of first issue: 2018/08/24

Hazardous decomposition products : Upon contact with water / humidity:
Methanol
Ethanol

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 40 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

ethanol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg
Method: OECD Test Guideline 402

methanol:

Acute oral toxicity : LD50 (Rat): 5,628 mg/kg

Remarks: Based on Human Evidence
Toxic if swallowed.

Acute inhalation toxicity : LC50: 83.8 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Remarks: Toxic by inhalation.
Based on Human Evidence

Acute dermal toxicity : LD50 (Rabbit): 15,800 mg/kg

Remarks: Toxic in contact with skin.
Based on Human Evidence

Skin corrosion/irritation

Product:

Remarks : Prolonged skin contact may cause skin irritation.

Version
3.6Revision Date:
2026/01/28Print Date:
2026/06/24Date of last issue: 2024/06/14
Date of first issue: 2018/08/24**Serious eye damage/eye irritation****Product:**

Remarks : Contact with eyes may cause irritation.

Components:**ethanol:**Species : Rabbit
Assessment : Causes serious eye irritation.
Method : OECD Test Guideline 405**Respiratory or skin sensitisation****Product:**

Remarks : No known sensitising effect.

Germ cell mutagenicity**Product:**

Germ cell mutagenicity - Assessment : Based on available data, the classification criteria are not met.

Carcinogenicity**Product:**

Carcinogenicity - Assessment : Based on available data, the classification criteria are not met.

Reproductive toxicity**Product:**

Reproductive toxicity - Assessment : Based on available data, the classification criteria are not met.

STOT - single exposure**Product:**

Remarks : Based on available data, the classification criteria are not met.

Components:**methanol:**Exposure routes : Ingestion
Target Organs : Eyes, Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

Version
3.6Revision Date:
2026/01/28Print Date:
2026/06/24Date of last issue: 2024/06/14
Date of first issue: 2018/08/24**STOT - repeated exposure****Product:**

Remarks : Based on available data, the classification criteria are not met.

Aspiration toxicity**Product:**

Based on available data, the classification criteria are not met.

Further information**Product:**Remarks : Caution! This product can hydrolyze in the gastrointestinal tract and release methanol.
The inhalation of aerosol mist can be detrimental to health.**12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**Toxicity to fish :
Remarks: No data is available on the product itself.Toxicity to daphnia and other :
aquatic invertebrates : Remarks: No data is available on the product itself.Toxicity to algae/aquatic :
plants : Remarks: No data is available on the product itself.

Toxicity to microorganisms : Remarks: No data is available on the product itself.

Components:**ethanol:**Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 15,300 mg/l
Exposure time: 96 h
Test Type: flow-through testToxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
aquatic invertebrates : Exposure time: 48 hToxicity to algae/aquatic : EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l
plants : Exposure time: 72 h
Method: OECD Test Guideline 201EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201Toxicity to microorganisms : (Bacteria): 5,800 mg/l
Exposure time: 4 h

Version
3.6Revision Date:
2026/01/28Print Date:
2026/06/24Date of last issue: 2024/06/14
Date of first issue: 2018/08/24

Test Type: static test

methanol:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 15,400 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 10,000 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Selenastrum capriornutum): > 1,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201

NOEC (Scenedesmus quadricauda (Green algae)): 8,000 mg/l
Exposure time: 192 h

Persistence and degradability**Product:**

Biodegradability : Remarks: No data is available on the product itself.

Physico-chemical removability : Remarks: The product is slightly soluble in water. It can be eliminated from water by abiotic processes.

Components:**ethanol:**

Biodegradability : O2 measuring
Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 20 d

methanol:

Biodegradability : O2 measuring
Result: Readily biodegradable.
Biodegradation: 76 %
Method: OECD 301 D (mineralisation)

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: No data is available on the product itself.

Version
3.6Revision Date:
2026/01/28Print Date:
2026/06/24Date of last issue: 2024/06/14
Date of first issue: 2018/08/24**Components:****ethanol:**Bioaccumulation : Bioconcentration factor (BCF): 0.66
Remarks: Does not bioaccumulate.Partition coefficient: n- : log Pow: -0.35 (24 °C)
octanol/water pH: 7.4
Method: OECD Test Guideline 107**Mobility in soil****Product:**

Mobility : Remarks: No data available

Other adverse effects**Product:**Adsorbed organic bound : Remarks: The product does not increase the AOX-value of the
halogens (AOX) waste water.Additional ecological infor- : According to our knowledge, the product does not contain
mation heavy metals and other compounds of EC directive 2000/60
EC.
The product is insoluble in water, therefore the ecological data
such as, e.g. biodegradability, COD, BOD5 values cannot be
determined analytically.

13. DISPOSAL CONSIDERATIONS**Disposal methods**Waste from residues : Dispose of wastes in an approved waste disposal facility.
Pay attention to local or official regulations.
The product should not be allowed to enter drains, water
courses or the soil.Contaminated packaging : Dispose of in accordance with local regulations.
Empty containers should be taken to an approved waste han-
dling site for recycling or disposal.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Version	Revision Date:	Print Date:	Date of last issue: 2024/06/14
3.6	2026/01/28	2026/06/24	Date of first issue: 2018/08/24

Not regulated as a dangerous good

Segregation group : -

Transport in bulk according to IMO instruments

Not applicable

Special precautions for user

Remarks : see chapter 6 - 8

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Currently no information available.

16. OTHER INFORMATION

Revision Date : 2026/01/28

Date format : yyyy/mm/dd

Further information

Training advice : Based on the information in the safety data sheet and the workplace conditions, employees must be regularly trained in the safe handling of the product. National rules for training employees in handling hazardous substances must be observed.

Other information : The classification for dangerous physico-chemical properties, health and environmental hazards has been derived from a combination of computational methods and, if available, test data.

This data sheet contains changes from the previous version in section(s):
9

Sources of key data used to compile the Safety Data Sheet : Information from our suppliers, as well as data from the "Registered substances database" of the European Chemicals Agency (ECHA) has been used to compile this safety data sheet.

Full text of other abbreviations

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

Version	Revision Date:	Print Date:	Date of last issue: 2024/06/14
3.6	2026/01/28	2026/06/24	Date of first issue: 2018/08/24

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.