

Revision Schedule			
Rev	Date	Description	Drn By
C1	28.11.25	Construction Issue	-

2021 Regulations
All fixed panes* in habitable rooms to become openable to satisfy Approved Document O requirements, as indicated by orange dashed lines (*excludes fixed panes to French Door sidelights, and entrance door sidelights).



Standard Detail
A/SD/S80/A/10
A/SD/S80/A/11

Standard Detail
A/SD/S90/E/02

PV Requirement
Solar PV will be required on this housetype. Panel locations and numbers to be determined on a site by site basis to take into account roof configuration and plot orientation

Tile ventilation terminal to SVP, locate eaves. Tile ventilation terminal to prov area. Marley Eternit ref 294 (or similar)

Part O requirements:-
Safety Rail to be installed at 1100mm, which may be omitted if Build Tolerance to window opening is within a range of maximum 1100mm and minimum 1000mm

Standard Detail
A/SD/S90/F/02

CONSTRUCTION **Bellway**
www.bellway.co.uk

Bellway Homes (Eastern Counties)
Building 2030, Cambourne Business Park,
Cambridgeshire CB23 6DW
Tel: 01480 425 200

Project
Somersham
St Ives Road
Working Drawings

Drawing Title
The Draftsman-Life **DML-3B-2S-CB**
934 ft² | 3b Semi/Mid | Country Brick
Rear Elevation

Drawing Created By Group	First Issue Date April '25	Scale(s) 1 : 50
Project No BI01	Drg Status Construction	Revision C1
Drawing No.	BI01/934DML/25/CB/02	

Plots 32, 34, 36, 46 (AS) & 33, 35, 47 (OPP)

U/S Wallplate
5025

First FFL
2662

Grd FFL / DPC
0

1 Rear Elevation
1 : 50

Do not scale - if in doubt, ask