

59m² floor area (2 people) requires 35,000mm² minimum total background ventilation area (System 1 Ventilation)

Window Schedule - Country Brick												
Location	Ref	Window Width	Height	External Cill Size	Hinge Side	Glazing	Toughened Glass?	Escape Hinges?	Security?	M4(2) Req'd?	Controlled Trickle Ventilation	Remarks
WC	W1	460 mm	1050 mm	150mm + 45mm Ext	Left	Obscure			ADQ		2500 mm²	
Kitchen	W2	910 mm	1050 mm	150mm + 45mm Ext	Left	Clear			ADQ		5000 mm²	
Lounge	W3	1247.5 mm	2100 mm	150mm + 45mm Ext	Left	Clear	*Toughened Glass reqd below 800mm*		ADQ		5000 mm²	PVCU French Door
Lounge	W4	1247.5 mm	1350 mm	150mm + 45mm Ext	Right	Clear			ADQ		5000 mm²	
Bedroom	W5	910 mm	1200 mm	150mm + 45mm Ext	Left	Clear			ADQ		5000 mm²	
Bedroom	W6	910 mm	1200 mm	150mm + 45mm Ext	Right	Clear		YES			5000 mm²	
Bathroom	W7	910 mm	1200 mm	150mm + 45mm Ext	Right	Obscure					5000 mm²	
Landing	W8	910 mm	1200 mm	150mm + 45mm Ext	Left	Clear					5000 mm²	
Stairs	W9	460 mm	1050 mm	150mm + 45mm Ext	Fixed	Obscure			ADQ		2500 mm²	

Total Background Ventilation

35250 mm²

Revision Schedule			
Rev	Date	Description	Drn By
C1	08.12.25	Construction Issue	C1

TENDER

Bellway

www.bellway.co.uk

Bellway Homes Limited (Eastern Counties)

Building 2030, Cambourne Business Park
Cambourne, Cambridgeshire, CB23 6DW
Tel: 01480 425200

Project

Somersham

St Ives Road

Working Drawings

Drawing Title

The Halstead

630 ft² | 1b Semi-Det | Country Brick

Window Schedule

Drawing Created By	First Issue Date	Scale(s)
FDL	April '25	1 : 50
Project No	Drg Status	Revision
BI01		C1
Drawing No.		BI01 / 630HA / 90 / 02