

CableLabel	Category	Group	Item	Label	Field	Device	Location	DeviceType	Protocol	Address	AddressBackup	Port	Rate	Mode	Index	Data Type	Enum	Module	Pin	Count	Multiplier	Offset	Type	SensorType	
FT-APER	FT Nav/Vision	Fuses	Fuse Engine Room Alarms 1	Fuse Engine Room Alarms 1	AlarmNetworkCable40Fid	WAGO ER	ER	WAGO	Wago	192.168.1.93			10	Read	0	Unassigned	0	1	1	0	0	0	0	750-610	Standard
FT-APER	Alarm Panels	Alarm Panel Engine Room	Alarm BUZZER	Alarm BUZZER	AlarmProAudibleOutputEngineRoomACmd	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	2	1	0	0	0	0	750-504	Standard
FT-APER	Alarm Panels	Alarm Panel Engine Room	Alarm And Lamp Test SWITCH	Alarm And Lamp Test SWITCH	AlarmProAcknowledgeEngineRoomACmd	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	3	1	0	0	0	0	750-504	Request
FT-APER	Alarm Panels	Alarm Panel Engine Room	Dim SWITCH	Dim SWITCH	AlarmProDimSwitchEngineRoomACmd	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	3	1	0	0	0	0	750-408	Request
FT-APER	Alarm Panels	Alarm Panel Engine Room	Silence Alarm SWITCH	Silence Alarm SWITCH	AlarmProAcknowledgeEngineRoomACmd	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	4	1	0	0	0	0	750-408	Request
FT-ER39	FT Nav/Vision	Network	Network Switch 1 Engine Room Alarm	Network Switch 1 Engine Room Alarm	AlarmNetworkCable33Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	4	1	0	0	0	0	750-553	Standard
FT-ER39	FT Nav/Vision	Network	Network Switch 2 Engine Room Alarm	Network Switch 2 Engine Room Alarm	AlarmNetworkCable33Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	5	1	0	0	0	0	750-553	Standard
FT-APER	Alarm Panels	Alarm Panel Engine Room	Alarm LED	Alarm LED	AlarmProInAlarmEngineRoomACmd	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	5	1	0	0	0	0	750-553	Standard
FT-APER	Alarm Panels	Alarm Panel Engine Room	Station Active LED	Station Active LED	AlarmProDimLEDEngineRoomACmd	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	5	1	0	0	0	0	750-553	Standard
FT-ER12	FT Nav/Vision	Fuses	Fuse Engine Room Alarms 2	Fuse Engine Room Alarms 2	AlarmNetworkCable41Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	6	1	0	0	0	0	750-610	Standard
FT-ER12	Blaze Alarms	Blaze Alarms	Blaze Alarm Engine Room PS	Blaze Alarm Engine Room PS	AlarmBlazeEngineRoom1Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	7	1	0	0	0	0	750-402	Standard
FT-ER12	Blaze Alarms	Blaze Alarms	Blaze Alarm Engine Room SB	Blaze Alarm Engine Room SB	AlarmBlazeEngineRoom2Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	7	1	0	0	0	0	750-402	Standard
FT-ER26	Blaze Alarms	Blaze Alarms	Blaze Pump Main Running	Blaze Pump Main Running	BlazePump1Cmnd	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	8	1	0	0	0	0	750-402	Standard
FT-ER26	Air Compressors	Air Compressor	Air Compressor Low Air Pressure	Air Compressor Low Air Pressure	CompressorPressureFid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	8	1	0	0	0	0	750-402	Standard
FT-ER26	Air Compressors	Air Compressor	Air Compressor Running	Air Compressor Running	CompressorCmnd	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	8	1	0	0	0	0	750-402	Standard
FT-ER14	Fire	Fire Alarm System	Fire Pump Running Alarm	Fire Pump Running Alarm	AlarmFireFid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	8	1	0	0	0	0	750-402	Standard
FT-ER16	Hydraulic	Power Pack	Power Pack Oil Level	Power Pack Oil Level	HydraulicPowerPackACoilLevelFid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	9	1	0	0	0	0	750-402	Standard
FT-ER16	Hydraulic	Power Pack	Power Pack Oil Temperature	Power Pack Oil Temperature	HydraulicPowerPackACoilTemperatureFid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	9	1	0	0	0	0	750-402	Standard
FT-ER27	Hydraulic	Power Pack	Power Pack Running	Power Pack Running	HydraulicPowerPackACRunningFid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	9	1	0	0	0	0	750-402	Standard
FT-ER24	Tanks	Fuel Tanks	Day Tank Level PS (7)	Day Tank Level PS (7)	FuelDayTankLevel1Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	10	1	0	0	0	0	750-402	Too Low
FT-ER24	Tanks	Fuel Tanks	Day Tank Level SB (8)	Day Tank Level SB (8)	FuelDayTankLevel2Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	10	1	0	0	0	0	750-402	Too Low
FT-ER42	Tanks	Fuel Tanks	Fuel Tank SE Level PS (1)	Fuel Tank SE Level PS (1)	FuelTankSELevel1Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	10	1	0	0	0	0	750-401	Too High
FT-ER43	Tanks	Fuel Tanks	Fuel Tank SE Level SB (2)	Fuel Tank SE Level SB (2)	FuelTankSELevel2Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	10	1	0	0	0	0	750-402	Too High
FT-ER36	Tanks	Oil Tanks	Lube Oil Tank Level	Lube Oil Tank Level	OilTankLevel1Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	11	1	0	0	0	0	750-402	High
FT-ER27	Tanks	Oil Tanks	Sludge Tank Level	Sludge Tank Level	SludgeTankLevel1Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	11	1	0	0	0	0	750-402	High
FT-ER28	Tanks	Oil Tanks	Waste Oil Tank Level	Waste Oil Tank Level	WasteOilTankLevel1Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	12	1	0	0	0	0	750-402	High
FT-ER28	Tanks	Fuel Tanks	Day Tank Level PS (7)	Day Tank Level PS (7)	FuelDayTankLevel1Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	13	1	0	0	0	0	750-454	Standard
FT-ER28	Tanks	Fuel Tanks	Day Tank Level SB (8)	Day Tank Level SB (8)	FuelDayTankLevel2Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	13	1	0	0	0	0	750-454	Standard
FT-ER30	Tanks	Fuel Tanks	Fuel Tank SE Level PS (1)	Fuel Tank SE Level PS (1)	FuelTankSELevel1Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	14	1	0	0	0	0	750-454	Standard
FT-ER31	Tanks	Fuel Tanks	Fuel Tank SE Level SB (2)	Fuel Tank SE Level SB (2)	FuelTankSELevel2Fid	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	14	1	0	0	0	0	750-454	Standard
FT-ER52	Propulsion	Port Engine	Engine Port Shaft Temperature	Engine Port Shaft Temperature	PS Eng Shaft	WAGO ER	ER	WAGO	Wago				10	Read	0	Unassigned	0	15	1	0	0	0	0	750-461	Standard
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Cos Phi Average	AC Bus A Cos Phi Avg	BusbarACAvCosPhiAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	15	1	0	0	0	0	750-461	Standard
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Cos Phi L1	AC Bus A Cos Phi L1	BusbarACL1CosPhiAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Cos Phi L2	AC Bus A Cos Phi L2	BusbarACL2CosPhiAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Cos Phi L3	AC Bus A Cos Phi L3	BusbarACL3CosPhiAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Current Average	AC Bus A Avg	BusbarACCurrentAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Current L1	AC Bus A L1	BusbarACPhase1CurrentAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Current L2	AC Bus A L2	BusbarACPhase2CurrentAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Current L3	AC Bus A L3	BusbarACPhase3CurrentAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Frequency	AC Bus A	BusbarACFrequencyAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Power Apparent L1	AC Bus A App L1	BusbarACL1ApparentPowerAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Power Apparent L2	AC Bus A App L2	BusbarACL2ApparentPowerAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Power Apparent L3	AC Bus A App L3	BusbarACL3ApparentPowerAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Power Apparent Total	AC Bus A App Total	BusbarACApparentPowerAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Power L1	AC Bus A L1	BusbarACL1PowerAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Power L2	AC Bus A L2	BusbarACL2PowerAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Power L3	AC Bus A L3	BusbarACL3PowerAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Power Reactive L1	AC Bus A React L1	BusbarACL1ReactivePowerAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Power Reactive L2	AC Bus A React L2	BusbarACL2ReactivePowerAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Power Reactive L3	AC Bus A React L3	BusbarACL3ReactivePowerAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Power Total	AC Bus A Total	BusbarACTotalPowerAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Voltage Average	AC Bus A Avg	BusbarACVoltageAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Voltage L1-L2	AC Bus A L1-L2	BusbarACL1LVoltageAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Voltage L1-L3	AC Bus A L1-L3	BusbarACL1LVoltageAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Voltage L2-L3	AC Bus A L2-L3	BusbarACL2LVoltageAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Voltage L2-N	AC Bus A L2	BusbarACPhase2VoltageAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Voltage L3-L1	AC Bus A L3-L1	BusbarACL3LVoltageAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER50	Electrical Systems	Busbar AC A	AC Busbar A Voltage L3-N	AC Bus A L3	BusbarACL3LVoltageAFid	SERIAL ER	ER	SERIAL	EM4000				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER19	Generators	Generator Port	Generator Port Coolant Temperature	Generator Port Coolant Temperature	PS Gen Coolant	CAN 3	ER	CAN	11939				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER19	Generators	Generator Port	Generator Port Fuel Rate	Generator Port Fuel Rate	PS Gen Fuel	CAN 3	ER	CAN	11939				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER19	Generators	Generator Port	Generator Port Hours	Generator Port Hours	PS Gen Hours	CAN 3	ER	CAN	11939				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER19	Generators	Generator Port	Generator Port Load	Generator Port Load	PS Gen Load	CAN 3	ER	CAN	11939				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER19	Generators	Generator Port	Generator Port Oil Pressure	Generator Port Oil Pressure	PS Gen Oil	CAN 3	ER	CAN	11939				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER19	Generators	Generator Port	Generator Port RPM	Generator Port RPM	PS Gen	CAN 3	ER	CAN	11939				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER19	Generators	Generator Port	Generator Port Starter Battery Voltage	Generator Port Starter Battery Voltage	PS Gen Start Batt	CAN 3	ER	CAN	11939				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER20	Generators	Generator Starboard	Generator Starboard Throttle Position	Generator Starboard Throttle Position	PS Gen Throttle	CAN 3	ER	CAN	11939				10	Read	0	Unassigned	0	0	0	0	0	0	0	Standard	
FT-ER20	Generators	Generator Starboard	Generator Starboard																						