
KERF AUDIO

INSTALL GUIDE · VERSION 0.5.0 BETA

ANALYSE 1

A metering and analysis strip for REAPER. Loudness, level, stereo image, waveform and spectrum, all at once and all live, docked along the top of the main window.

MACOS 11+ | WINDOWS 10 AND 11 | LINUX X86_64 | REAPER 7.8 OR LATER | FREE



Analyse 1 is free and in public beta. It has been through extensive code review and works on macOS, Windows and Linux. It hasn't yet been widely used in real-world projects, so please report anything that doesn't look right.

DANNY WINCOTT, TRADING AS KERF AUDIO · GITHUB.COM/KERF-AUDIO/ANALYSE-1

BEFORE YOU START

WHAT YOU NEED

SYSTEM	REQUIREMENT
macOS	macOS 11 Big Sur or later. One universal build runs natively on Apple Silicon and Intel.
Windows	Windows 10 or 11, 64-bit.
Linux	64-bit x86 with a recent desktop (glibc 2.35 or later). Works under X11, and under Wayland through XWayland.
REAPER	REAPER 7.8 or later, 64-bit.
ReaPack	The free package manager for REAPER, from reapack.com. On macOS it is the only way to install Analyse 1.

RECOMMENDED, EVERY PLATFORM

INSTALL WITH REAPACK

ReaPack installs Analyse 1 for you and keeps it up to date. If you already added the Kerf Audio repository for Kerf Modulators, skip step 2.

1 **Install ReaPack**

If you don't have it yet, follow the instructions at reapack.com, then restart REAPER.

2 **Add the Kerf Audio repository**

In REAPER, choose **Extensions › ReaPack › Import repositories...**, paste this address and click OK:

```
https://raw.githubusercontent.com/Kerf-Audio/reapack/main/index.xml
```

3 **Install Analyse 1**

Choose **Extensions › ReaPack › Browse packages**, search for **Analyse 1**, right-click it, choose **Install**, then click **Apply**.

4 **Restart REAPER**

REAPER only loads extensions when it starts.

5 **Open the panel**

Choose **Extensions › Kerf Audio Analyse 1: Show/hide panel**. On macOS the shortcut is `Option+V`. On Windows and Linux there is no shortcut to begin with; add one under **Actions › Show action list**.

> **Where it sits.** The strip is designed to live in a docker across the top of REAPER's main window, 150 pixels tall. The first time it opens, it moves itself to the top, and the docker height settles after REAPER's next restart. If it lands somewhere else, right-click the **Kerf Audio Analyse 1** tab, dock it at the top of the main window and drag the docker edge to suit. REAPER remembers both.

WINDOWS AND LINUX ONLY

INSTALL BY HAND

If you can't use ReaPack on Windows or Linux, you can copy the extension in yourself. You won't get automatic updates this way. On macOS, use ReaPack.

1 **Download the file for your system**

From the **Releases** page at github.com/Kerf-Audio/analyse-1/releases:

Windows	`reaper_analyser-x64.dll`
Linux	`reaper_analyser-x86_64.so`

2 **Find your UserPlugins folder**

Quit REAPER first. In REAPER, **Options › Show REAPER resource path in explorer/finder** shows where it is. Usually `%APPDATA%\REAPER\UserPlugins` on Windows and `~/.config/REAPER/UserPlugins` on Linux.

3 **Copy the file in and start REAPER**

Then open the panel from the **Extensions** menu.

Upgrading from an earlier build

If you installed an earlier build by hand or with the old macOS installer, delete every `reaper_analyser` file from `UserPlugins` before installing with ReaPack. REAPER loads every extension it finds, so two copies would both run.

Uninstalling

- **ReaPack:** in **Browse packages**, right-click Analyse 1, choose **Uninstall**, click **Apply** and restart REAPER.
- **By hand:** quit REAPER, delete the file from `UserPlugins` and start REAPER again.

Nothing else is installed. Your layouts and settings stay in REAPER's own settings file in case you come back, and do no harm if you don't.

> IF THE PANEL DOESN'T APPEAR
>
> Quit REAPER completely and start it again. Then check that exactly one `reaper_analyser` file is in `UserPlugins`, and that it is the right one: `.dylib` on macOS, `.dll` on Windows, `.so` on Linux.

HELP

Report bugs and ask questions at github.com/Kerf-Audio/analyse-1 (Issues and Discussions). Support is through GitHub only. This phase is for testing and bug fixing: feature requests are welcome, but new features wait until version 1.0 is out and stable.