KERF AUDIO

INSTALL GUIDE · VERSION 0.5.0 BETA

KERF MODULATORS

A docked modulation panel for REAPER. Seven modulators and a macro panel on every track, driving any plugin parameter.

MACOS 11+ | WINDOWS 10 AND 11 | LINUX X86_64 | REAPER 6 OR LATER | FREE



Kerf Modulators is free and in public beta. It has been tested and works on macOS, Windows and Linux, so far on small projects of around 10 tracks and 20 plugins. Expect bugs, and back up your projects before you use it.

DANNY WINCOTT, TRADING AS KERF AUDIO · GITHUB.COM/KERF-AUDIO/MODULATORS

BEFORE YOU START

WHAT YOU NEED

SYSTEM	REQUIREMENT
macOS	macOS 11 Big Sur or later. One universal build runs natively on Apple Silicon and Intel.
Windows	Windows 10 or 11, 64-bit.
Linux	64-bit x86.
REAPER	REAPER 6 or 7, 64-bit.
ReaPack	The free package manager for REAPER, from reapack.com. On macOS it is the only way to install Kerf Modulators.

RECOMMENDED, EVERY PLATFORM

INSTALL WITH REAPACK

ReaPack installs Kerf Modulators for you and keeps it up to date. You add the Kerf Audio repository once, and every Kerf tool for REAPER shows up in it.

1. **Install ReaPack**
   If you don't have it yet, follow the instructions at reapack.com, then restart REAPER.

2. **Add the Kerf Audio repository**
   In REAPER, choose **Extensions › ReaPack › Import repositories...**, paste this address and click OK:

   ```
   https://raw.githubusercontent.com/Kerf-Audio/reapack/main/index.xml
   ```

3. **Install Kerf Modulators**
   Choose **Extensions › ReaPack › Browse packages**, search for **Kerf Modulators**, right-click it, choose **Install**, then click **Apply**.

4. **Restart REAPER**
   REAPER only loads extensions when it starts.

5. **Open the panel**
   Choose **Extensions › Kerf Modulators: Show/hide panel**. It docks at the bottom to begin with. Drag it wherever suits you and REAPER remembers.

> **Updates.** ReaPack checks for new versions on its own. When an update arrives, apply it and restart REAPER. To try fixes before they reach everyone, right-click Kerf Modulators in **Browse packages** and turn on pre-releases for it.

WINDOWS AND LINUX ONLY

INSTALL BY HAND

If you can't use ReaPack on Windows or Linux, you can copy the extension in yourself. You won't get automatic updates this way. On macOS, use ReaPack.

1 **Download the file for your system**

From the **Releases** page at github.com/Kerf-Audio/modulators/releases:

Windows	`reaper_kerf_modulators-x64.dll`
Linux	`reaper_kerf_modulators.so`

2 **Find your UserPlugins folder**

In REAPER, choose **Options › Show REAPER resource path in explorer/finder** and open the `UserPlugins` folder inside it.

3 **Copy the file in and restart REAPER**

Then open the panel from the **Extensions** menu.

Upgrading from an earlier build

If you installed a build by hand before, delete it from `UserPlugins` before you install with ReaPack. REAPER loads every extension it finds, so two copies would both run. That means any `reaper_kerf_modulators` file, and on macOS any older `reaper_modular` file.

Uninstalling

- **ReaPack:** in **Browse packages**, right-click Kerf Modulators, choose **Uninstall**, click **Apply** and restart REAPER.
- **By hand:** delete the file from `UserPlugins` and restart REAPER.

Your projects keep their modulator data inside the `.RPP`; it simply goes quiet. Saved curves stay in a `Kerf Modulators` folder in your user settings. The manual lists where.

> IF THE PANEL DOESN'T APPEAR
>
> REAPER fails an extension load silently. Restart REAPER completely, then check there is exactly one Kerf Modulators file in `UserPlugins`, and that it is the right one for your system: `.dylib` on macOS, `.dll` on Windows, `.so` on Linux.

HELP

Report bugs and ask questions at github.com/Kerf-Audio/modulators (Issues and Discussions). Support is through GitHub only. This phase is for testing and bug fixing: feature requests are welcome, but new features wait until version 1.0 is out and stable.