

iRPGUnit for RDi 8.0+

License

This program and the accompanying materials are made available under the terms of the Common Public License v1.0 which accompanies this distribution, and is available at <http://www.eclipse.org/legal/cpl-v10.html>

Overview

iRPGUnit is an open source plug-in for IBM Rational Developer for i. It enables you to develop and execute repeatable unit tests for RPG programs and service programs.

The iRPGUnit plug-in uses a fork of the [RPGUnit](#) library, which was started by Lacton back in September 2006. The enhanced library adds an interface that enables RPGUnit to pass test results to the IBM Rational Developer for i. The development of the library as well as the plug-in was started by Mihael Schmidt at [RPG Next Gen](#) and is continued by the current developers.

iRPGUnit uses test suites to group test cases. A test case is a method that starts with 'test' and that is hosted and exported by a RPG module. A test suite is a service program that consists of one or more modules that exports test cases. Typically there is a one to one relation between the test suite service program and the module that contains the test cases.

iRPGUnit features are driven from our ideas and needs, but everybody is encouraged to contribute suggestions and manpower to improve the power of iRPGUnit.

Change Log 2.4.0.r (23.11.2018)

- Added feature 'iRPGUnit CMOne Integration', which integrates iRPGUnit into the CMOne change management software.
- Added preference option 'Show result view' that specifies whether the result view is automatically display at the end of a unit test.

Change Log 2.3.0.r (21.09.2018)

- Added dialog for uploading the RPGUNIT library from the iRPGUnit preference page. (Button next to "Product library".)

Change Log 2.2.3.r (27.06.2018)

- Fixed CMDRUNLOGT to match the changed report layout.
- Fixed RUACPTST to match the changed report layout.
- Fixed rslvProc() to return procedure pointer for procedure names with trailing spaces.
- Fixed RUPLUGINT1.testAllOK_4() test case.
- Fixed upload_savf.bat.
- Added dummy procedure 'ET_testProc_3 ' to self-test EXTTSTT.
- Changed name of preference page to "iRPGUnit".
- Changed name of help manual to "iRPGUnit".

Change Log 2.2.2.r (08.02.2018)

This version is the first public version of the iRPGUnit plug-in.

- Improved error reporting when validating a service program or procedure.
- Changed A_INSTALL to pass the TGTRLS parameter to all called MK* programs.

Change Log 2.2.1.r (14.06.2017)

- Changed RPGUnit view to display the number of assertions.
- Fixed problem, that a test procedure had to start with 'test' in lower case. Now the case is ignored.
- Now errors in setup/teardown procedures properly show up in RDi.
- Added number of executed assertions to RPGUnit view.

Change Log 2.1.0.r (06.12.2016)

- Changed RUCRTTST to validate the combination *EVENTF/*TSTPGM for RPGLE and SQLRPGLE member types.
- Updated copyright notice of LLIST_SORT.

- Updated STRPREPRC header of source member TEMPLATE.
- Added example source member TEMPLSQL.
- Added number of assertions to RPGUnit view.

Change Log 2.0.0.r (29.11.2016)

- Changed length of message text from 256 to 1024 bytes.
- Added unit test RUPLUGINT5.
- Added procedure getAssertFailEvtLong() to retrieve the long message text.
- Added new type definition AssertFailEvtLong_t for procedure getAssertFailEvtLong().
- Fixed hard coded reference to library RPGUNIT in unit test RUCRTTSTT.
- Fixed missing 'Export' keyword of procedure 'tearDown' of unit test 'CRTTSTT'.
- Renamed RUN to CMDRUNSRV.
- Renamed RUCRTTST to CRTTST.
- Renamed RUPGMRMT to PGMRMT.
- Renamed RURUNRMT to RMTRUNSRV.
- Renamed RUSRCMBR to SRCMBR.
- Renamed RUTAGTST to TAGTST.
- Renamed MKRUNRMT to MKRMTRUN.
- Renamed RUCRTTSTT to CRTTSTT.

The following errors are produced by units tests of version 1.10 and lower:

ASSERTTT.testAssertWithFailure

Expected 'assert', but was 'DOASSERT'.

Reason: Refactoring of module ASSERT. Introduced new procedure doAssert().

ASSERTTT.testAssertWithSuccess

Expected "", but was '

Reason: The new "assertFailEvt" (assertFailEvtLong_t) had to be mapped to the old "assertFailEvt" (assertFailEvt_t) structure, which properly sets the length bytes of "assertFailEvt_v1.msg" to x'0000'. These bytes had been set to x'4040' before. Procedure ASSERT.clrAssertFailEvt() now uses 'clear' instead of '*BLANKS' to initialize the assert fail event structure.

ASSERTTT.testBidIntegerEquality

Expected "", but was '

Reason: see ASSERTTT.testAssertWithSuccess

ASSERTTT.testGoodByeIsNotHello

Expected 'assert', but was 'DOASSERT'.
Reason: see ASSERTTT.testAssertWithFailure

ASSERTTT.testHelloEqualsHello
Expected '', but was '
Reason: see ASSERTTT.testAssertWithSuccess

ASSERTTT.testTwoAndTwoEqualsFour
Expected '', but was '
Reason: see ASSERTTT.testAssertWithSuccess

ASSERTTT.testTwoAndTwoIsNotEqualToFive
Expected 'assert', but was 'doAssert'.
Reason: see ASSERTTT.testAssertWithFailure

RUNT.test_runTestProc_errorInSetup
Expected 'E', but was 'F'.
Reason: see ASSERTTT.testAssertWithSuccess

RUNT.test_runTestProc_errorInTearDown
Expected 'E', but was 'F'.
Reason: see ASSERTTT.testAssertWithSuccess

RUNT.test_runTestProc_errorInTest
Expected 'E', but was 'F'.
Reason: see ASSERTTT.testAssertWithSuccess

RUNT.test_runTestProc_failureInTest
Expected 'TEST_FAIL', but was 'fail'.
Reason: Refactoring of module ASSERT. Introduced new procedure doFail().

RUNT.test_runTestProc_tearDownAfterErrorInSetup
Expected 'E', but was 'F'.
Reason: see ASSERTTT.testAssertWithSuccess

RUACPTST.TESTBIGINTEGER
Expected 'assert', but was 'DOASSE'.
Reason: see ASSERTTT.testAssertWithFailure

RUACPTST.TESTCHOOSETEST
Expected 'TEST2 (TESTPGM05', but was 'fail (RUTESTCASE'.
Reason: Refactoring of module ASSERT. Introduced new procedure doFail().

RUACPTST.TESTFAILURES
Expected 'assert', but was 'DOASSE'.
Reason: see ASSERTTT.testAssertWithFailure

RUACPTST.TESTSTACKTRACE

Expected 'assert', but was 'DOASSE'.

Reason: see ASSERTT.testAssertWithFailure

Change Log 1.10.0.r (26.01.2016)

- Restructured the RPGUnit utility for better maintenance.
- Fixed self-test compile errors.

Change Log 1.9.1.r (06.02.2015)

- Enhanced the help text and described the new option that controls how the test suite service programs are validated.
- Added warning message, when the user defined attribute could not be retrieved.

Change Log 1.9.0.r (05.02.2015)

- Added preference option to select the type of validity checking of unit test service programs.

Change Log 1.8.0.r (25.01.2015)

- Changed the plug-in to select unit test procedures from the RSE tree.

Change Log 1.7.5.r (16.12.2014)

- Added message box that is displayed, when the statement identifier cannot be mapped to the source line number.

Change Log 1.7.4.r (09.12.2014)

- Fixed problem that the LPEX editor did not always position to source statement in error when opening a failed test case.

Change Log 1.7.3.r (26.08.2014)

- Fixed getCallStk() to respect the size of the call stack entry array.
- Fixed runTestProc() to properly set the number of executed assertions per test case.
(See also: RURUNRMT.fillUserSpace())
- Changed getCallStk() to flag incomplete call stacks with '*INCOMPLETE' on the last call stack entry.
- Thoroughly renamed field 'stmt' to 'specNB'.

- Removed spaces for 'Initialize Printer' and 'Carriage Return' from RUWSCST.
- Changed RUPLUGINT1 to produce a deeper call stack.
(See also: recursion of procInError())
- Plug-in: Now passing special value *ALL instead of a null parameter to RUPGMRMT to execute all test cases.

Change Log 1.7.2.r (19.02.2014)

- Changed RURUNRMT to restore the library list after the test suite has been run. (System i)

Change Log 1.7.1.r (19.02.2014)

- Fixed RNK0100 in procedure hasSameBeginning() of module EXTTST. (System i)

Change Log 1.7.0.r (07.01.2014)

- Added option to do a RCLRSC at the end of the test suite.

Change Log 1.6.0.r (27.11.2013)

- Added option to open a source member from the RPGUnit view.
- Fixed missing German internationalizations.

Change Log 1.5.3.r (22.11.2013)

- Fixed missing German tooltips of buttons of RPGUnit view.

Change Log 1.5.2.r (20.11.2013)

- Added German translation.

Change Log 1.5.1.r (19.11.2013)

- Added option to use a separate connection for running the unit tests. This way service entry points can be used for debugging unit tests.
(See: Preferences -> RPGUnit -> Enforce new connection)

Change Log 1.5.0.r (17.11.2013)

- Added Spooled File Viewer to display the RPGUnit test report.
- Changed RUCALLTST and plug-in to accept up to 250 procedure names.

Note: Please notice that you need to set your preferences again, because I had to change some keys.

Change Log 1.4.2.r (07.11.2013)

- Removed invalid setting of "Bundle-RequiredExecutionEnvironment" of RPGUnit for WDSC 7.0.
- Changed compiler of RPGUnit for WDSC 7.0 to original IBM J9 compiler.

Change Log 1.4.1.r (06.11.2013)

- Added buttons "Collapse All" and "Expand All".
- Added menu item "Remove Selected RPGUnit Test Suite".
- Updated preferences page and added option to specify the product library. The product library is used to find program RURUNRMT, which executes the unit tests.

Change Log 1.4.0.r (31.10.2013)

- Fixed: Now "Runs:" displays the correct number of executed test cases.
- Changed RPGUnit view to get closer to JUnit.
- Added: Special thank to Michael Calabro who enhanced RUCRTTST to compile SQLRPGLE source members.
- Added procedure: `MsgInfo_t = getMonitoredMessage(*ON|*OFF)`

Usage:

```
monitor;  
  a = 10;  
  b = 0;      // Attempt made to divide by zero for  
  c = a / b;  // fixed point operation. (MCH1211)  
  fail( 'Division by zero did not raise an error.' );  
on-error;  
  msgInfo = getMonitoredMsg(*ON); // remove message  
endmon;      // from job log  
  
aEqual( 'MCH1211': msgInfo.Id );
```

Change Log 1.3.0.r (15.08.2013)

- Fixed errors in 'upload_src.bat'.
- Fixed selftest unit test cases. The unit test cases had to be fixed because of internal changes that were required for the plug-in:

Changed: 'assertFailEvt_t'.

Changed: Prototypes of `setLogContext()` and `logCompMsg()`.

Changed: 'ExcpMsgInfo' references 'Msg_t', now.

Changed: Now, handleSuccess() is called regardless of the value of 'detail'. Affects: 'logIdx'.
Changed: Formatting of call stack entry.
Bugfix: Close spooled file after error (RUACPTST).
Changed: Prototypes of getCrtRpgModCmd() and getCrtSrvPgmCmd().
Changed: 'TestResult_t'.

Affected unit tests:

ASSERTT	RUACPTST
CMDRUNLOGT	RUCRTTSTT
CMDRUNT	RUNT
PGMMSGT	

New selftest unit tests:

LIBLT	STRINGT
-------	---------

New demonstration unit tests:

RUPLUGINT1	RUPLUGINT3
RUPLUGINT2	RUPLUGINT4

Change Log 1.2.2.r (12.08.2013)

- Replaced 'MKRPGUNIT' with 'A_INSTALL' in 'readme_first.txt'.
- Removed unused code from plug-in.

Change Log 1.2.1.r (28.06.2013)

- Now the plug-in correctly passes parameter 'procedure' as a VARYING field to program RUPGMRMT.
- Now the plug-in correctly enables/disables actions 'Rerun All Unit Tests' and 'Rerun Selected Unit Tests' when the view is opened.
- Now the plug-in checks for job description 'RPGUNIT' when parameter 'LIBL' is set to '*JOB'D'.
- Ported plug-in back to WDSC 7.0.
- Refactored plug-in as suggested in 'templates' by the original author and replaced 'ExcpMsgInfo_t' with 'Msg_t'.

Change Log 1.2.0.r (24.06.2013)

- Added call stack entries to the RPGUnit view, when the result of a test suite is displayed.

Change Log 1.1.2.r (21.06.2013)

- Compiled plug-in for RDP 8.0.

Change Log 1.1.1.r (21.06.2013)

- Added parameters LIBL and JOBD to the preferences page.
- Removed unused program code.
- Added parameter 'fieldName' to aEqual(), iEqual() und nEqual().
- Added parameters LIBL and JOBD to RUPGMRMT and RURUNRMT.
- Changed RURUNRMT to save and restore the library list.
- Added utility procedures waitSeconds(), displayStatusMessage(), restoreStatusMessage() and clearStatusMessage().

Change Log 1.1.0.r (20.06.2013)

- Added screen shot to update site.

Change Log 1.0.6.r (08.06.2013)

- Now the character cases are correctly ignored when comparing the specified 'test procedure' name.
- Added parameters LIBL and JOBD to command RUCALLTST.

Change Log 1.0.5.r (07.05.2013)

- Added parameter MODULE to command RUCRTTST.

Change Log 1.0.4.r (06.05.2013)

- First release of the 'RPGUnit Test for IBM Rational Developer for Power Systems 8.0' plug-in.

IRPGUnit On The Internet

Homepage	https://irpgunit.sourceforge.io/
SourceForge	https://sourceforge.net/projects/irpgunit/
Help	https://irpgunit.sourceforge.io/help/
RDt 8.0+ Update Site	https://irpgunit.sourceforge.io/eclipse/rdt8.0/
Eclipse Marketplace	https://marketplace.eclipse.org/content/irpgunit
Help Beta	Not yet available
RDt 8.0 Beta Update Site	Not yet available