

In an era where health consciousness is paramount, HealthSage emerges as a cutting-edge web-based health tracking platform designed to empower users with real-time insights into their well-being. By seamlessly integrating modern web technologies such as Node.js, AngularJS, Express.js, and MongoDB Atlas, HealthSage provides a secure, efficient, and interactive solution for tracking vital health parameters, including blood sugar levels, blood pressure, calorie intake, water consumption, stress levels, weight, workout progress, and steps walked. With a cloud-based storage system, users can securely register, log in, and manage their health data with ease, ensuring accessibility anytime, anywhere. The intuitive interface, powered by AngularJS, enhances user engagement, while the robust backend built on Node.js and Express.js ensures fast and seamless data processing. By transforming raw health data into actionable insights, HealthSage acts as a personalized wellness companion, helping users take proactive steps toward a healthier and more balanced lifestyle. Whether you're a fitness enthusiast, a health-conscious individual, or someone managing specific health conditions, HealthSage is the ultimate tool to track, analyze, and improve your health effortlessly.

Working :

HealthSage offers a seamless and user-friendly experience, ensuring effortless health tracking from the moment a user visits the platform. The journey begins on the Welcome Page, where users

are greeted with a warm message and two intuitive options—Sign Up and Log In. New users can proceed to the Sign-Up Page, where they securely register by providing their name, email, password, and confirmation password. To enhance navigation, existing users are conveniently redirected to the Login Page, where they simply enter their email and password to access their personalized dashboard. Once authenticated, users arrive at the Main Page, the heart of the application, where they can input and monitor crucial health metrics such as blood sugar levels, blood pressure, calorie intake, water consumption, stress levels, weight, workout progress, and steps walked. All entries are securely stored in the cloud database (MongoDB Atlas), ensuring accessibility and data safety. The intuitive design ensures smooth transitions between pages, with strategically placed navigation links making the user experience fluid and engaging. A Logout button is prominently available, allowing users to exit securely. With a dynamic interface powered by AngularJS and a robust backend managed by Node.js and Express.js, HealthSage delivers a highly efficient and secure solution for individuals committed to proactive health management.

Code :

welcomepage.html

```
<!DOCTYPE html>  
<html lang="en">
```

```
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>HealthSage Welcome</title>
  <style>
    * {
      box-sizing: border-box;
      margin: 0;
      padding: 0;
      font-family: Arial, sans-serif;
    }

    body {
      background-color: #ffffff;
      display: flex;
      flex-direction: column;
      justify-content: center;
      align-items: center;
      min-height: 100vh;
      padding: 20px;
      text-align: center;
    }

    .logo {
      max-width: 100%;
      width: 200px;
      height: auto;
      margin-bottom: 20px;
      object-fit: contain;
    }
```

```
h1 {  
  font-size: 32px;  
  color: #152955;      ;  
  margin-bottom: 8px;  
  letter-spacing: 1px;  
}
```

```
p {  
  font-size: 18px;  
  color: #333;  
  margin-bottom: 30px;  
  padding: 0 10px;  
}
```

```
.buttons {  
  display: flex;  
  gap: 15px;  
  flex-wrap: wrap;  
  justify-content: center;  
}
```

```
.btn {  
  background: #40E0D0;  
  color: white;  
  padding: 12px 30px;  
  border: none;  
  border-radius: 30px;  
  cursor: pointer;  
  text-decoration: none;  
  font-weight: bold;
```

```

        transition: all 0.3s ease;
    }

    .btn:hover {
        background: #36c0b8;
        transform: scale(1.05);
    }

    @media(max-width: 500px) {
        h1 {
            font-size: 24px;
        }

        p {
            font-size: 16px;
        }

        .btn {
            width: 80%;
            padding: 12px 0;
        }

        .logo {
            width: 150px;
        }
    }
</style>
</head>

<body>
    
```

```
<h1>HealthSage</h1>
```

```
<p>Welcome to HealthSage - Your partner in health and  
wellness!</p>
```

```
<div class="buttons">
```

```
<a href="C:\Users\DELL\Desktop\AAD\signup.html"  
class="btn">Sign Up</a>
```

```
<a href="C:\Users\DELL\Desktop\AAD\login.html"  
class="btn">Login</a>
```

```
</div>
```

```
</body>
```

```
</html>
```

signup.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width,  
initial-scale=1.0">
```

```
<title>Health Tracker - Signup</title>
```

```
<style>
```

```
/* Base Reset */
```

```

* {
  box-sizing: border-box;
  margin: 0;
  padding: 0;
}

/* Body Styles */
body {
  font-family: Arial, sans-serif;
  background-color: #40E0D0;
  display: flex;
  justify-content: center;
  align-items: center;
  min-height: 100vh;
  padding: 20px;
}

/* Signup Container */
.signup-container {
  background: white;
  padding: 40px 30px;
  border-radius: 15px;
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.15);
  width: 100%;
  max-width: 400px; /* Responsive width */
  text-align: center;
  transition: all 0.3s ease;
}

/* Logo Section */
.logo {

```

```
max-width: 100%;  
width: 220px;  
height: auto;  
margin-bottom: 15px;  
object-fit: cover;  
}  
  
/* Website Title */  
h1 {  
    font-size: 28px;  
    color: #333;  
    margin-bottom: 25px;  
}  
  
/* Input Fields */  
input {  
    width: 100%;  
    padding: 12px;  
    margin: 10px 0;  
    border: 1px solid #ccc;  
    border-radius: 8px;  
    font-size: 14px;  
}  
  
/* Submit Button */  
button {  
    background-color: #40E0D0;  
    color: white;  
    padding: 12px;  
    width: 100%;  
    border: none;  
    border-radius: 8px;
```



```
    cursor: pointer;
    font-size: 16px;
    transition: background-color 0.3s ease;
}
```

```
button:hover {
    background-color: #36c9bd;
}
```

```
/* Text below the form */
p {
    margin-top: 20px;
    font-size: 14px;
}
```

```
a {
    color: #40E0D0;
    text-decoration: none;
    font-weight: bold;
}
```

```
/* Responsive */
@media(max-width: 480px) {
    .signup-container {
        padding: 30px 20px;
        border-radius: 10px;
    }
}
```

```
h1 {
```

```

        font-size: 24px;
    }

    .logo {
        width: 150px;
    }
}
</style>
</head>

<body>

    <div class="signup-container">
        <!-- Logo -->
        

        <!-- Website Name -->
        <h1>Sign Up</h1>

        <!-- Signup Form -->
        <form>
            <input type="text" placeholder="Full Name" required>
            <input type="email" placeholder="Email" required>
            <input type="password" placeholder="Password" required>
            <input type="password" placeholder="Confirm Password"
required>

            <button type="submit"><b>Sign Up</b></button>
        </form>
    </div>

```

```
    <p>Already have an account? <a
href="C:\Users\DELL\Desktop\AAD\login.html">Login here</a></p>
</div>
```

```
</body>
```

```
</html>
```

login.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="UTF-8">
```

```
    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
```

```
    <title>Health Tracker - Signup</title>
```

```
<style>
```

```
    /* Base Reset */
```

```
    * {
        box-sizing: border-box;
        margin: 0;
        padding: 0;
    }
```

```
    /* Body Styles */
```

```
    body {
```

```
font-family: Arial, sans-serif;
background-color: #40E0D0;
display: flex;
justify-content: center;
align-items: center;
min-height: 100vh;
padding: 20px;
}
```

```
/* Signup Container */
.signup-container {
  background: white;
  padding: 40px 30px;
  border-radius: 15px;
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.15);
  width: 100%;
  max-width: 400px; /* Responsive width */
  text-align: center;
  transition: all 0.3s ease;
}
```

```
/* Logo Section */
.logo {
  max-width: 100%;
  width: 220px;
  height: auto;
  margin-bottom: 15px;
  object-fit: cover;
}
```

```
/* Website Title */
h1 {
```

```
    font-size: 28px;
    color: #333;
    margin-bottom: 25px;
}
```

```
/* Input Fields */
```

```
input {
    width: 100%;
    padding: 12px;
    margin: 10px 0;
    border: 1px solid #ccc;
    border-radius: 8px;
    font-size: 14px;
}
```

```
/* Submit Button */
```

```
button {
    background-color: #40E0D0;
    color: white;
    padding: 12px;
    width: 100%;
    border: none;
    border-radius: 8px;
    cursor: pointer;
    font-size: 16px;
    transition: background-color 0.3s ease;
}
```

```
button:hover {
    background-color: #36c9bd;
}
```

```

/* Text below the form */
p {
    margin-top: 20px;
    font-size: 14px;
}

a {
    color: #40E0D0;
    text-decoration: none;
    font-weight: bold;
}


/* Responsive */
@media(max-width: 480px) {
    .signup-container {
        padding: 30px 20px;
        border-radius: 10px;
    }

    h1 {
        font-size: 24px;
    }

    .logo {
        width: 150px;
    }
}
</style>

```

```
</head>
```

```
<body>
```

```
  <div class="signup-container">
```

```
    
```

```
    <h1>Login</h1>
```

```
    <form>
```

```
      <input type="email" placeholder="Email" required>
```

```
      <input type="password" placeholder="Password" required>
```

```
      <button type="submit"><b>Login</b></button>
```

```
    </form>
```

```
    <p>Don't have an account? <a
href="C:\Users\DELL\Desktop\AAD\signup.html">Sign Up
here</a></p>
```

```
  </div>
```

```
</body>
```

```
</html>
```

index.html

```
<!DOCTYPE html>
<html lang="en" ng-app="healthApp">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Index Page</title>

  <!-- AngularJS CDN -->
  <script
src="https://ajax.googleapis.com/ajax/libs/angularjs/1.8.2/angular.mi
n.js"></script>

<style>
  /* Your existing styles */
  body {
    margin: 0;
    font-family: Arial, sans-serif;
    background: turquoise;
  }

  .navbar {
    display: flex;
    align-items: center;
    justify-content: space-between;
    padding: 15px 30px;
    background-color: white;
    color: #152955;
```



```
border-radius: 10px;  
}
```

```
.navbar img {  
  width: 220px;  
  height: auto;  
}
```

```
.navbar a {  
  text-decoration: none;  
  color: #152955;  
  font-weight: bold;  
  font-size: 16px;  
  padding: 8px 15px;  
  border: 1px solid #152955;  
  border-radius: 5px;  
  transition: 0.3s;  
}
```

```
.navbar a:hover {  
  background-color: #152955;  
  color: white;  
}
```

```
.form-container {  
  max-width: 800px;  
  margin: 30px auto;  
  background: white;  
  padding: 30px;  
  border-radius: 10px;  
  box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);  
}
```

```
}
```

```
.form-grid {  
  display: grid;  
  grid-template-columns: 1fr 1fr;  
  gap: 20px 40px;  
}
```

```
.input-group {  
  display: flex;  
  flex-direction: column;  
}
```

```
.input-group label {  
  font-weight: bold;  
  margin-bottom: 5px;  
  color: #152955;  
}
```

```
.input-group input {  
  padding: 8px;  
  border: 1px solid #ccc;  
  border-radius: 6px;  
  font-size: 14px;  
  transition: 0.3s;  
}
```

```
.input-group input:focus {  
  outline: none;  
  border: 2px solid #152955;  
}
```

```

    @media(max-width: 600px) {
      .form-grid {
        grid-template-columns: 1fr;
      }

      .navbar {
        flex-direction: column;
        align-items: flex-start;
        gap: 10px;
      }

      .navbar img {
        width: 180px;
      }
    }
  </style>
</head>

<body ng-controller="healthCtrl">

  <!-- Navbar -->
  <div class="navbar">
    
    <a
    href="C:\Users\DELL\Desktop\AAD\welcomepage.html">Logout</a
    >
  </div>

  <!-- Form Section -->
  <div class="form-container">

```

```

<div class="form-grid">
  <div class="input-group" ng-repeat="field in fields">
    <label>{{field.label}}</label>
    <input type="text" ng-model="formData[field.model]"
placeholder="Enter {{field.label}}">
  </div>
</div>

<!-- Save Data Button -->
<div style="text-align: center; margin-top: 20px;">
  <button ng-click="saveData()" style="padding:10px 20px;
background-color:#152955; color:white; border:none;
border-radius:5px; cursor:pointer;">Save Data</button>
</div>

<!-- Display Data -->
<div ng-if="saved" style="margin-top:30px; border-top:1px
solid #ccc; padding-top:20px;">
  <h3>Saved Data</h3>
  <p><b>Blood Pressure:</b>
{{formData.bloodPressure}}</p>
  <p><b>Calories Intake:</b> {{formData.caloriesIntake}}</p>
  <p><b>Blood Sugar Level:</b>
{{formData.bloodSugar}}</p>
  <p><b>Weight:</b> {{formData.weight}}</p>
  <p><b>Steps Covered:</b> {{formData.stepsCovered}}</p>
  <p><b>Water Intake Level:</b>
{{formData.waterLevel}}</p>
  <p><b>Stress Management:</b>
{{formData.stressManagement}}</p>
  <p><b>Workout:</b> {{formData.workout}}</p>
</div>

```

```
</div>
```

```
<!-- AngularJS Script -->
```

```
<script>
```

```
    angular.module('healthApp', [])
      .controller('healthCtrl', function ($scope) {
        $scope.formData = {};
        $scope.saved = false;

        $scope.fields = [
          { label: 'Blood Pressure', model: 'bloodPressure' },
          { label: 'Calories Intake', model: 'caloriesIntake' },
          { label: 'Blood Sugar Level', model: 'bloodSugar' },
          { label: 'Weight', model: 'weight' },
          { label: 'Steps Covered', model: 'stepsCovered' },
          { label: 'Water Intake Level', model: 'waterLevel' },
          { label: 'Stress Management', model:
'stressManagement' },
          { label: 'Workout', model: 'workout' }
        ];

        $scope.saveData = function () {
          $scope.saved = true;
        };

      });
</script>
```

```
</body>
```

</html>

server.js

```
const express = require("express"); // Import Express.js framework
const mongoose = require("mongoose"); // Import Mongoose for
MongoDB interaction
const cors = require("cors");      // Import CORS to allow
cross-origin requests
const bodyParser = require("body-parser"); // Import body-parser to
handle JSON data
require("dotenv").config(); // Load environment variables from .env
file

// Initialize Express app
const app = express();
```

```

app.use(express.static("public")); // Serve static files from the
"public" directory
app.use(bodyParser.json()); // Parse incoming JSON request
bodies

// Connect to MongoDB Atlas
mongoose.connect("mongodb+srv://debookermeencs232407:<ker
meen>@cluster0.hslfmrz.mongodb.net/", {
  useNewUrlParser: true, // Use the new MongoDB URL parser
  useUnifiedTopology: true, // Use the new server discovery and
monitoring engine
})
.then(() => console.log("MongoDB Connected")) // Log success
message when connected
.catch(err => console.log(err)); // Log error if connection fails

// Define Schema and Model
const UserSchema = new mongoose.Schema({
  fullName: String,
  email: String,
  password: String
});

// Create a Mongoose Model for the "signup" collection
const User = mongoose.model("signup", UserSchema);

// Route to handle user signup
app.post("/signup", async (req, res) => {
  try {
    const { fullName, email, password } = req.body; // Extract data
from request body

```

```

    // Check if a user with the same email already exists
    const existingUser = await User.findOne({ email });
    if (existingUser) return res.status(400).json({ message: "User
already exists" }); // Return error if user exists

    // Create a new user and save to database
    const newUser = new User({ fullName, email, password });
    await newUser.save();

    // Send success response
    res.status(201).json({ message: "Signup successful" });
  } catch (error) {
    res.status(500).json({ message: "Error signing up" }); // Send
error response if any issue occurs
  }
});

// Start the server and listen on the specified port
const PORT = process.env.PORT || 5000; // Use port from
environment variables or default to 5000
app.listen(PORT, () => console.log(`Server running on port
${PORT}`)); // Log that server is running

```


site.webmanifest

```
{"name":"","short_name":"","icons":[{"src":"/android-chrome-192x192.png","sizes":"192x192","type":"image/png"}, {"src":"/android-chrome-512x512.png","sizes":"512x512","type":"image/png"}], "theme_color":"#ffffff","background_color":"#ffffff","display":"standalone"}
```

Demonstration :

Welcome Page




HealthSage

Welcome to HealthSage - Your partner in health and wellness!

Sign Up

Login

Signup Page



The image shows a 'Sign Up' form for HealthSage. The form is centered on a teal background. It includes a logo, a title, four input fields, a submit button, and a link for existing users.

HealthSage

Sign Up

Full Name

Email


Password

Confirm Password

Sign Up

Already have an account? [Login here](#)

Login Page



Main Page



Logout

Blood Pressure

Enter Blood Pressure

Blood Sugar Level

Enter Blood Sugar Level

Calories Intake

Enter Calories Intake

Weight

Enter Weight

Water Intake Level

Enter Water Intake Level

Steps Covered

Enter Steps Covered

Stress Management

Enter Stress Management

Workout

Enter Workout

Save Data

Data Stored

```
> MONGOSH
> db["oplog.rs"].find()
< {
  _id: ObjectId('67e77c29653707f6661bc8ee'),
  name: 'alex',
  email: 'alex@abc.com',
  password: '123456',
  confirmpassword: '123456'
}
{
  _id: ObjectId('67e77c47653707f6661bc8ef'),
  name: 'bob',
  email: 'bob@abc.com',
  password: '123',
  confirmpassword: '123'
}
{
  _id: ObjectId('67e77c6c653707f6661bc8f0'),
  name: 'charlie',
  email: 'charlie@abc.com',
  password: '456789',
  confirmpassword: '456789'
}
{
  _id: ObjectId('67e77c8b653707f6661bc8f1'),
  name: 'david',
  email: 'david@abc.com',
  password: '123456',
  confirmpassword: '123456'
}
```

```
>_MONGOSH
password: 123,
confirmpassword: '123'
}
{
  _id: ObjectId('67e77c6c653707f6661bc8f0'),
  name: 'charlie',
  email: 'charlie@abc.com',
  password: '456789',
  confirmpassword: '456789'
}
{
  _id: ObjectId('67e77c8b653707f6661bc8f1'),
  name: 'david',
  email: 'david@abc.com',
  password: '456',
  confirmpassword: '456'
}
{
  _id: ObjectId('67e77cc4653707f6661bc8f2'),
  name: 'evan',
  email: 'evan@abc.com',
  password: '123456789',
  confirmpassword: '123456789'
}
Atlas atlas-14m32d-shard-0 [primary] test>
```