

Winning Space Race with Data Science

Kerolos George 30/7/2023



Outline

- Executive Summary
- Introduction
- Methodology
- Results
- Conclusion
- Appendix

Executive Summary

- Summary of methodologies
- Summary of all results

Introduction

- Project background and context
- Problems you want to find answers



Methodology

Executive Summary

- Data collection methodology:
 - Collected the rocket launch data from the SpaceX API
 - Collect Falcon 9 historical launch records using Web scraping
- Perform data wrangling
- Perform exploratory data analysis (EDA) using visualization and SQL
- Perform interactive visual analytics using Folium and Plotly Dash
- Perform predictive analysis using classification models

Data Collection

- Collected the rocket launch data from the SpaceX API
- Web-scraped the SpaceX table in the Wikipedia page to collect Falcon 9 historical launch records

Data Collection – SpaceX API

. GitHub URL OF Data Collection:

https://github.com/Kerolos-George/SpaceXrocket/blob/main/Collecting% 20the%20data.ipynb

Data Collection - Scraping

- The GitHub URL of the completed web scraping :
- https://github.com/Kerolos-George/SpaceXrocket/blob/main/webscrapin g.ipynb

Data Wrangling

- Calculated the number of launches on each site
- Calculated the number and occurrence of each orbit
- Calculated the number and occurrence of mission outcome per orbit type
- Create a landing outcome label from Outcome column

• The GitHub URL: https://github.com/Kerolos-George/SpaceX-rocket/blob/main/Data%20wrangling.ipynb

EDA with Data Visualization

• Add the GitHub URL of your completed EDA with data visualization notebook:

https://github.com/Kerolos-George/SpaceX-rocket/blob/main/eda-dataviz.ipynb

EDA with SQL

- Loaded the SpaceX dataset into a sqllite database.
- We applied EDA with SQL to get insight from the data. We wrote queries to find out for instance:
 - The names of unique launch sites in the space mission.
 - The total payload mass carried by boosters launched by NASA (CRS)
 - The average payload mass carried by booster version F9 v1.1
 - The total number of successful and failure mission outcomes
 - The failed landing outcomes in drone ship, their booster version and launch site names.
- Add the GitHub URL of your completed EDA with SQL notebook:

Build an Interactive Map with Folium

- Finding an optimal location for building a launch site certainly involves many factors and hopefully we could discover some of the factors by analyzing the existing launch site locations.
- Marked all launch sites, and added map objects such as markers, circles, lines to mark the success or failure of launches for each site on the folium map.
- Using the color-labeled marker clusters, we identified which launch sites have relatively high success rate.
- We calculated the distances between a launch site to its proximities. We answered some question for instance:
 - Are launch sites near railways, highways and coastlines.
 - Do launch sites keep certain distance away from cities.
- Add the GitHub URL of your completed interactive map with Folium map:

https://github.com/Kerolos-George/SpaceX-rocket/blob/main/launch site location.ipynb

Build a Dashboard with Plotly Dash

- Built an interactive dashboard with Plotly dash
- Plotted pie charts showing the total launches by a certain sites
- Plotted scatter graph showing the relationship with Outcome and Payload Mass (Kg) for the different booster version
- https://github.com/Kerolos-George/SpaceXrocket/blob/main/plotly_dash.py

Predictive Analysis (Classification)

- Loaded the data using numpy and pandas, transformed the data, split our data into training and testing.
- Built different machine learning models and tune different hyperparameters using GridSearchCV.
- Used accuracy as the metric for our model, improved the model using feature engineering and algorithm tuning.
- Found the best performing classification model
- https://github.com/Kerolos-George/SpaceXrocket/blob/main/SpaceX Machine Learning Prediction.ipynb


Results

- Exploratory data analysis results
- Interactive analytics demo in screenshots
- Predictive analysis results



Flight Number vs. Launch Site


• Show a scatter plot of Flight Number vs. Launch Site



• Explanation: when the flight number is > 80 the success rate is 100%

Payload vs. Launch Site


• Show a scatter plot of Payload vs. Launch Site



no rockets launched for heavypayload mass(greater than 10000

Success Rate vs. Orbit Type


 Show a bar chart for the success rate of each orbit type



• **Explanation**: The ES-L1, GEO, HEO and SSO orbit have the maximum success rate


Flight Number vs. Orbit Type

 Show a scatter point of Flight number vs. Orbit type



Payload vs. Orbit Type

• Show a scatter point of payload vs. orbit type




• With heavy payloads the successful landing or positive landing rate are more for Polar, LEO and ISS.

However for GTO we cannot distinguish this well as both positive landing rate and negative landing (unsuccessful mission) are both there here.

Launch Success Yearly Trend

• Show a line chart of yearly average success rate



• Explanation: the sucess rate since 2013 kept increasing till 2020

All Launch Site Names

Present your query result with a short explanation here

```
%sql SELECT DISTINCT Launch_Site FROM SPACEX_DATA
 * sqlite:///SpaceX.db
Done.
  Launch_Site
  CCAFS LC-40
  VAFB SLC-4E
   KSC LC-39A
 CCAFS SLC-40
```

Launch Site Names Begin with 'CCA'

Display 5 records where launch sites begin with the string 'CCA' **D** ~ %sql SELECT * FROM SPACEX DATA WHERE Launch Site LIKE 'CCA%'LIMIT(5) [12] Python * sqlite:///SpaceX.db Done. **</>>** Landing Time Booster Version Launch Site Payload PAYLOAD MASS KG Orbit Customer Mission Outcome Date (UTC) Outcome 04-06-CCAFS LC-**Dragon Spacecraft** Failure 18:45:00 F9 v1.0 B0003 LEO SpaceX Success **Qualification Unit** 2010 40 (parachute) Dragon demo flight C1, two CCAFS LC-08-12-LEO NASA Failure 0 15:43:00 F9 v1.0 B0004 CubeSats, barrel of Brouere Success 2010 40 (ISS) (COTS) NRO (parachute) cheese 22-05-CCAFS LC-LEO NASA F9 v1.0 B0005 Dragon demo flight C2 07:44:00 525 Success No attempt 2012 (COTS) 40 (ISS) 08-10-CCAFS LC-LEO 00:35:00 F9 v1.0 B0006 SpaceX CRS-1 500 NASA (CRS) Success No attempt 2012 40 (ISS) CCAFS LC-01-03-LEO F9 v1.0 B0007 NASA (CRS) 15:10:00 SpaceX CRS-2 677 Success No attempt (ISS) 2013 40

Total Payload Mass

Display the total payload mass carried by boosters launched by NASA (CRS) %sql SELECT SUM(PAYLOAD_MASS__KG_) as Total_Payload_Mass FROM SPACEX_DATA WHERE Customer == 'NASA (CRS)' * sqlite:///SpaceX.db Done. Total_Payload_Mass 45596

Average Payload Mass by F9 v1.1

```
Display average payload mass carried by booster version F9 v1.1
       %sql SELECT AVG(PAYLOAD_MASS__KG_) as Avg_Payload_Mass FROM SPACEX_DATA WHERE Booster_Version == 'F9 v1.1'
[21]
    * sqlite:///SpaceX.db
   Done.
    Avg_Payload_Mass
             2928.4
```

First Successful Ground Landing Date

List the date when the first successful landing outcome in ground pad was acheived. %sql SELECT MIN(Date) AS FirstSuccessfull_landing_date FROM SPACEX_DATA WHERE [Landing_Outcome] == 'Success (ground pad)' * sqlite:///SpaceX.db Done. FirstSuccessfull_landing_date 01-05-2017

Successful Drone Ship Landing with Payload between 4000 and 6000

List the names of the boosters which have success in drone ship and have payload mass greater than 4000 but less than 6000 %sql SELECT Booster_Version FROM SPACEX_DATA WHERE [Landing Outcome] = 'Success (drone ship)' AND PAYLOAD MASS KG > 4000 AND PAYLOA Python * sqlite:///SpaceX.db Done. Booster_Version F9 FT B1022 F9 FT B1026 F9 FT B1021.2 F9 FT B1031.2

Total Number of Successful and Failure Mission Outcomes

List the total number of successful and failure mission outcomes %sql SELECT (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success%') as Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success%') as Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success%') as Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success%') as Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success%') as Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success%') as Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success_outcomes, (SELECT COUNT(*) FROM SPACEX_DATA WHERE [Landing _Outcome] LIKE 'Success_outcome] LIKE ' Python * sqlite:///SpaceX.db Done. Success_outcomes Failure_outcomes 61 10

Boosters Carried Maximum Payload

List the names of the booster_versions which have carried the maximum payload mass. Use a subquery

```
%sql SELECT Booster_Version, PAYLOAD_MASS_ KG_ FROM SPACEX_DATA WHERE PAYLOAD_MASS_ KG_ == (SELECT MAX(PAYLOAD_MASS_ KG_) FROM SPACEX_[
                                                                                                                                              Python
 * sqlite:///SpaceX.db
Done.
 Booster Version PAYLOAD MASS KG
  F9 B5 B1048.4
                              15600
                              15600
  F9 B5 B1049.4
  F9 B5 B1051.3
                              15600
  F9 B5 B1056.4
                              15600
  F9 B5 B1048.5
                              15600
  F9 B5 B1051.4
                              15600
  F9 B5 B1049.5
                              15600
  F9 B5 B1060.2
                              15600
  F9 B5 B1058.3
                              15600
  F9 B5 B1051.6
                              15600
  F9 B5 B1060.3
                              15600
  F9 B5 B1049.7
                              15600
```

2015 Launch Records

• List the failed landing_outcomes in drone ship, their booster versions, and launch site names for in year 2015


Present your query result with a short explanation here

Rank Landing Outcomes Between 2010-06-04 and 2017-03-20


 Rank the count of landing outcomes (such as Failure (drone ship) or Success (ground pad)) between the date 2010-06-04 and 2017-03-20, in descending order



<Folium Map Screenshot 1>



<Folium Map Screenshot 2>




<Folium Map Screenshot 3>







< Dashboard Screenshot 1>



Pie chart showing the Launch site with the highest launch success ratio




< Dashboard Screenshot 3>






Classification Accuracy

• Visualize the built model accuracy for all built classification models, in a bar chart



Find which model has the highest classification accuracy;
 KNN

Confusion Matrix



Conclusions

- The larger the flight amount at a launch site, the greater the success rate at a launch site.
- Launch success rate started to increase in 2013 till 2020.
- Orbits ES-L1, GEO, HEO, SSO, VLEO had the most success rate.
- KSC LC-39A had the most successful launches of any sites.
- The KNNclassifier is the best machine learning algorithm for this task

Appendix

• https://github.com/Kerolos-George/SpaceX-rocket

