Locomotion


2026-09-30

Table of contents


Model options 1
distance_m ~ 1 + minute * group + (1 + minute | animal) + Normal(0, sigma) 1
distance_m ~ 1 + minute * group + (1 + minute | animal) + (1 | minute) + Normal(0, sigma) 2
distance_m ~ 1 + minute * group + (1 + minute | animal) + (1 | minute) + (1 + minute | litter) + Normal(0, sigma) 2
Different random effects contribution 3
No random effects 3
Animal variability 3
Litter variability 4
Time-point variability (the hack) 4
Full variability 5
Linear mixed-effects model - the most conservative future predictions w/ and w/o RE 5
Contrasts w/ RE (S_Figure 1) 6
Contrasts w/o RE (S_Figure 2) 6
Non-linear mixed-effects model - the most conservative future predictions w/ and w/o RE 7
Contrasts w/ RE (S_Figure 3) 7
Contrasts w/o RE (S_Figure 4) 8

Model options

distance_m ~ 1 + minute * group + (1 + minute | animal) + Normal(0, sigma)




distance_m ~ 1 + minute * group + (1 + minute | animal) + (1 | minute) + Normal(0, sigma)




---

distance_m ~ 1 + minute * group + (1 + minute | animal) + (1 | minute) + (1 + minute | litter) + Normal(0, sigma)




Different random effects contribution


No random effects




Animal variability




Litter variability




Time-point variability (the hack)




Full variability



Linear mixed-effects model - the most conservative future predictions w/ and w/o RE




Contrasts w/ RE (S_Figure 1)




S_Figure 1: Contrasts w/ RE

Contrasts w/o RE (S_Figure 2)




S_Figure 2: Contrasts w/o RE

Non-linear mixed-effects model - the most conservative future predictions w/ and w/o RE




Contrasts w/ RE (S_Figure 3)



S_Figure 3: Contrasts w/ RE

Contrasts w/o RE (S_Figure 4)



S_Figure 4: Contrasts w/0 RE