```
#grade list
grades = [grade1, grade2, grade3, grade4, grade5]

#average
average = sum(grades) / len(grades)


#get letter grade
letter_grade = get_letter_grade(average)

#results
print(student_name)
print(f"average: {average:g}")
print("Letter grade: ")
print(letter_grade)
```

```
enter grade 5: 100

: 75.2
grade:


 finished with exit code 0
```


ect [FunctionAssignme
de
ts
nore
HEDIR.TAG
nv.cfg
oraries
and Consoles
main.py
#grade list
grades = [grade1, grade2, grade3, grade4, grade5]
#average
average = sum(grades) / len(grades)
#get letter grade
letter_grade = get_letter_grade(average)
#results
print(student_name)
print(f"average: {average:g}")
print("Letter grade: ")
print(letter_grade)
ain
enter grade 2: 44
enter grade 3: 94
enter grade 4: 83
enter grade 5: 79
e: 78.4
grade:
24:7
CRLF
UTF-8
4 spaces
Types: Built

main.py

```
23  #grade list
24  grades = [grade1, grade2, grade3, grade4, grade5]
25
26  #average
27  average = sum(grades) / len(grades)
28
29  #get letter grade
30  letter_grade = get_letter_grade(average)
31
32  #results
33  print(student_name)
34  print(f"average: {average:g}")
35  print("Letter grade: ")
36  print(letter_grade)
```

Click to go back, hold to see history

```
er grade 5: 95

)
de:


nished with exit code 0
```

```
def get_letter_grade(average : {__ge__} ):  1 usage
        return "B"
    elif average >= 70:
        return "C"
    elif average >= 60:
        return "D"
    else:
        return "F"

#student's name
student_name = input("Please enter student name: ")

#student"s grades
grade1 = int(input("please enter grade 1: "))
grade2 = int(input("please enter grade 2: "))
grade3 = int(input("Please enter grade 3: "))
```

```
r grade 5: 100

.8
e:


ished with exit code 0
```

```
#grade list
grades = [grade1, grade2, grade3, grade4, grade5]

#average
average = sum(grades) / le

#get letter grade
letter_grade = get_letter_grade(average)


#results
print(student_name)
print(f"average: {average:g}")
print("Letter grade: ")
print(letter_grade)
```

main

```
grade3: int = int(input("Please enter grade 3: "))
```

```
enter grade 3: 27
enter grade 4: 100
enter grade 5: 92

: 65.6
grade:
```


PythonProject [FunctionAssig
.venv
Include
Lib
Scripts
.gitignore
CACHEDIR.TAG
pyvenv.cfg
main.py
External Libraries
Scratches and Consoles
main.py
def get_letter_grade(average :{__ge__} ): 1 usage
return "B"
elif average >= 70:
return "C"
elif average >= 60:
return "D"
else:
return "F"
#student's name
student_name = input("Please enter student name: ")
#student"s grades
grade1 = int(input("please enter grade 1: "))
grade2 = int(input("please enter grade 2: "))
grade3 = int(input("Please enter grade 3: "))
main
Please enter grade 5: 89
Jeremiah
average: 71.6
Letter grade:
C
Process finished with exit code 0
Project > main.py
24:7
CRLF
UTF-8
4 spaces

main.py

```
#grade list
grades = [grade1, grade2, grade3, grade4, grade5]

#average
average = sum(grades) / len(grades)

#get letter grade
letter_grade = get_letter_grade(average)

#results
print(student_name)
print(f"average: {average:g}")
print("Letter grade: ")
print(letter_grade)
```

```
nter grade 5: 82

 96.2
rade:


finished with exit code 0
```

24:7 CRLF UTF-8 4 spaces Types: Built-in