"Unlock Your Potential: Master RHCSA Certification with Our Dynamic eBook!"



Q ≡ Menu

# Vivaldi 6.8 Released – A Modern Classic Web Browser for Power-Users

Ravi Saive Last Updated: June 24, 2024 Read Time: 2 mins Web Browsers 14 Comments

Vivaldi, the popular Chromium-based web browser, has released version 6.8 with a focus on enhancing the built-in <u>mail client</u> and other productivity features.

#### **About Vivaldi**

Vivaldi was created by former Opera CEO Jon von Tetzchner and his team. It is designed as a powerful and customizable browser for power users, offering a range of features beyond just web browsing.

One of Vivaldi's key selling points is its extensive built-in tools, including a <u>note-taking app</u>, <u>calendar</u>, <u>RSS reader</u>, and <u>email client</u>. This makes Vivaldi a compelling choice for users who want to consolidate their productivity tools within a single browser.


## **New Release and Features**

The latest Vivaldi 6.8 release brings several improvements to the browser, with the most notable changes centered around the Vivaldi Mail client.

The Vivaldi Mail client now known as Vivaldi Mail 2.0 and comes with the following key enhancements:


- Quick Reply: Users can now send quick replies to emails directly from the message panel, without the need to open a separate compose window.
- Undo Actions: Vivaldi Mail allows users to undo up to 200 recent actions, such as accidentally marking an email as read or moving it to the trash.
- Prefetching: Vivaldi Mail will now automatically download the last 30 days of emails from added accounts, improving search performance and allowing users to preview


email content without opening the message.



In addition to the Vivaldi Mail updates, the 6.8 release also includes the following improvements:

- Real-time Tab Memory Usage: Vivaldi now provides a real-time display of tab memory usage, allowing users to better monitor and manage their browser's resource consumption.
- Tab Switch in Address Field: When typing in the address field, users can now directly switch to an open tab, preventing the creation of duplicate tabs.
- Enhanced Tracker and Ad Blocker: Vivaldi's built-in tracker and ad blocker have been improved, with support for adding host files and more frequent rule updates.





# **Installation of Vivaldi Browser in Linux**

Vivaldi 6.8 is available for download on the <u>Vivaldi website</u>. Users can choose from <u>various</u> <u>Linux distributions</u>, including DEB and RPM packages for 64-bit and ARM architectures.

To install Vivaldi on a Linux system, download the appropriate Vivaldi package for your Linux distribution from the Vivaldi website and install the package using your system's package manager.

For example, on Ubuntu or <u>Debian-based systems</u>, you can use the following command:

sudo apt install ./vivaldi-stable \*.deb

Once the installation is complete, you can launch Vivaldi from your system's application menu or by typing vivaldi in the terminal.

vivaldi

# Conclusion

Vivaldi 6.8 is a significant update that focuses on enhancing the browser's productivity features, particularly the Vivaldi Mail client.

With the new quick reply, undo actions and prefetching capabilities, Vivaldi continues to position itself as a powerful and versatile browser for power users.

The other improvements, such as real-time tab memory usage and the enhanced tracker and ad blocker, further solidify Vivaldi's position as a feature-rich and customizable browsing experience.

# Hey TecMint readers,

Exciting news! Every month, our top blog commenters will have the chance to win fantastic rewards, like free Linux eBooks such as RHCE, RHCSA, LFCS, Learn Linux, and Awk, each worth \$20!

Learn <u>more about the contest</u> and stand a chance to win by <u>sharing your thoughts</u> below!



PREVIOUS ARTICLE:

How to Install Cinnamon Desktop and Basic Software in Arch Linux

**NEXT ARTICLE:** 

# **How to Install RHEL 9 for RHCSA Certification**



I am an experienced GNU/Linux expert and a full-stack software developer with over a decade in the field of Linux and Open Source technologies


Each tutorial at **TecMint** is created by a team of experienced Linux system administrators so that it meets our high-quality standards.

Join the <u>TecMint Weekly Newsletter</u> (More Than 156,129 Linux Enthusiasts


Have Subscribed)

Was this article helpful? Please <u>add a comment</u> or <u>buy me a coffee</u> to show your appreciation.


## **Related Posts**




Firefox 127 on Linux: New Features, Install Guide & More



**Top 5 Command Line Browsers for Linux** 




18 Must-Try Web Browsers for Linux Users in 2024



Tor Browser – How to Browse Web Anonymously in Linux



How to Install Google Chrome in Linux [RHEL-based Distros]



How to Install Firefox on RHEL and Debian Systems



Leave a Reply

dragonmouth

June 25, 2024 at 5:20 pm

Nice write-up but not one word about Vivaldi's security performance.

<u>Reply</u>

**Author** 



#### **Ravi Saive**

June 26, 2024 at 9:50 am

@Dragonmouth,

Thank you for the feedback! You're right, I didn't cover Vivaldi's security performance. I appreciate the suggestion and will make sure to include details about Vivaldi's security features in future write-ups.

<u>Reply</u>

#### **Phillipe**

August 13, 2016 at 11:44 pm

Mr. Saive in Debian/Ubuntu/Mint On 64-Bit System architeture you provide a ".rpm" file rather than an actual .deb.

Please fix it I'm really excited about Vivaldi (cause it's developed by an Opera programmer and I really find Opera so cool) and want to make a testdrive with it.

<u>Reply</u>

**Author** 



#### **Ravi Saive**

August 15, 2016 at 12:30 pm

@Phillipe,

Thanks for notifying us, corrected in the writeup and included correct DEB package for the Debian/Ubuntu and Mint.

<u>Reply</u>

## Olympian

July 1, 2016 at 7:20 pm

Ravi, Thanks for this article. I tried to install Vivaldi on my Linux Mint 13, but it is running into a problem right from the beginning.

\_

\$ wget https://download.vivaldi.com/stable/vivaldi-stable-1.0.435.40-1.i386.rpm -2016-07-01 19:09:32- https://download.vivaldi.com/stable/vivaldi-stable-1.0.435.40-1.i386.rpm

Resolving download.vivaldi.com (download.vivaldi.com)... 92.242.132.27 Connecting to download.vivaldi.com (download.vivaldi.com)|92.242.132.27|:443... failed: Connection timed out.

Retrying.

-2016-07-01 19:10:37- (try: 2) <a href="https://download.vivaldi.com/stable/vivaldi-stable-1.0.435.40-1.i386.rpm">https://download.vivaldi.com/stable/vivaldi-stable-1.0.435.40-1.i386.rpm</a>

Connecting to download.vivaldi.com (download.vivaldi.com)|92.242.132.27|:443... failed: Connection timed out.

Retrying.

:

:

this goes on and on

**Reply** 

**Author** 



#### **Ravi Saive**

July 2, 2016 at 11:25 am

#### @Olympian,

Sorry for the trouble, it's due to missing links, I've just updated the links with most recent version, hope it will work for you..

**Reply** 

#### **Olympian**

July 5, 2016 at 5:28 am

Thank you for updating. I am able to download, but ran into problem with the next step (dkpg). Could you please see if it is similar to the problem that I ran into installing Chrome on Linux Mint 13 (ie Mint 13 is too old)? Thanks

\$ sudo dpkg -i vivaldi-stable\_1.2.490.43-1\_amd64.deb

[sudo] password for olympian:

Selecting previously unselected package vivaldi-stable.

(Reading database ... 176526 files and directories currently installed.)

Unpacking vivaldi-stable (from vivaldi-stable\_1.2.490.43-1\_amd64.deb) ...

dpkg: dependency problems prevent configuration of vivaldi-stable:

vivaldi-stable depends on libnss3 (>= 3.17.2); however:

Version of libnss3 on system is 3.13.1.with.ckbi.1.88-1ubuntu6.

dpkg: error processing vivaldi-stable (-install):

dependency problems - leaving unconfigured

Processing triggers for menu ...

Processing triggers for gnome-menus ...

Processing triggers for desktop-file-utils ...

Processing triggers for bamfdaemon ...

Rebuilding /usr/share/applications/bamf.index...

Errors were encountered while processing:

vivaldi-stable

**Reply** 

**Author** 



#### **Ravi Saive**

July 5, 2016 at 12:37 pm

@Olympian,

As I said latest version of Vivaldi browser requires more recent version of libnss3 (>= 3.17.2) libraries to function properly, the only way to install latest Vivaldi you should do a system upgrade....

**Reply** 

# **Olympian**

July 8, 2016 at 12:14 am

Thank you for your time.



#### Ray

April 12, 2016 at 1:01 am

With great power comes great responsibilities...

Does it have the necessary web security (inbuilt or apps) for a safer experience? (Like Trafficlight, AdBlockPlus, etc.)

.

<u>Reply</u>

**Author** 



#### **Ravi Saive**

April 12, 2016 at 11:07 am

@Ray,

Yes, there are tons of plugins and extensions available for Vivaldi, all of them you can find at: vivaldi://chrome/extensions

<u>Reply</u>

#### Raheel

April 8, 2016 at 2:41 am

It's about time a good successor to Opera 12.17 came along. However, I found that the RAM consumption is greater than Google Chrome with having its own technologies running on top of the Chromium back end. I hope this would improve overtime, but for now I'm sticking to Polarity for Windows and Midori for Linux.

**Reply** 

Admin



## **Marin Todorov**

April 6, 2016 at 11:39 pm

How about any plugins or extensions? Also how much memory does it eat compared to Chrome?

<u>Reply</u>

**Author** 



#### **Ravi Saive**

April 7, 2016 at 10:58 am

@Marin,

Yes, you can install all your favorite plugins or extensions by going to Vivaldi://extensions on the browser and about memory it uses much less than Chrome and FF...

<u>Reply</u>

# Got Something to Say? Join the Discussion...

Thank you for taking the time to share your thoughts with us. We appreciate your decision to leave a comment and value your contribution to the discussion. It's important to note that we moderate all comments in accordance with our <u>comment policy</u> to ensure a respectful and constructive conversation.

Rest assured that your email address will remain private and will not be published or shared with anyone. We prioritize the privacy and security of our users.

|                                    |  | h |
|------------------------------------|--|---|
| Name *                             |  |   |
| Email *                            |  |   |
| ☐ Save my name, email, and website | in this browser for the next time I comment. |   |
| Post Comment                       |  |   |
|                                    |  |   |
| Search                             |  |   |
|                                    |  |   |
|                                    |  |   |

# Do You Enjoy My Blog?

Support from readers like YOU keeps this blog running. Buying me a cup of coffee is a simple and affordable way to show your appreciation and help keep the posts coming!

Buy Me a Coffee

## **Linux Commands and Tools**

bd – Quickly Go Back to a Parent Directory Instead of Typing "cd ../../.." Redundantly

findmnt - Shows Currently Mounted File Systems in Linux

**Linux Uptime Command With Usage Examples** 

**How to Find My DNS Server IP Address in Linux** 

Fast - Test Your Internet Download Speed from Linux Terminal

**How to Get Total Inodes of Root Partition** 

# **Linux Server Monitoring Tools**

How to Setup Rsyslog Client to Send Logs to Rsyslog Server in CentOS 7

How to Install Cacti with Cacti-Spine in Debian and Ubuntu

How to Create a Centralized Log Server with Rsyslog in CentOS/RHEL 7

Setting Up Real-Time Monitoring with 'Ganglia' for Grids and Clusters of Linux Servers

How to Install and Configure 'Collectd' and 'Collectd-Web' to Monitor Server Resources in Linux

How to Install Zabbix Agent and Add Windows Host to Zabbix Monitoring - Part 4

# **Learn Linux Tricks & Tips**

How to Identify Working Directories Using Shell Characters and Variables

Tips to Create ISO from CD, Watch User Activity and Check Memory Usages of Browser

Powerline - Adds Statuslines and Prompts to Vim and Bash Shell

YTP-DL: The Easiest Way to Download Songs from YouTube Videos

How to List Files Installed From a RPM or DEB Package in Linux

**Lolcat – Display Text in Rainbow Colors in Linux Terminal** 

## **Best Linux Tools**

- 13 Free and Open-Source Video Editing Software for Linux in 2024
- 11 Best PDF Editors to Edit PDF Documents in Linux
- 41 Must-Have Free Open Source Applications for 2024
- 10 Useful Tools to Create Bootable USB from an ISO Image
- 5 Top Open-Source Microsoft 365 Alternatives for Linux
- 16 Best Microsoft Teams Alternatives For Linux in 2024

Tecmint: Linux Howtos, Tutorials & Guides © 2024. All Rights Reserved.

The material in this site cannot be republished either online or offline, without our permission.

Hosting Sponsored by: Linode Cloud Hosting