Master the Red Hat Challenge: Your Ultimate Guide to RHCE Certification Success!





OpenShot: Your Open-Source Video Editor for Linux

```
Ravi Saive June 26, 2024 Read Time: 3 mins Open Source Leave a comment
```

OpenShot is a popular, free, and <u>open-source video editor</u> available for Linux, Windows, and macOS. It offers a user-friendly interface and a wide range of features for basic to advanced video editing tasks.

In this article, we'll guide you through the process of installing OpenShot on your Linux system.

Method 1: Install OpenShot from Repositories

The easiest way to install OpenShot on Linux is through your distribution's official software repositories, which offer a stable version of the software and automatic updates through your package manager.

```
sudo apt install openshot-qt [On Debian, Ubuntu and Mint]
sudo yum install openshot-qt [On RHEL/CentOS/Fedora and Rocky/AlmaL
sudo emerge -a sys-apps/openshot-qt [On Gentoo Linux]
sudo apk add openshot-qt [On Alpine Linux]
sudo pacman -S openshot-qt [On Arch Linux]
sudo zypper install openshot-qt [On OpenSUSE]
sudo pkg install openshot-qt [On FreeBSD]
```

After the installation finishes, you can start OpenShot from your application menu or by typing openshot-qt in the terminal.

```
openshot-qt
```

Method 2: Install OpenShot from PPA

If your <u>Debian-based distribution</u>'s official repositories don't have the latest version of OpenShot, you can add the OpenShot developers' Personal Package Archive (PPA) to your system, which will give you access to the latest stable or daily builds of the software.

```
sudo add-apt-repository ppa:openshot.developers/ppa
sudo apt update
sudo apt install openshot-qt
```

Once the installation finishes, you can start OpenShot by clicking its icon in your application menu or by typing openshot-qt in the terminal.

openshot-qt

Method 3: Install OpenShot Using Applmage

If you prefer a more portable installation method, you can <u>download the OpenShot</u>

<u>AppImage</u>, whichs are self-contained, executable files that don't require installation and can run on <u>most Linux distributions</u>.

Once the **Applmage** is downloaded, make the file executable by running the following command in your terminal.

```
chmod +x OpenShot-*.AppImage
```

Run the Applmage by double-clicking it or by executing the following command in your terminal.

./OpenShot-*.AppImage

The Applmage will launch OpenShot without requiring any additional installation steps.

How to Use OpenShot Video Editor in Linux

Now that you have OpenShot installed, let's explore its features and learn how to use it for your video editing needs.

The OpenShot Interface


When you launch OpenShot, you'll be greeted with a user-friendly interface divided into several sections:

- Timeline: This is where you'll add your video clips, audio, and other media to create your final video.
- Preview: The preview window allows you to see how your video will look as you edit it.
- Toolbar: The toolbar provides access to various editing tools, such as cutting, trimming, and adding transitions.
- Properties: This panel displays the properties of the selected clip or object in your timeline.
- Files: The files panel allows you to import media files (videos, images, audio) into your project.

Importing Media in OpenShot


To start editing your video, you'll need to import the necessary media files. You can do this by clicking the "+" button in the Files panel and selecting the files you want to use.

The timeline is where you'll assemble your video. To add a clip to the timeline, simply drag and drop it from the Files panel onto the timeline. You can then rearrange the clips by dragging and dropping them to the desired position.




OpenShot offers a variety of effects and filters that you can apply to your clips. You can find these in the "Effects" tab of the Files panel.

To add an effect, just drag and drop it onto the clip you want to change.



Once you've finished editing your video, you can export it to a variety of formats. Click the "Export Video" button in the toolbar, select your desired output format and settings, and then click "Export" to save your video.



Conclusion

<u>OpenShot</u> is a powerful and user-friendly video editor that provides a wide range of features and tools to create professional-looking videos on your Linux system.

By following the installation methods and using the features outlined in this article, you'll be well on your way to creating amazing videos with OpenShot.

Hey TecMint readers,

Exciting news! Every month, our top blog commenters will have the chance to win fantastic rewards, like free Linux eBooks such as RHCE, RHCSA, LFCS, Learn Linux, and Awk, each worth \$20!

Learn <u>more about the contest</u> and stand a chance to win by <u>sharing your thoughts</u>



www.tecmint.com

PREVIOUS ARTICLE:

How to Install LM Studio to Run LLMs Offline in Linux

NEXT ARTICLE:

RHCSA Series: Editing Text Files Using Nano, Vim, grep & regexps — Part 4



I am an experienced GNU/Linux expert and a full-stack software developer with over a decade in the field of Linux and Open Source technologies

Each tutorial at **TecMint** is created by a team of experienced Linux system administrators so that it meets our high-quality standards.

Join the <u>TecMint Weekly Newsletter</u> (More Than 156,129 Linux Enthusiasts

Have Subscribed)

Was this article helpful? Please <u>add a comment</u> or <u>buy me a coffee</u> to show your appreciation.

Related Posts



41 Must-Have Free Open Source Applications for 2024



16 Open Source Cloud Storage Software for Linux in 2024


```
GRUB version 2.06

load_video
set gfxpayload=keep
insmod gzio
linux ($root)/vmlinuz-5.14.0-427.26.1.el9_4.x86_64 root=/dev/mapper/rhel-ro\
ot ro crashkernel=1G-4G:192M,4G-64G:256M,64G-:512M resume=/dev/mapper/rhel-\
swap rd.lvm.lv=rhel/root rd.lvm.lv=rhel/swap rhgb quiet
initrd ($root)/initramfs-5.14.0-427.26.1.el9_4.x86_64.img $tuned_initrd


-

Minimum Emacs-like screen editing is supported. TAB lists
completions. Press Ctrl-x or F10 to boot, Ctrl-c or F2 for
```


How to Hack Your Own Linux System



OBS Studio: Free Live Streaming & Screen Recording in Linux



Vivaldi 6.8 Released - A Modern Classic Web Browser for Power-Users



Firefox 127 on Linux: New Features, Install Guide & More

Got Something to Say? Join the Discussion...

Thank you for taking the time to share your thoughts with us. We appreciate your decision to leave a comment and value your contribution to the discussion. It's important to note that we moderate all comments in accordance with our <u>comment policy</u> to ensure a respectful and constructive conversation.

Rest assured that your email address will remain private and will not be published or shared with anyone. We prioritize the privacy and security of our users.

Name *

Email *

Save my name, email, and website in this browser for the next time I comment.

Post Comment

Do You Enjoy My Blog?

Search...

Support from readers like YOU keeps this blog running. Buying me a cup of coffee is a simple and affordable way to show your appreciation and help keep the posts coming!

Buy Me a Coffee

Linux Commands and Tools

How to Use Rsync to Sync New or Changed/Modified Files in Linux

30 Useful Linux Commands for System Administrators

Newsboat - An RSS/Atom Feed Reader for Linux Terminals

How to Compress Files Faster with Pigz Tool in Linux

18 Tar Command Examples in Linux

Kurly - An Alternative to Most Widely Used Curl Program

Linux Server Monitoring Tools

CBM - Shows Network Bandwidth in Ubuntu

Install Glances, InfluxDB and Grafana to Monitor CentOS 7

GoAccess (A Real-Time Apache and Nginx) Web Server Log Analyzer

All You Need To Know About Processes in Linux [Comprehensive Guide]

How to Use Nmap Script Engine (NSE) Scripts in Linux

4 Ways to Watch or Monitor Log Files in Real Time

Learn Linux Tricks & Tips

How to View Configuration Files Without Comments in Linux

Bash-it - Bash Framework to Control Your Scripts and Aliases

How To Assign Output of a Linux Command to a Variable

3 Ways to Find Out Which Process Listening on a Particular Port

How to Find and Remove Duplicate/Unwanted Files in Linux Using 'FSlint' Tool

12 Ways to Find User Account Info and Login Details in Linux

Best Linux Tools

11 Best Graphical Git Clients and Git Repository Viewers for Linux

41 Must-Have Free Open Source Applications for 2024

Universal Package Managers for Linux: Snap, Flatpak, and Applmage

10 Tools to Monitor Linux Disk Partitions and Usage in Linux

15 Best Free and Open Source Software (FOSS) Programs for Linux

12 Best Notepad++ Alternatives for Linux in 2024

Tecmint: Linux Howtos, Tutorials & Guides © 2024. All Rights Reserved.

The material in this site cannot be republished either online or offline, without our permission.

Hosting Sponsored by: Linode Cloud Hosting