

Stack

Question No:1

DS	Session	Stack	Question Information	Level 1 Challenge 41
Problem Description A and B are playing a game. In this game, both of them are initially provided with a list of n numbers. (Both have the same list but their own copy). Now, they both have a different strategy to play the game. A picks the element from start of his list. B picks from the end of his list. You need to generate the result in form of an output list. Method to be followed at each step to build the output list is: 1. If the number picked by A is bigger than B then this step's output is 1 . B removes the number that was picked from their list. 2. If the number picked by A is smaller than B then this step's output is 2 . A removes the number that was picked from their list. 3. If both have the same number then this step's output is 0 . Both A and B remove the number that was picked from their list. This game ends when at least one of them has no more elements to be picked i.e. when the list gets empty. Output the built output list. Constraints $1 \leq N \leq 10^6$ $1 \leq \text{num} \leq 10^9$ Input format: First line consists of a number n , size of the list provided. Next line consists of n numbers separated by space.				

Output format:

Output the required output list.

Logical Test Cases

Test Case 1

INPUT (STDIN)

3
1 2 3

EXPECTED OUTPUT

2 2 0

Test Case 2

INPUT (STDIN)

5
5 7 1 2 3

EXPECTED OUTPUT

1 1 1 2 0 2 2 2

Mandatory Test Cases

Test Case 1

KEYWORD

if(a[i]>a[j])

Complexity Test Cases

Test Case 1

CYCLOMATIC COMPLEXITY

6

Test Case 2

TOKEN COUNT

160

Test Case 3

NLOC

36

Code:

```
1  #include <stdio.h>
2
3  int main() {
4      int n;
5      scanf("%d", &n);
6
7      int arr[n];
8
9      for (int i = 0; i < n; i++) {
10         scanf("%d", &arr[i]);
11     }
12
13     int leftA = 0;
14     int rightB = n - 1;
15
16     while (leftA < n && rightB >= 0) {
17
18         int A = arr[leftA];
19         int B = arr[rightB];
20
21         if (A > B) {
22             printf("1 ");
23             rightB--;
24         }
25         else if (A < B) {
26             printf("2 ");
27             leftA++;
28         }
29         else {
30             printf("0 ");
31             leftA++;
32             rightB--;
33         }
34     }
35
36     return 0;
37 }
```

Output:

Test Case-1:

```
3
1 2 3
2 2 0
-----
Process exited after 12.54 seconds with return value 0
Press any key to continue . . . |
```

Test Case-2:

```
5
5 7 1 2 3
1 1 1 2 0 2 2 2
-----
Process exited after 23.53 seconds with return value 0
Press any key to continue . . . |
```

Keshav Kumar Rauniyar
CH.SC.U4CSE25236