

Answer ALL questions, there is only one correct option, No Marks for partial Answers, no negative marking. Assume all header file included

Admission Number and Section: _____

Name: _____

1. What is the primary purpose of a Version Control System (VCS) like Git? A. To write code faster.
B. To deploy applications to a server.
C. To track changes to files over time and enable collaboration.
D. To test for bugs in the code.
2. What is the main function of DNS (Domain Name System)?
A. To secure websites with HTTPS.
B. To translate human-readable domain names into IP addresses.
C. To transfer files between computers.
D. To assign IP addresses to devices on a network (that's DHCP).
3. What will be the final value of `my_list` after this code runs?

```
my_list = [1, 2, 3, 4]
my_list.pop()
my_list.append(5)
```


A. [1, 2, 3, 4, 5]
B. [1, 2, 3, 4]
C. [1, 2, 3, 5]
D. [5, 1, 2, 3]
4. What is the Git command to initialize a new repository in the current directory?
A. `git create` B. `git start`
C. `git new` D. `git init`
5. In the CSS Box Model, what is the correct order of components from the innermost (content) to the outermost?
A. Content, Border, Padding, Margin
B. Content, Margin, Padding, Border
C. Margin, Border, Padding, Content
D. Content, Padding, Border, Margin
6. What is a key difference between SFTP and FTPS?
A. SFTP is insecure, while FTPS is secure.
B. SFTP uses port 21, while FTPS uses port 22.
C. SFTP is a completely different protocol built on SSH, while FTPS adds SSL/TLS encryption to the standard FTP protocol.
D. SFTP can only transfer text files, while FTPS can transfer binary files.
7. Using `argparse`, how would you add two arguments, `--verbose` and `--quiet`, that cannot be used at the same time?
A. Use `parser.add_argument("--verbose", conflicts="--quiet")`.
B. Check `sys.argv` manually and raise an error if both are present.
C. This is not possible with `argparse`.
D. Create a mutually_exclusive_group and add both arguments to that group.
8. Which `os` module function is commonly used to execute a shell command and wait for it to complete?
A. `os.mkdir()` B. `os.exec()`
C. `os.system()` D. `os.getenv()`
9. When using the `argparse` module, what does `action="store_true"` do?
A. It requires the argument to be the string "true".
B. It stores the argument but only if it is True.
C. It exits the script if the argument is not provided.
D. It creates a boolean flag; the value is True if the flag is present, False otherwise.
10. What is the correct CSS syntax to select and style an HTML element with the `id="header"`?
A. `.header { ... }`
B. `#header { ... }`
C. `header { ... }`
D. `<header> { ... }`

Rough Work