


Psychopathology



LECTURE 1



SLEEP DISORDER



ANGER



NARCISSISM



OPTIMISM



DEPRESSION



ANTIDEPRESSANTS



APATHY



PARANOIA



SEASONAL AFFECTIVE
DISORDER



SPLIT PERSONALITY
DISORDER



SCHIZOPHRENIA



BIPOLAR DISORDER



MENTAL HEALTH



HAPPINESS



BORDERLINE PERSONALITY
DISORDER



STRESS



OBSESSIVE COMPULSIVE
DISORDER



ANXIETY




PHOBIA



DYSLEXIA



DISSOCIATIVE IDENTITY
DISORDER



Introduction to Psychological Disorders

- abnormal behavior, mental illness, mental disorder
- unusual or atypical
- generate distress
- maladaptive
- not culturally accepted
- lead to psychological distress, behavioral disability, and/or impaired overall functioning

A mental health condition that has a negative effect on the way an individual...



thinks





feels



and behaves

Assessment and Diagnosis



CLASSIFICATION OF MENTAL HEALTH DISORDERS

ICD

INTERNATIONAL CLASSIFICATION OF DISEASES

- Published by WHO
- 11th edition (ICD-11)
- Covers all diseases
- Used worldwide

DSM


DIAGNOSTIC AND STATISTICAL MANUAL OF MENTAL DISORDERS

- Published by APA
- 5th ed., text revision (DSM-5-TR)
- Focused on mental disorders
- Used mainly in USA



Category	Examples of Disorders
Neurodevelopmental Disorders	Autism spectrum disorder, ADHD
Schizophrenia Spectrum & Other Psychotic Disorders	Schizophrenia, delusional disorder
Bipolar and Related Disorders	Bipolar I, Bipolar II
Depressive Disorders	Major depressive disorder
Anxiety Disorders	Phobias, panic disorder, GAD
Obsessive-Compulsive & Related Disorders	OCD, hoarding disorder
Trauma- and Stressor-Related Disorders	PTSD, adjustment disorder
Dissociative Disorders	Dissociative identity disorder
Somatic Symptom & Related Disorders	Somatic symptom disorder
Feeding & Eating Disorders	Anorexia nervosa, bulimia nervosa
Elimination Disorders	Enuresis, encopresis
Sleep-Wake Disorders	Insomnia, sleep apnea
Disruptive, Impulse-Control & Conduct Disorders	Conduct disorder, ODD
Substance-Related & Addictive Disorders	Alcohol use disorder
Neurocognitive Disorders	Delirium, dementia
Personality Disorders	Borderline, antisocial
Paraphilic Disorders	Exhibitionism, voyeurism

Mental health causes range from external to internal factors.



How psychologists assess?

- Life Records
- Assessment Interviews
- Psychological Tests
- Observations of Behavior
- Biological Measures

LECTURE 2





Generalised Anxiety Disorder:

Persistent and excessive worry that tends to interfere with daily activities.



Phobias:

Persistent and excessive fear around a particular object, activity, or situation.



Social Anxiety Disorder:

Intense anxiety about being embarrassed or rejected in social situations.



Panic Disorder:

The main symptom is panic attacks, physical and psychological distress episodes.




Case Example

Alex is a 19-year-old student who feels constantly worried about everyday things such as college work, money, and family issues. Even when nothing is wrong, Alex expects something bad to happen. They often feel on edge, struggle to sleep, and say they are always overthinking.

Generalized Anxiety Disorder

- continual feelings of worry, anxiety
- physical tension, and irritability across many areas of life functioning
- 60 percent of each day worrying, 18 percent rest population
- worry too much for small things



Causes of Anxiety

Life experiences
and stressors



Substances
and medical
conditions



Genetics



Brain
chemistry
and circuitry



Childhood
experiences



Case Example 2

Priya is a 28-year-old teaching assistant who has felt **constantly anxious for the past 9 months**. She worries excessively about her job performance, her family's health, finances, and minor daily tasks. She finds it **difficult to control the worry** and often feels **restless and irritable**. Priya becomes **easily tired**, has **muscle tension**, struggles with **concentration**, and experiences **poor sleep**. Her anxiety is starting to **affect her work and relationships**. She does not use substances, and medical causes have been ruled out.

Case Example 3


Tom is a 21-year-old college student who experiences **sudden episodes of intense fear** that come on without warning. During these episodes, he feels a **racing heart, shortness of breath, dizziness**, and fears he might lose control or die. These episodes last around **10 minutes** and occur about **once or twice a month**. Between episodes, Tom does **not worry constantly** and functions well in daily life. His symptoms are not linked to ongoing worries about everyday situations.

Case Example 1

Jamie is a 20-year-old student who suddenly feels an intense rush of fear while shopping. His heart starts racing, he struggles to breathe, feels dizzy, and thinks he might collapse. The feelings peak within minutes and then fade, leaving him shaken and confused.

Panic Disorder

- Condition characterized by periodic, unexpected attacks of intense, terrifying anxiety known as panic attacks.
- repeated and unexpected panic attacks, along with either persistent concerns about future attacks or a change in personal behavior in an attempt to avoid triggers
- episodic and sudden, not constant worry



Physical Symptoms



Rapid
Breathing



Nausea



Racing
Heart



Chest
Pain



Sweating/
Hot Flashes



Tingling
Fingers



Chills/
Trembling



Churning
Stomach

Emotional Symptoms



A Sense
of Fear



Severe
Anxiety



A Choking
Sensation



Fear of Losing
Control

Causes Of Anxiety Attacks & Panic Attacks



Stressful environments



Drug or alcohol withdrawal



Chronic conditions



Medications



Exposure to trauma triggers



Overuse of stimulants, including caffeine



Case Example 2

Jamie has experienced **several sudden panic attacks over the past 4 months**. These attacks involve a **racing heart, shortness of breath, chest pain, dizziness**, and a fear of **losing control or dying**. The attacks are **unexpected** and peak within minutes. Jamie now worries about having another attack and avoids busy public places. Medical causes and substance use have been ruled out.


Case Example 3

Liam is a 20-year-old student who **feels extremely anxious whenever he sees or thinks about spiders**. His heart races, he sweats, and he feels the urge to run away. Liam avoids areas where spiders might appear, like the garden or certain classrooms. Outside of these situations, he **functions normally** and does not experience ongoing worry or panic attacks.

LECTURE 3



Types of Mood Disorders



Major Depressive Disorder

- lingering depressed mood or diminished
- interest in pleasurable activities, along with
- symptoms that include weight loss and sleep difficulties
- women are about twice as likely to experience
- depression is persistent



Persistent
sadness or
low mood



Loss of
interest or
pleasure



Changes in
appetite or
weight



Sleep
disturbances



Fatigue or loss
of energy



Feelings of
worthlessness or guilt



Difficulty
concentrating



Agitation or slowed
movements




Recurrent thoughts of
death or suicide

Major causes of depression



Brain chemistry imbalance



Physical health problems



Stress factors



Genetics and biology



Drugs



Traumatic event



Nutritional disorder




Female sex hormones

Case Example 1

Jordan has experienced **persistent low mood for over 2 weeks**, lost interest in hobbies, struggles with sleep and appetite, feels **worthless at times**, and finds it difficult to concentrate. These symptoms **affect his college work and social life**, and there is no substance or medical cause for his condition.

Bipolar Disorder

- emotional roller coaster
- mood swings between depression and mania/hypomania
- most genetically influenced of all mental disorders
- higher risk of suicide than are most other disorders



BIPOLAR DISORDER INCLUDES MANIC EPISODES:



FEELING OVERLY HAPPY FOR LONG PERIODS OF TIME



TALKING VERY FAST WITH RACING THOUGHTS



BECOMING EASILY DISTRACTED



HAVING OVERCONFIDENCE IN ABILITIES



ENGAGING IN RISKY BEHAVIOR (E.G. GAMBLING)

BIPOLAR DISORDER INCLUDES DEPRESSION EPISODES:



FEELING SAD OR HOPELESS FOR LONG PERIOD OF TIME



SIGNIFICANT CHANGE IN APPETITE



THINKING ABOUT OR ATTEMPTING SUICIDE



FEELING FATIGUE OR LACK OF ENERGY



PROBLEMS WITH MEMORY AND CONCENTRATION



*Mood Swings
(Mania and Depression)*



Poor in Making Decision



Abnormally Talkative



*Increased Activity
or Energy*



Racing Thoughts



Decreased Need for Sleep



*Exaggerated
Self-Confidence*



Psychosis



Loss of Interest



Weight Loss



Suicide Attempt



Feeling of Hopeless



Psychotherapy



Medications



Family Support


Main **Root Causes** of Bipolar Disorder



Triggers in Bipolar Disease



**Insufficient
amounts of sleep**



**Altercations
with loved ones**




**Alcohol and
drug misuse**



**Certain antidepressants
and other medications**



**Pregnancy and other
hormonal conditions**



**A change in
seasons**

Bipolar 1

Bipolar 2



Mania

At least one episode of extreme mania lasting more than a week.

Symptoms of hypomania (a milder form of mania) lasting at least 4 days.



Depression

Tends to be milder than other bipolar types. Some experience no depression.

At least one depressive episode, broken up by periods of hypomania.



Symptoms

- Increased energy
- Talking extremely quickly
- Euphoria

- Feeling of hopelessness
- Fatigue
- Irritable and anxious