1

10th CBSE MATHEMATICS

2018

1 SECTION A

- 1.1. Find the value of k for which the roots of a quadratic equation $(k-5)x^2+2(k-5)x+2=0$ are equal?
- 1.2. Find the value of y for which the distance between the points (2, -3) and (10, y) is 10 units.
- 1.3. Write whether the rational number $\frac{13}{3125}$ has a decimal expansion which is terminating or non-terminating repeating.
- 1.4. Write the $n^t h$ term of the A.P $\frac{1}{k}, \frac{1+k}{k}, \frac{1+2k}{k}, \dots$
- 1.5. If $sin\theta + cos\theta = \sqrt{2}cos(90^{\circ} \theta)$, find the value of $\cot \theta$.
- 1.6. DE is drawn parallel to the base BC of ,meeting AB at D and AC at E if $\frac{AB}{CD} = 4$ and CE=2cm,find AE

2 SECTION B

- 2.7. A bag contains 5 red balls and some blue 3.15. (i)The line segment joining the points balls. If the probability of drawing a blue ball from the bag is three times that of the red ball, find the number of blue balls in the bag.
- 2.8. The 5^{th} and 15^{th} terms of an A.P are 13 and -17 respectively. Find the sum of first 21 terms of the A.P.

- 2.9. Using Euclid's Division Algorithm, find the HCF of 225 and 867
- 2.10. If the point (0,2) is equidistant t from the points(3, k)and (k, 5)find the value of k.
- 2.11. Find the value of 'a' for which the pair of linear equation 2x + 3y = 7 and 4x + ay = 14has infinitely many solutions.
- 2.12. A card is drawn at random from a well shuffled pack of 52 paying cards. Find the probability of getting (i) a red king (ii) a queen or a jack.

3 SECTION C

- 3.13. Show that any positive odd integer is of the form 4q + 1 or 4q + 3 for some integer q.
- 3.14. The ten's digit of a number is twice its unit's digit. The number obtained by interchanging the digits is 36 less than the original number. Find the original number.
- A(2,1) and B(5,-8) is trisected at the points P and Q, where P is nearer to A if P lies on the line 2x - y + k = 0, find the value of k.
 - (ii) The x-coordinate of a points P is twice its y-coordinate. If P is equidistant from the point Q(2,-5) and R(-3,6), find the coordinates.
- 3.16. Show that $1,\frac{1}{2}$, and -2 are the zeroes of the polynomial $2x^3 + x^2 5x + 2$.

- 3.17. Prove that the angle between the two tangents draws from an external points to a circle is supplementary to the angle subtended by the 3.24. Solve for $x: \frac{x+1}{x-1} - \frac{x-1}{x+1} = \frac{5}{6}, x \neq 1, -1$ line-segment joining the points of contact at the center.
- 3.18. S and T are points on the sides PR and QR of $\triangle PQR$ Such that $\angle P = \angle RTS$. Show that $\triangle RPQ \sim \triangle RTS$.

In an equilateral $\triangle ABC$, D is a point on the side BC such that BD = $\frac{1}{3}BC$, Prove that $9AD^2 = 7AB^2.$

3.19. Prove that : $\frac{1}{\csc\theta + \cot\theta} - \frac{1}{\sin\theta} = \frac{1}{\sin\theta} - \frac{1}{\sin\theta}$ $\overset{1}{\cos \cot \theta} - \cot \theta$

If $\tan \theta + \sin \theta = m, \tan \theta - \sin \theta = n$ show that $m^2 - n^2 = 4\sqrt{mn}$

- 3.20. A chord of a circle, of radius 15 cm, subtends the area of major and minor segments (Take $\pi = 3.14, \sqrt{3} = 1.73$
- 3.21. A sphere of diameter 12 cm is dropped in a right circular cylindrical vessel, partly filled with water, If the sphere is completely submerged in water, the water level in the vessel. rises by $3\frac{5}{9}$ cm. Find the diameter of the cylindrical vessel.

OR

A cylinder whose height is two-third of its diameter, has the same volume as that of a sphere of radius 4 cm. Find the radius of base of the cylinder.

3.22. The following table gives the daily income of 50 labourers :

Daily Income ()	Number of labourers
100-120	12
120-140	14
140-160	8
160-180	6
180-200	10

Find the mean and mode of the above data.

3.23. Two taps together can fill a tank in 6 hours. The tap of larger diameter takes 9 hours less than the smaller one to fill the tank separately. Find the time in which each tap can fill the tank separately.

OR

3.24. Solve for
$$x: \frac{x+1}{x-1} - \frac{x-1}{x+1} = \frac{5}{6}, x \neq 1, -1$$

3.25. Prove that the ratio of the areas of two similar triangles is equal to the square of the ratio of their corresponding sides.

OR

Prove that in a triangle, if the square of one side is equal to sum of the square of the other two sides, the angle opposite the first side is a right angle.

- 3.26. Write the steps of construction for drawing a \triangle ABC in which BC = 8 cm, \angle B=45° and ∠C=30°. Now write the steps of construction for drawing a triangle whose sides are $\frac{3}{4}$ of the corresponding sides of $\triangle ABC$.
- an angel of 60° at the centre of the circle. Find 3.27. The sum of the first n terms of an A.P. is $5n^2 + 3n$. If its mth term is 168, find the value of m. Also find the 20^{th} term of the A.P.

The 4^{th} and the last terms of an A.P. are 11 and 89 respectively. If there are 30 terms in the A.P., find the A.P. and its 23^{rd} term.

3.28. Prove that :
$$\left(\frac{\cos A}{1-\sin A} - \frac{1-\cos A}{\cos A}\right) = 4$$

- 3.29. A statue, 1.46 m tall, stands on a pedestal. From a point on the ground the angle of elevation of the top of the stature is 60° and from the same point angle of elevation of the top of the pedestal is 45°. Find the height of the pedestal. (use $\sqrt{3} = 1.73$)
- 3.30. Sudhakar donated 3 cylindrical drums to store cereals to an orphanage. If radius of each drum is 0.7 m and height 2 m, find the volume of each drum. If m³, find the amount spent

by Sudhakar for orphanage. What value is exhibited in the question. (Use $\pi=\frac{22}{7}$).

3.31. The median of the following data is 52.5. If the total frequency is 100, find the values of x and y.

Classes	Frequency
0-10	2
10-20	5
20-30	X
30-40	12
40-50	17
50-60	20
60-70	У
70-80	9
80-90	7
90-100	4