# Enunciats dels exercicis del gestor de paquets rpm

Gestió de paquets i repositoris a Fedora. Instal·lació de software amb rpm

### **Consultes**

### Exercici 1

Llisteu tots els paquets instal·lats

Rpm -qa

### Exercici 2

Descarregeu localment i instal·leu el paquet tftp-server.

### Exercici 3

/var/lib/tftpboot

Llisteu els components del paquet tftp-server.

[root@j20 ~]# rpm -ql tftp-server /usr/lib/systemd/system/tftp.service /usr/lib/systemd/system/tftp.socket /usr/sbin/in.tftpd /usr/share/doc/tftp-server /usr/share/doc/tftp-server/CHANGES /usr/share/doc/tftp-server/README /usr/share/doc/tftp-server/README.security /usr/share/man/man8/in.tftpd.8.gz /usr/share/man/man8/tftpd.8.gz

### Exercici 4

Llisteu els fitxers de documentació del paquet tftp-server.

[root@j20 ~]# rpm -qd tftp-server

/usr/share/doc/tftp-server/CHANGES

/usr/share/doc/tftp-server/README

/usr/share/doc/tftp-server/README.security

/usr/share/man/man8/in.tftpd.8.gz

/usr/share/man/man8/tftpd.8.gz

## Exercici 5

Llisteu els fitxers de configuració del paquet tftp-server.

[root@j20 ~]# rpm -qc tftp-server

## Exercici 6

Llisteu els fitxers executables del paquet tftp-server.

[root@j20~]# rpm2cpio tftp-server | cpio --extract --make-directories \*bin

### Exercici 7

Mostreu informació del paquet tftp-server.

[root@j20 ~]# rpm -q -info tftp-server

Name: tftp-server

Version : 5.2 Release : 18.fc24 Architecture: x86\_64

Install Date: Thu 18 Jan 2018 01:57:03 PM CET Group : System Environment/Daemons

Size : 61015 License : BSD

Signature : RSA/SHA256, Thu 03 Mar 2016 10:09:36 AM CET, Key ID

73bde98381b46521

Source RPM: tftp-5.2-18.fc24.src.rpm

Build Date: Thu 03 Mar 2016 09:52:35 AM CET

Build Host: buildvm-06-nfs.phx2.fedoraproject.org

Relocations : (not relocatable)
Packager : Fedora Project
Vendor : Fedora Project

URL: http://www.kernel.org/pub/software/network/tftp/ Summary: The server for the Trivial File Transfer Protocol (TFTP)

**Description:** 

The Trivial File Transfer Protocol (TFTP) is normally used only for booting diskless workstations. The tftp-server package provides the server for TFTP, which allows users to transfer files to and from a remote machine. TFTP provides very little security, and should not be enabled unless it is expressly needed. The TFTP server is run by using systemd socket activation, and is disabled by default.

### Exercici 8

Llisteu les dependències del paquet dhclient.

```
[root@j20 ~]# rpm -qR tftp-server
/bin/sh
/bin/sh
/bin/sh
libc.so.6()(64bit)
libc.so.6(GLIBC 2.11)(64bit)
libc.so.6(GLIBC_2.14)(64bit)
libc.so.6(GLIBC 2.15)(64bit)
libc.so.6(GLIBC 2.2.5)(64bit)
libc.so.6(GLIBC_2.3)(64bit)
libc.so.6(GLIBC_2.3.4)(64bit)
libc.so.6(GLIBC_2.4)(64bit)
libnsl.so.1()(64bit)
libwrap.so.0()(64bit)
rpmlib(CompressedFileNames) <= 3.0.4-1
rpmlib(FileDigests) <= 4.6.0-1
rpmlib(PayloadFilesHavePrefix) <= 4.0-1
rpmlib(PayloadIsXz) <= 5.2-1
rtld(GNU HASH)
systemd-units
systemd-units
```

## systemd-units

## Exercici 9

Llisteu les capabilities del paquet dhclient.

```
[root@j20 ~]# rpm -q -provides dhclient
dhclient = 12:4.3.4-4.fc24
dhcp-client = 12:4.3.4-4.fc24
dhcp-client(x86-64) = 12:4.3.4-4.fc24
```

## Exercici 10

Llisteu els scripts pre i post instal·lació del paquet dhclient.

```
[root@j20 ~]# rpm -q dhclient --whatprovides
[root@j20 ~]# rpm -q dhclient --scripts
```

### Exercici 11

Identifiqueu a quin paquet pertany l'ordre useradd.

```
[root@j20~]# rpm -qf /usr/sbin/useradd
```

### Exercici 12

Identifiqueu a quin paquet pertany el grub.

```
[root@j20 ~]# rpm -qf /boot/grub2/grub.cfg
grub2-2.02-0.38.fc24.x86_64
```

# Instal·lar, actualitzar i esborrar

```
[root@j20 ~]# rpm --install grub2
[root@j20 ~]# rpm -U grub2
[root@j20 ~]# rpm -e grub2
```

# Exercici 13

Actualitzeu el paquet mc.

[root@j20 ~]# rpm -U mc

# Exercici 14

Elimineu el paquet mc.

[root@j20 ~]# rpm -e mc

# Rebuild

# Exercici 15

Regenereu la base de dades de rpm.

[root@j20~]# rpm --justdb