1.Which of the following methods do we use to find the best fit line for data in Linear Regression?

A) Least Square Error

B) Maximum Likelihood

C) Logarithmic Loss

D) Both A and B

Ans. A

2.Which of the following statement is true about outliers in linear regression?

A) Linear regression is sensitive to outliers

B) linear regression is not sensitive to outliers

C) Can't say

D) none of these

Ans. A

3.A line falls from left to right if a slope is _____?

A) Positive

B) Negative

C) Zero

D) Undefined

Ans. B

4. Which of the following will have symmetric relation between dependent variable and independent variable?

A) Regression

B) Correlation

C) Both of them

D) None of these

Ans. B

5. Which of the following is the reason for over fitting condition?

A) High bias and high variance

B) Low bias and low variance

C) Low bias and high variance

D) none of these

Ans. A

6. If output involves label then that model is called as:

A) Descriptive model

B) Predictive modal

C) Reinforcement learning

D) All of the above

Ans. B

7. Lasso and Ridge regression techniques belong to _____?

A) Cross validation

B) Removing outliers

C) SMOTE

D) Regularization

Ans. D

8. To overcome with imbalance dataset which technique can be used?

A) Cross validation

B) Regularization

C) Kernel

D) SMOTE

Ans. C

9. The AUC Receiver Operator Characteristic (AUCROC) curve is an evaluation metric for binary classification problems. It uses _____ to make graph?

A) TPR and FPR

B) Sensitivity and precision

C) Sensitivity and Specificity

D) Recall and precision

Ans. A

10. In AUC Receiver Operator Characteristic (AUCROC) curve for the better model area under the curve should be less.

A) True

B) False

Ans. B

11. Pick the feature extraction from below:

A) Construction bag of words from a email

B) Apply PCA to project high dimensional data

C) Removing stop words

D) Forward selection

Ans. A

12. Which of the following is true about Normal Equation used to compute the coefficient of the Linear Regression?

A) We don't have to choose the learning rate.

B) It becomes slow when number of features is very large.

C) We need to iterate.

D) It does not make use of dependent variable.

Ans. A & B

13. Explain the term regularization?

Ans. Regularization refers to techniques that are used to calibrate machine learning models in order to minimize the adjusted loss function and prevent overfitting or underfitting.

14. Which particular algorithms are used for regularization?

Ans. Ridge Regression (L2 Norm), Lasso (L1 Norm), Dropout are the three main particular algorithms are used for regularization.

15. Explain the term error present in linear regression equation?

Ans. Linear regression most often uses mean-square error (MSE) to calculate the error of the model.

MSE is calculated by: measuring the distance of the observed y-values from the predicted y-values at each value of x; squaring each of these distances; calculating the mean of each of the squared distances.