```python
In [1]: import numpy as np
        import pandas as pd
        import seaborn as sns
        from sklearn.model_selection import train_test_split
        from sklearn.tree import DecisionTreeClassifier
```

```python
In [2]: df=pd.read_csv(r"C:\Users\91903\Downloads\drug200.csv")
        df
```

Out[2]:

	Age	Sex	BP	Cholesterol	Na_to_K	Drug
0	23	F	HIGH	HIGH	25.355	drugY
1	47	M	LOW	HIGH	13.093	drugC
2	47	M	LOW	HIGH	10.114	drugC
3	28	F	NORMAL	HIGH	7.798	drugX
4	61	F	LOW	HIGH	18.043	drugY
...	...	...	...	...	...	...
195	56	F	LOW	HIGH	11.567	drugC
196	16	M	LOW	HIGH	12.006	drugC
197	52	M	NORMAL	HIGH	9.894	drugX
198	23	M	NORMAL	NORMAL	14.020	drugX
199	40	F	LOW	NORMAL	11.349	drugX

200 rows × 6 columns

```python
In [3]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 200 entries, 0 to 199
Data columns (total 6 columns):
 #   Column       Non-Null Count  Dtype
---  ------       --------------  -----
 0   Age          200 non-null    int64
 1   Sex          200 non-null    object
 2   BP           200 non-null    object
 3   Cholesterol  200 non-null    object
 4   Na_to_K      200 non-null    float64
 5   Drug         200 non-null    object
dtypes: float64(1), int64(1), object(4)
memory usage: 9.5+ KB
```

```python
In [4]: df['BP'].value_counts()
```

```
Out[4]: BP
        HIGH      77
        LOW       64
        NORMAL    59
        Name: count, dtype: int64
```

In [5]:
```python
df['Cholesterol'].value_counts()
```

Out[5]:
```
Cholesterol
HIGH      103
NORMAL     97
Name: count, dtype: int64
```

In [6]:
```python
convert={"BP":{"LOW":1,"NORMAL":2,"HIGH":3}}
df=df.replace(convert)
df
```

Out[6]:

	Age	Sex	BP	Cholesterol	Na_to_K	Drug
0	23	F	3	HIGH	25.355	drugY
1	47	M	1	HIGH	13.093	drugC
2	47	M	1	HIGH	10.114	drugC
3	28	F	2	HIGH	7.798	drugX
4	61	F	1	HIGH	18.043	drugY
...	...	...	...	...	...	...
195	56	F	1	HIGH	11.567	drugC
196	16	M	1	HIGH	12.006	drugC
197	52	M	2	HIGH	9.894	drugX
198	23	M	2	NORMAL	14.020	drugX
199	40	F	1	NORMAL	11.349	drugX

200 rows × 6 columns

In [12]:
```python
convert={"Drug":{"drugX":1,"drugY":2,"drugA":3,"drugB":4,"drugC":5}}
df=df.replace(convert)
df
```

Out[12]:

	Age	Sex	BP	Cholesterol	Na_to_K	Drug
0	23	F	3	HIGH	25.355	2
1	47	M	1	HIGH	13.093	5
2	47	M	1	HIGH	10.114	5
3	28	F	2	HIGH	7.798	1
4	61	F	1	HIGH	18.043	2
...	...	...	...	...	...	...
195	56	F	1	HIGH	11.567	5
196	16	M	1	HIGH	12.006	5
197	52	M	2	HIGH	9.894	1
198	23	M	2	NORMAL	14.020	1
199	40	F	1	NORMAL	11.349	1

200 rows × 6 columns

In [13]:
```python
x=["Drug","BP"]
y=["M","F"]
all_inputs=df[x]
all_classes=df["Sex"]
```

In [14]:
```python
(x_train,x_test,y_train,y_test)=train_test_split(all_inputs,all_classes,test_size=0.25
```

In [15]:
```python
clf=DecisionTreeClassifier(random_state=0)
```

In [16]:
```python
clf.fit(x_train,y_train)
```

Out[16]:
```
▼              DecisionTreeClassifier

DecisionTreeClassifier(random_state=0)
```

In [17]:
```python
score=clf.score(x_test,y_test)
print(score)
```

```
0.54
```

In [ ]: