



# DHL Transcomm-backend 1.0 OAS3

DHL Transcomm Backend Orders API Description

[Authorize](#)

## default

**GET****/api/orders/{id}  
/{invoiceNumber}**

### Parameters

[Try it out](#)**Name****Description****id** \* required

string

(path)

id

**invoiceNumber** \* required

string

(path)

invoiceNumber

### Responses

**Code****Description****Links**

200

No links

Media type

**application/json**Controls **Accept** header.**Example Value** Schema

```
{
  "orderDate": "2021-08-24T16:23:07.160Z",
  "orderNumber": "string",
  "ecomBusinessCode": "string",
  "status": "string",
  "consigneeCode": "string"
}
```

**POST** /api/orders/exceptions**Parameters****Try it out****Name** **Description****skip** \* required  
string  
(query)

skip

**take** \* required  
string  
(query)

take

**Responses****Code****Description****Links**

200

No links

Media type

**application/json**Controls **Accept** header.

## Example Value Schema

```
[
  {
    "orderDate": "2021-08-24T16:23:07.163Z",
    "orderNumber": "string",
    "invoiceNumber": "string",
    "ecomCode": "string",
    "locked": true,
    "lockedBy": "string",
    "batchId": "string",
    "declarationStatus": "string",
    "declarationReference": "string",
    "rejectionDate": "2021-08-24T16:23:07.163Z",
    "flightNumber": "string",
    "transport": "string",
    "mawb": "string"
  }
]
```

## POST /api/orders/overview



## Parameters

Try it out

Name	Description
------	-------------

**skip** \* required

string

(query)

**take** \* required

string

(query)

## Request body required

application/json

## Example Value Schema

```
{
  "searchParams": {},
  "sortParams": {}
}
```

## Responses

Code	Description	Links
200	<p>Media type</p> <div>application/json</div> <p>Controls Accept header.</p> <p><b>Example Value</b>   Schema</p> <pre>[   {     "orderNumber": "string",     "invoiceNumber": "string",     "ecomCode": "string",     "orderDate": "2021-08-24T16:23:07.168Z",     "orderStatus": "string",     "declarationStatus": "string",     "numberOfItems": 0,     "transport": "string"   } ]</pre>	No links

## POST /api/orders/amendment



### Parameters

[Try it out](#)

No parameters

### Request body required

application/json

**Example Value**   Schema

```
{
  "invoiceId": "string",
  "invoiceNumber": "string",
  "incoTerm": "string",
  "totalNoOfInvoicePages": 0,
  "invoiceDate": "2021-08-24T16:23:07.171Z",
  "orderLines": [
    {
      "lineNumber": "string",
      "commodityCode": "string",
      "goodsCondition": "string",
      "description": "string",
      "quantity": "string",
      "quantityUnit": "string",
      "weight": "string",
      "weightUnit": "string",
      "total": "string",
      "supplQuantityUnit": "string"
    }
  ]
}
```

## Responses

Code	Description	Links
201	<p>Media type</p> <div>application/json</div> <p>Controls Accept header.</p> <p><b>Example Value</b>   Schema</p> <pre>{   "message": "string" }</pre>	No links

POST

/api/orders/{orderid}  
/{invoiceid}/lock



## Parameters

[Try it out](#)

Name	Description
------	-------------

**orderid** \* requiredstring  
(path)

orderid

**invoiceid** \* requiredstring  
(path)

invoiceid

## Responses

Code	Description	Links
201	<p>Media type</p> <div><b>application/json</b></div> <p>Controls <b>Accept</b> header.</p> <p><b>Example Value</b>   <b>Schema</b></p> <pre>{   "message": "string" }</pre>	No links

**POST****/api/orders/{orderid}  
/{invoiceid}/unlock**

## Parameters

**Try it out**

Name	Description
------	-------------

**orderid** \* requiredstring  
(path)

orderid

**invoiceid** \* requiredstring  
(path)

invoiceid

## Responses

Code	Description	Links
201	<p>Media type</p> <div><b>application/json</b></div> <p>Controls <b>Accept</b> header.</p> <p><b>Example Value</b>   Schema</p> <pre>{   "message": "string" }</pre>	No links

## Schemas



**OrderDto**

**ExceptionOverviewDto**

**OrderQueryRequestDto**

**OrderOverviewDto**

**AmendmentOrderLineDto**

**AmendmentRequestDto**

**AmendmentResponseDto**

**LockResponseDto**