# model

Author: richerarc

Date: 2014-10-29


# **Table of Contents**

Overview	_								 	 _
Model description										
Diagrams										
Classifiers	_									
CGUIE										
CMenu										
CButton										
CLabel										
CLabelImg										
CListBox										
TextBox										
CListBoxItem										
CLBTextItem										
CLBImgItem										
Packages	_	 					 -		 	
Custom Type and Class										
CWindow										
CTimer										
Ressources										
CRessource										
CFont										
CSprite										
CSound										
CGestionaireRessource										

## 1. Overview

## 1.1 Model Description

## 1.2 Diagrams



## 2 Classifiers

## 2.1 Class CGUIE

#### 2.1.1 Attributes

```
- m_strName : const char* [1]
```

```
- m_font : CFont* [1]
```

```
- m_RectDest : SDL_Rect [1]
```

```
- m_strText : String [1]
```

## 2.1.2 Generalizations

None

## 2.1.3 Operations

```
- Void CGUIE (_Name : const char*, _Font : CFont*, _Rect : SDL_Rect, _Text : const char*)
```

```
- Void Draw (_MenuRenderer : SDL_Renderer*)
```

```
- Void Accesseur ()
```

- Void OnClick ()

#### 2.1.4 Associations

- **cMenu** : CMenu [0..1]

## 2.2 Class CMenu

#### 2.2.1 Attributes

- m\_Renderer : SDL\_Renderer\* [1]

## 2.2.2 Generalizations

None

## 2.2.3 Operations

```
- Void Ajouter (__Element : CGUIE*, _ix : Integer, _iy : Integer, _iw : Integer, _ih : Integer)
- Void setPosOnScreen (_Name : const char*, _ix : Integer, _iy : Integer)
- Void setSize (_Name : const char*, _iw : Integer, _ih : Integer)
- Void Render ()
- Void Accesseur ()
```

## 2.2.4 Associations

- **cGUIE** : CGUIE [1..\*]

## 2.3 Class CButton

#### 2.3.1 Attributes

- m\_Sprite : CSprite\* [1]

- (OnClickAction)(): void\* [1]

#### 2.3.2 Generalizations

- CGUIE

## 2.3.3 Operations

```
- Void CButton (_Name : const char*, _Font : CFont*, _Rect : SDL_Rect, _Text : const char*, _Sprite : CSprite*)
- Void OnClick ()
- Void Draw (_Renderer : SDL_Renderer*)
- Void Accesseur ()
```

## 2.4 Class CLabel

#### 2.4.1 Attributes

No additional attributes

#### 2.4.2 Generalizations

- CGUIE

## 2.4.3 Operations

```
- Void CLabel (_Name : const char*, _Font : CFont*, _Rect : SDL_Rect, _Text : const char*)
- Void Draw (_Renderer : SDL_Renderer*)
- Void Accesseur ()
```

## 2.5 Class CLabelimg

#### 2.5.1 Attributes

- m\_texture : SDL\_Texture\* [1]

#### 2.5.2 Generalizations

- CLabel

## 2.5.3 Operations

```
- Void CLabelImg (_Name : const char*, _Font : CFont*, _Rect : SDL_Rect, _text : const char*, _texture : SDL_Texture*)
- Void Draw (_Renderer : SDL_Renderer*)
- Void Accesseur ()
```

## 2.6 Class CListBox

#### 2.6.1 Attributes

- (OnclickAction)(): void\* [1]

#### 2.6.2 Generalizations

- CGUIE

## 2.6.3 Operations

```
- Void {f CListBox} (_Name : const char*, _Font : CFont*, _Rect : SDL_Rect)
```

- Void OnClick ()

- Void **Ajouter** (\_Item : CListBoxItem\*)

- Void **Retirer** (\_Name : const char\*)

#### 2.6.4 Associations

- cListBoxItem : CListBoxItem [1..\*]

## 2.7 Class TextBox

#### 2.7.1 Attributes

- m\_Texture : SDL\_Texture\* [1]

- m\_MenuRenderer : SDL\_Renderer\* [1]

#### 2.7.2 Generalizations

- CGUIE

## 2.7.3 Operations

```
- Void CTextBox (_Name : const char*, _Font : CFont*, _Rect : SDL_Rect, _MenuRenderer : SDL_Renderer*)
```

- Void OnClick ()

- Void **Draw** (\_Renderer : SDL\_Renderer\*)

- Void Accesseur ()

## 2.8 Class CListBoxItem

## 2.8.1 Attributes

```
- m_strName : const char* [1]
```

- m\_Rect : SDL\_Rect [1]

#### 2.8.2 Generalizations

None

## 2.8.3 Operations

- Void **CListItem** (\_Name : const char\*)

#### 2.8.4 Associations

- **cListBox** : CListBox [0..1]

## 2.9 Class CLBTextItem

#### 2.9.1 Attributes

- **m\_Font** : CFont\* [1]

- **m\_strText** : const char\* [1]

#### 2.9.2 Generalizations

- CListBoxItem

## 2.9.3 Operations

```
- Void CLBTextItem (_Name : const char*, _Rect : SDL_Rect, _Font : CFont*, _Text : const char*)
```

- Void **Draw** (\_Renderer : SDL\_Renderer\*)

## 2.10 Class CLBImgItem

## 2.10.1 Attributes

- **m\_Texture** : SDL\_Texture\* [1]

## 2.10.2 Generalizations

- CListBoxItem

## 2.10.3 Operations

- Void **CLBImgItem** (\_Name : const char\*, \_Rect : SDL\_Rect, \_Texture : SDL\_Texture\*)

- Void **Draw** (\_Renderer : SDL\_Renderer\*)

## 3 Packages

## 3.1 Package Custom Type and Class

## 3.1.1 Class CWindow

#### 3.1.1.1 Attributes

```
- m_pSDLWindow : SDL_Window* [1]
```

```
- m_pSDLRenderer : SDL_Renderer^* [1]
```

## 3.1.1.2 Generalizations

None

## **3.1.1.3 Operations**

```
- Void CWindow (_w : unsigned int, _h : unsigned int)
```

- Void Refresh ()

## 3.1.2 Class CTimer

#### 3.1.2.1 Attributes

- **m\_uiTicks** : unsigned int [1]

- **m\_uiTimeToElapse** : unsigned int [1]

## 3.1.2.2 Generalizations

None

## 3.1.2.3 Operations

- Void CTimer ()

- Void **setTimer()** (\_uiTimeToElapse : unsigned int) - Void Start () - Void Pause () - Void UnPause () - Boolean isElapsed () 3.2 Package Ressources 3.2.1 Class CRessource 3.2.1.1 Attributes - m\_strName : const char\* [1] 3.2.1.2 Generalizations None 3.2.1.3 Operations - Void **CRessource** (\_Name : const char\*) 3.2.1.4 Associations

## 3.2.2 Class CFont

- **cGestionaireRessource** : CGestionaireRessource [0..1]

#### 3.2.2.1 Attributes

```
- m_Font : TTF_Font* [1]
```

```
- m_Surface : SDL_Surface* [1]
```

```
- m_Color : SDL_Color [1]
```

- m\_Rect : SDL\_Rect [1]

## 3.2.2.2 Generalizations

- CRessource

## 3.2.2.3 Operations

```
- Void CFont (_Name : const char*, _FontPath : const char*, _iSize : Integer)
```

```
- Void Render (_Renderer : SDL_Renderer*, _Text : const char*)
```

- Void Accesseur ()

## 3.2.3 Class CSprite

## 3.2.3.1 Attributes

```
- m_Texture : SDL_Texture* [1]
```

- m\_RectSrc : SDL\_Rect [1]

- m\_RectDest : SDL\_Rect [1]

- **m\_pTimer** : CTimer [1]

- **m\_boActif** : Boolean [1]

- m\_NbrFrame : Integer [1]

- m\_CurrentFrame : Integer [1]

- m\_NbrAnimation : Integer [1]

- m\_CurrentAnimation : Integer [1]

- m\_iNbrLoop : Integer [1]

#### 3.2.3.2 Generalizations

- CRessource

## 3.2.3.3 Operations

```
- Void CSprite (_Name : const char*, _Texture : SDL_Texture*, _NbFrame : Integer, _NbAnimation : Integer, _Delay : Integer, _NbLoop : Integer)
```

- Void Start\_Pause ()

- Void **Render** (\_Renderer : SDL\_Renderer\*)

- Void **Accesseur** ()

## 3.2.4 Class CSound

#### 3.2.4.1 Attributes

- m\_Music : Mix\_Music\* [1]
- m\_bolnitialized : Boolean [1]

#### 3.2.4.2 Generalizations

- CRessource

## 3.2.4.3 Operations

- Void **CSound** (\_Name : const char\*, \_MusicPath : const char\*)
- Void **Play** (\_iNbrOfLoop : Integer)
- Void Pause ()
- Void Accesseur ()

## 3.2.5 Class CGestionaireRessource

#### 3.2.5.1 Attributes

No additional attributes

#### 3.2.5.2 Generalizations

None

## 3.2.5.3 Operations

- Void **Ajouter** (\_Ressource : CRessource\*)
- CRessource\* **Obtenir** (\_Name : const char\*)

- Void **Retirer** (\_Name : const char\*)

## 3.2.5.4 Associations

- cRessource : CRessource [1..\*]