

```
<!DOCTYPE html><html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport"
content="width=device-width, initial-
scale=1.0" />
  <title>Romantic Proposal</title>
  <style>
    body, html {
      margin: 0;
      padding: 0;
      font-family: 'Segoe UI', Tahoma,
Geneva, Verdana, sans-serif;
      height: 100%;
      width: 100%;
    }#container {
      height: 100vh;
      width: 100vw;
      position: relative;
    }
  }
```

```
.page {  
  display: none;  
  height: 100%;  
  width: 100%;  
  background-size: cover;  
  background-position: center;  
  position: absolute;  
  top: 0;  
  left: 0;  
  color: white;  
  text-align: center;  
  padding-top: 20%;  
  background-color: rgba(0, 0, 0, 0.5);  
}
```

```
.page h1 {  
  font-size: 2.5em;  
  margin-bottom: 20px;  
}
```

```
.options button {
```

```
margin: 10px;
padding: 15px 30px;
font-size: 1em;
border: none;
border-radius: 5px;
cursor: pointer;
}
```

```
#page1 { background-image: url('https://
example.com/porsche_couple.jpg'); }
#page2 { background-image: url('https://
example.com/engagement_ring.jpg'); }
#page3, #page4, #finalPage { background-
color: #000; }
```

```
</style>
</head>
<body>
  <div id="container">
    <div class="page" id="page1">
      <h1>Hi Farkhunda</h1>
```

```
<div class="options">
  <button
onclick="nextPage('page2')">Hi Sam</
button>
  <button
onclick="nextPage('page2')">Hi Kervyn</
button>
  <button
onclick="nextPage('page2')">Bye Ugly</
button>
</div>
</div><div class="page" id="page2">
<h1>Will you marry me?</h1>
<div class="options">
  <button
onclick="nextPage('page3')">Yes</button>
  <button
onclick="nextPage('page3')">No</button>
</div>
</div>
```

```
<div class="page" id="page3">
  <h1>Where should we go for our
honeymoon?</h1>
  <div class="options">
    <button
onclick="selectDestination('switzerland')">S
witzerland</button>
    <button
onclick="selectDestination('japan')">Japan<
/button>
    <button
onclick="selectDestination('iceland')">Icela
nd</button>
  </div>
</div>
```

```
<div class="page" id="page4">
  <h1>Do you want to have babies during
our honeymoon?</h1>
  <div class="options">
    <button onclick="finalMessage()">Yes</
```

```
button>
```

```
  <button onclick="finalMessage()">No</
```

```
button>
```

```
  </div>
```

```
</div>
```

```
<div class="page" id="finalPage">
```

```
  <h1>Okay, I love you so much.</h1>
```

```
</div>
```

```
</div> <script>
```

```
  function nextPage(pageld) {
```

```
    document.querySelectorAll('.page').forEach  
    (p => p.style.display = 'none');
```

```
    document.getElementById(pageld).style.di  
    splay = 'block';  
  }
```

```
  function selectDestination(dest) {
```

```
const bgMap = {  
  switzerland: 'https://example.com/  
switzerland.jpg',  
  japan: 'https://example.com/japan.jpg',  
  iceland: 'https://example.com/  
iceland.jpg'  
};  
const bg = bgMap[dest];
```

```
document.getElementById('page4').style.ba  
ckgroundImage = `url('${bg}')`;
```

```
document.getElementById('finalPage').styl  
e.backgroundImage = `url('${bg}')`;  
  nextPage('page4');  
}
```

```
function finalMessage() {  
  nextPage('finalPage');  
}
```

```
document.addEventListener('DOMContentLoaded', () => nextPage('page1'));  
</script></body>  
</html>
```